

EDUCATIONAL TOOL — NOT A DIAGNOSIS

Know what your symptoms might mean.

Answer a few questions about how you're feeling. You'll get a ranked list of possible conditions with confidence levels, a risk read, and who to actually go see — all explained in plain terms.

ABOUT YOU

Full name (for your report)

Shristi

Age

34

Gender

Female

▼

Temperature (°C, if known)

e.g. 38.5

Symptoms lasted (days)

3

Existing conditions (check any that apply)

- ☐ Diabetes
- ☒ Heart disease
- ☐ Immunocompromised / on immunosuppressants
- ☐ Pregnant

SYMPTOMS

6 selected

General

—

- ☒ Fever

☐ Chills

☐ Unexplained weight loss

☐ Loss of appetite
- ☒ Fatigue

☒ Body aches

☒ Night sweats

Respiratory

+

Digestive

-

- ☐ Nausea

☐ Vomiting

☒ Diarrhea

☐ Abdominal pain

☐ Bloating

☐ Blood in stool

☒ Heartburn / acid reflux

Neurological

+

Skin

+

Other

+

Analyze symptoms

Symptom Check Report

Name: Shristi
Date: 18/07/2026, 13:40:52
Age: 34 Gender: Female Temp: -°C Duration: 3 day(s)

ESTIMATED RISK LEVEL

Based on symptom combination,
age, duration and existing

Low

conditions — not a clinical risk score.

Possible conditions

Ranked by how closely your symptoms match each pattern. This is **symptom overlap**, not a lab-confirmed diagnosis.

Influenza (Flu)

55% match

See: General Physician 3 symptoms matched

- Rest, fluids, isolate from others
- Monitor temperature
- Seek care if breathing worsens

Medicines (informational only): Paracetamol (for fever), Rest is the main treatment. Always confirm dosage and suitability with a pharmacist or doctor before taking anything.

Possible tuberculosis (persistent)

50% match

See: Pulmonologist 3 symptoms matched

- See a doctor promptly for testing if cough lasts over 2-3 weeks with these symptoms
- Avoid close contact until evaluated

Medicines (informational only): Requires medical diagnosis and prescribed treatment. Always confirm dosage and suitability with a pharmacist or doctor before taking anything.

COVID-19-like illness

42% match

See: General Physician 3 symptoms matched

- Isolate and test if possible
- Monitor oxygen if you have a device
- Seek care if breathless at rest

Medicines (informational only): Paracetamol (for fever), Follow local health guidance. Always confirm dosage and suitability with a pharmacist or doctor before taking anything.

Acid reflux (GERD)

40% match

See: Gastroenterologist 1 symptom matched

- Avoid lying down right after meals
- Smaller, more frequent meals
- Avoid spicy/fatty foods

Medicines (informational only): Antacid (short-term). Always confirm dosage and suitability with a pharmacist or doctor before taking anything.

Food poisoning

35% match

See: General Physician 2 symptoms matched

- Oral rehydration solution
- Bland diet once tolerated
- Seek care if blood in stool or high fever

Medicines (informational only): Oral rehydration salts. Always confirm dosage and suitability with a pharmacist or doctor before taking anything.