

Project Proposal

Project Name

Short Story Long: An Automated Story Generating Framework with Character Profile Creation and In-Dialogue Social Interactions

Group Members

Rohith Raj Srinivasan
Shreyas Madhav Ambattur Vijayanand
Shristi Suman

Overview

Computer-based story generation techniques focus on creating event sequences, prompting scenes, character action and text-based narratives to come up with a coherent storyline or plot that can be utilized in the creation of novels, video games, movies etc. Story generation systems can be categorized under multiple facets based on different criteria. Non-learning methods of generation depend heavily upon existing knowledge structures that have been hand-coded to facilitate the building of reliable knowledge containers. While these methods can be used to provide stories that are considered “legal” based upon predefined rules and human knowledge, most such symbolic domain models or case-based reasoning systems need to be engineered effectively to understand whether its usefulness is driven by proper knowledge engineering practices or by the algorithm itself. The stories generated will also be entirely restricted to the knowledge provided and cannot accommodate all creative decisions of the authors.

Learning-based methods of story generation primarily rely on natural language processing and deep learning to understand the user's expectations from text prompts and formulate a coherent story with good flow based upon previously learned knowledge from actual human-written stories. When dealing with such automated assistive technologies that aim to help creative thinking, it is mostly preferred for it to be a mixed approach where the human creator possesses complete authority over the creative content by providing one or more inputs to the system on how the story should evolve and which characters should attain the spotlight. An ideal system should also provide the creators to make changes to the generated stories in such a way that

re-generation results should make the changes while keeping the main idea intact. Hence, the author should be in control of what components of the story (intro, genre, climax, characters, personality traits, etc.) must be decided by the AI and what components should be prompted by the author. It is important to note that different human authors have different approaches to formulating a story (some start from climax, some define their characters first etc.) so it will be extremely efficient if the automated system can accommodate these creative differences.

Traditionally, game plots were created through manual scripts, which involved a lot of brainstorming, writing, and further editing of the events, the storyline and the characters involved in the game. However, Artificial Intelligence (AI) has dramatically impacted this process by automating the generation part to a great extent. Using AI algorithms, game developers can generate events, storylines, and characters based on particular input and parameters provided by the user. These algorithms are further trained on a large dataset of existing plots, allowing them to learn present plot structure and generate diverse and unique plots saving time and effort required, which would not have been possible otherwise.

Genre-based story generation generates stories belonging to particular genre-science fiction, romance, fantasy, or mystery. Each genre will have its distinct features and conventions. The main goal is to create an engaging narrative that compels the player to continue playing and satisfies the expectation associated with the genre.

Character-based story generation generates stories around multi-dimensional characters that drive the story's narrative. In this type of storytelling, the goal is not simply to advance a plot but to focus on the personal experiences and journeys of the involved characters. Generally, each character will have certain personality traits, motivations, goals, and a backstory.

Scene-based story generation refers to creating a narrative by generating a series of scenes that capture the key events and actions. The scenes are usually brief descriptions of events or actions, and serve as building blocks that come together to create a complete story.

The aforementioned story-generation techniques can be achieved using AI, which is widely popular in the research community. Several AI techniques, such as machine learning, natural language processing, and deep learning algorithms, are prevalent in this domain. For a genre-based generation, the AI system uses large datasets of texts belonging to a particular genre, such as romance, science fiction, or horror, to generate new stories. Moreover, for a character-based generation, a large corpus of story examples and character descriptions is used to train an AI system to learn the

characters' attributes and the relationship between characters. Furthermore, for a scene-based generation, the program uses machine learning algorithms and a large corpus of text to generate coherent scenes that follow the conventions of storytelling.

Generative Adversarial Network (GAN) is a deep learning model used for generative modeling, which involves creating new data samples that resemble some existing data. GANs have been used for various applications such as image generation, style transfer, and data augmentation. Moreover, it has been widely used in the game industry to generate impressive visual character profiles.

Apart from the main story generation tasks, AI systems have also gained their role within the storytelling narratives, especially in in-game dialogue generation for social interactions between two or more characters in the game. Authors can input what situation and scene the social interactions are set in along with the emotions or endpoints that are to be achieved through it, and the learning-based systems should generate utterance pairs to replicate realistic social expressions and dialogue. The expected linguistic form is governed by derived parameters set that can keep in mind the emotional attachments and affinities among the game characters.

Questions to be answered through our project approach are:

- Providing maximal creative control to the author and accommodating creative differences by creating a system that can adapt to input differences instead of one predefined input?
- Generating Character profiles and backstories based upon minimal input from authors and the main plot?
- Can we accommodate dynamic changes proposed by the author as the story is generated and regenerated with changes while maintaining logic, flow, and coherence?
- Giving Authors creative control over the character visuals before supplying them to the animator?
- Helping authors model dynamic social interactions between two or more game characters based upon one or more prompted author expectations (personality traits, in-game location, genre, outcome etc.) with option to spontaneously generate in-game dialogues, along with the ability to regenerate portions of the dialogue that the author wants edited without losing the original crux of the dialogue?

Related Work

Automated story creation[9,10] and plot generation techniques for video games have been extensively explored in the past to assist in automating the creative processes involved in video game storylines while retaining the original creative influence of the authors[3]. In most past such systems, authors could provide the system with prompts or critical elements of the story that they have in mind, and the system uses this initial information to develop a storyline for the game. The intuitive input that is received in most cases are scene fragments, turn points or climaxes of the stories that the authors have visualized in their mind, and the AI system connects the dots by intertwining all of these scenes, characters, and key elements into a coherent playable gameplay plot.

Wide Ruled[1] is one of the prominent interfaces established in this space for crafting and writing generative stories. The interface of Wide Ruled is designed with the non-technical author in mind, featuring familiar interface elements, clear narrative terms, and step-by-step guidance through the creation of even complex plans and actions. Graph-based approaches have also been proposed for plot outlining. A layered hierarchical graph is a tool for outlining a game's plot. The graph generation system is unique in the sense that it portrays the player's journey through the game world using a series of rules[5].

Character-based plot generation has also gained much traction in the Game AI world, where the creator supplies the systems with protagonists, NPCs, and other characters in a particular environment that they would like to include in the plot. The AI uses this information to generate the storyline. In character-centric systems, each story aspect is closely tied to a particular character and corresponding environment. This approach explicitly incorporates character information and the relationships between the plot and character to enhance clarity and coherence in the generated story[2]. One direction worth exploring is the visual generation of video game characters based on physical characteristics and personality trait descriptions[6] and vice versa[7].

There have been several advancements in controlling the generation of stories. The genre of the story is one significant element for generating personalized stories. Recently, there has been a growing interest in using AI and machine learning techniques to generate genre-based stories. Cho et al. [8] have successfully leveraged contrastive learning and developed a supervised contrastive learning model for genre-controllable story generation. Liu et al. [11] have proposed a character-centric

neural storytelling model to address the models that only consider linguistic patterns while generating stories. This model generates character-centric stories by considering the character, its corresponding attributes, and the story genre while generating stories, and it has outperformed several traditional generation models.

Moreover, the technique of generating stories based on climax has existed since time immemorial, and there have been several successful attempts to use AI for the same. For instance, Peng et al. [4] have developed a Recurrent Neural Network (RNN) based framework to enable controllable story generation. They have primarily focussed on the storyline of stories and the ending valence of stories as the control elements. Their framework successfully achieved the desired control for generating personalized and coherent stories.

Character creation for games requires much proficiency; building them from scratch is a time-consuming process. However, using Generative Adversarial Network (GAN) provides an alternative that allows for the creation of custom characters into existence without any professional skill. GAN uses a combination of a deep learning network and a competitive training algorithm and has been used widely to produce realistic images. Anime character generation is one of the most major work done, and Yanghua et al. [12] has approached this problem by collecting a clean dataset and using an empirical application of DRAGAN.

Creating interactive and dynamic stories is one of the crucial aspects of modern game design. Generative grammar has been used to create written dialogues, and sentiment analysis has been employed to ensure semantic quality [13]. Intentional Dialogue Line is one of the other proposed works where multiple dialogue variants are generated and refined using Machine Learning to integrate dialogue lines into existing content while still being unique and fitting for the character speaking them [14].

Design and Technical Approach

Architecture Diagram




Figure 1: Process Flow of our Proposed System

Components

1. Adaptable Author Input Module

The system starts with a text multi-input system where the author can enter one or more attributes of the story they want to generate. The fields that we have created include genre, start of the story, character information and traits, intermediate scenes or incomplete event sequences, and climax. The author can fill these fields according to what they have already created, and the system will generate the story based on these attributes. There is no mandate for the author to fill one or more of these fields. This has been done to accommodate the different creative thinking methods of different authors(some may create their story starting from significant events, some define their

characters first etc). The inputs provided by the author will be passed on to the story generation module that will use the author preferences to create the storyline.

2. Story generator Module

Once the author inputs have been fed to the story generation module, we adopt a deep learning natural language processing module to come up with the storyline, according to author preferences. We will be employing the GPT model family for this purpose. Generative Pre-Trained Transformer(GPT) is an unsupervised generative language model which takes input as a sentence and generates an appropriate response. GPT-2 and GPT-3 are different versions that are open source and are trained on massive amounts of text data, making it capable of generating the next sequence of text similar to input. For the scenario of story generation, GPT can be used to generate a preliminary concept or outline of a story. A prompt like the description of the character or a couple of sentences, can be given as input, and the model will generate text to continue the narrative and move ahead with the story. They can be further adjusted to produce more specific or focused output by training on a particular genre or style of writing. Hence, we will be using this approach to generate the initial story to be presented to the author.

3. Dynamic Story Regeneration Editor

This module of the system succeeds the initial story generation process, is optional, and called according to the author's convenience. Once the initial story is generated according to the author's inputs, the author can choose to edit parts of the story or modify characters/scenes and request a regeneration. This regeneration will be fed as a consecutive query to the original request and the NLP model to make the changes while maintaining the main idea and crux of the story intact. The author can make as many edits to the story as required. The author can also choose to edit the initial inputs dynamically at any time in order to regenerate the storyline.

4. Character Profile Creator

Once the final story has been created and approved by the author, the system provides the author with the ability to generate character profiles. The profiles will consider the initial inputs provided. The traits or attributes not mentioned by the author will be generated automatically by language models based upon the story. The character profile will display Name, Traits (Strengths,Weaknesses,Appearances etc.) and the backstory of the character (which will be generated based on the main story). The author can choose to edit these backstories or any other features of the character dynamically at any point of time. The system will also provide a virtual character

appearance based upon the description initially provided by the author, which will be powered by the Character Visualizer, explained in the next section.

5. *Character Visualizer*

The Character Visualizer aims to visualize the physical appearance of the characters based upon author preferences and the main storyline that has been generated along with the character profile generated by the character profile creator module (discussed above). Having this module is very essential for our system since it provides the authors with the ability to get an overall idea of the characters involved in the system and provides the authors with the flexibility to further customize the characters in case they are not satisfied with it. Generative Adversarial Networks (GAN) have been widely used to synthesize new data akin to the data it has been trained on. So we intend to leverage GAN to generate virtual character appearance for our system and make it visually appealing for the authors. Generative Adversarial Network(GAN) is a class of machine learning framework used for generative modeling. Made of two components, generator creating synthetic data and discriminator checking if generated data is real or fake, GAN is used to create new data instances that resemble training data. The generator tries to fool the discriminator, and the discriminator tries to keep from being fooled and with continuous training the generator becomes better at creating realistic data and discriminator at identifying fake data. It is widely used in image and video generation but can also be used for story generation by training on large corpus of text data.

DALL-E is a very powerful tool which uses natural language descriptions of the scene to generate relevant images. Since we have the character traits and the generated story, we can combine them and supply it to DALL-E to generate avatars of characters and embed it along with the profile of the character as shown in the system architecture diagram.

6. *In-Game Dialogue Generator and Editor*

Once the characters and their attributes have been defined by the Profile creator module, the author can choose to use the In-Game Dialogue Generator and Editor to generate in-game social interaction scenes between two or more characters. The author chooses the characters involved, the genre of the conversation, location of the scene and can also provide a description of the expected emotional/ social outcome. The implemented deep learning language model in our system will generate an in-game dialogue scene (multiple utterance pairs) according to the author's inputs. The author can choose to edit and regenerate the dialogues between the characters if they feel that some part of it is not up to their creative liking.

Hence, our system comprises all these aforementioned modules and aims to act as an integrated framework for the majority of the generation tasks required to assist authors in the brainstorming/initial stages of interactive game development.

Novelty

Most story generation systems work upon a set of predefined inputs from the author that are mandatory for their functioning. Here the author can choose to input whatever they have come up with instead of restricting themselves to a given set of mandatory inputs. This enhances creative freedom and accommodates the different ways of thinking employed by different authors(some may prefer to start the story by writing the climax while some may define the genre or characters first). Hence, this framework is very adaptive to the type of author using it in terms of creativity and enables freedom in their thought processes. The story can also be dynamically regenerated upon as many edits as the author requires.

Character profiles and backstories are created dynamically based upon the main storyline and initial inputs of the author, which is not usually integrated in past systems and provides authors with further understanding over even the randomly generated characters(if any) so that the authors can choose to modify their attributes according to their original creative ideas.

Apart from the story generation process, This system aims to provide the author with control of the visual aspects of the game as well in addition to its story generation capabilities. The character visualization module helps show the predicted physical appearance of characters based upon the author's writing. This can be used by the author to give the animators the idea of what the original character is supposed to look like, based upon the author, providing them with a certain level of authority over the non writing part of the game creation process as well.

The dynamic in-game dialogue generation has also been proposed based upon social interactions between two or more characters where the author can choose location and describe the outcome of the dialogue. It aims to act as a one stop solution for assisting authors in the initial creative processes before developing an interactive game.

Value

Our proposed project aims to provide a complete integrated framework that can assist any author regardless of their thinking process in most idea generation/brainstorming/

creation processes involved for creating a game's storyline, characters, appearances, in-game dialogues etc. This helps accommodate authors of different thinking characteristics on a single automated platform to help in story generation, character profile creation. Authors and Idea creators for interactive and narrative games will find this tool extremely helpful.

Documentation and Access

All the code bases related to this project will be uploaded in the Github repository <https://github.com/rohis06/ECS289G-project> for a collaborative environment. For ease of communication across the group, we will be using slack and discord. All the documentation related to this project will be done on Google Docs due to its shareable nature. A readme file will give an overview of the project.

Contribution of Team Members

Background research	All
Architecting the system	All
Adaptable author input module	Shreyas Madhav Ambattur Vijayanand, Rohith Raj Srinivasan
Story generator module	Shreyas Madhav Ambattur Vijayanand, Rohith Raj Srinivasan
Dynamic story regeneration editor	Rohith Raj Srinivasan, Shristi Suman
Character profile creator	Rohith Raj Srinivasan, Shristi Suman
Character visualizer	Shristi Suman, Shreyas Madhav Ambattur Vijayanand
In-game dialogue generator and editor	Shristi Suman, Shreyas Madhav Ambattur Vijayanand
Writing proposal, research paper, and final report	All

References

- [1] Skorupski, J., Jayapalan, L., Marquez, S., Mateas, M. (2007). Wide Ruled: A Friendly Interface to Author-Goal Based Story Generation. In: Cavazza, M., Donikian, S. (eds) Virtual Storytelling. Using Virtual Reality Technologies for Storytelling. ICVS 2007. Lecture Notes in Computer Science, vol 4871. Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-540-77039-8_3
- [2] Liu, D., Li, J., Yu, M.-H., Huang, Z., Liu, G., Zhao, D., & Yan, R. (2020). A Character-Centric Neural Model for Automated Story Generation. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(02), 1725-1732. <https://doi.org/10.1609/aaai.v34i02.5536>
- [3] B. Kybartas and R. Bidarra, "A Survey on Story Generation Techniques for Authoring Computational Narratives," in *IEEE Transactions on Computational Intelligence and AI in Games*, vol. 9, no. 3, pp. 239-253, Sept. 2017, doi: 10.1109/TCIAIG.2016.2546063
- [4] Peng, N., Ghazvininejad, M., May, J., & Knight, K. (2018, June). Towards controllable story generation. In *Proceedings of the First Workshop on Storytelling* (pp. 43-49).
- [5] Iwona Grabska-Gradzińska, Leszek Nowak, Wojciech Palacz, and Ewa Grabska. 2021. Application of Graphs for Story Generation in Video Games. In *2021 Australasian Computer Science Week Multiconference (ACSW '21)*. Association for Computing Machinery, New York, NY, USA, Article 27, 1–6. <https://doi.org/10.1145/3437378.3442693>
- [6] Nunnari, F., Heloir, A. (2017). Generation of Virtual Characters from Personality Traits. In: Beskow, J., Peters, C., Castellano, G., O'Sullivan, C., Leite, I., Kopp, S. (eds) *Intelligent Virtual Agents. IVA 2017. Lecture Notes in Computer Science()*, vol 10498. Springer, Cham. https://doi.org/10.1007/978-3-319-67401-8_39
- [7] Nunnari, F., Heloir, A. (2017). Generation of Virtual Characters from Personality Traits. In: Beskow, J., Peters, C., Castellano, G., O'Sullivan, C., Leite, I., Kopp, S. (eds) *Intelligent Virtual Agents. IVA 2017. Lecture Notes in Computer Science()*, vol 10498. Springer, Cham. https://doi.org/10.1007/978-3-319-67401-8_39
- [8] JinUk Cho, MinSu Jeong, JinYeong Bak, and Yun-Gyung Cheong. 2022. Genre-Controllable Story Generation via Supervised Contrastive Learning. In *Proceedings of the ACM Web Conference 2022 (WWW '22)*. Association for Computing Machinery, New York, NY, USA, 2839–2849. <https://doi.org/10.1145/3485447.3512004>

- [9] Alhussain, A. I., & Azmi, A. M. (2021). Automatic story generation: a survey of approaches. *ACM Computing Surveys (CSUR)*, 54(5), 1-38.
- [10] Alabdulkarim, A., Li, S., & Peng, X. (2021). Automatic story generation: Challenges and attempts. *arXiv preprint arXiv:2102.12634*.
- [11] Liu, D., Li, J., Yu, M.-H., Huang, Z., Liu, G., Zhao, D., & Yan, R. (2020). A Character-Centric Neural Model for Automated Story Generation. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(02), 1725-1732. <https://doi.org/10.1609/aaai.v34i02.5536>
- [12] Jin, Yanghua, et al. "Towards the automatic anime characters creation with generative adversarial networks." *arXiv preprint arXiv:1708.05509* (2017).
- [13] Palmas, Fabrizio, Jakob Raith, and Gudrun Klinker. "A novel approach to interactive dialogue generation based on natural language creation with context-free grammars and sentiment analysis." *2020 IEEE 20th International Conference on Advanced Learning Technologies (ICALT)*. IEEE, 2020.
- [14] Kerr, Christopher, and Duane Szafron. "Supporting dialogue generation for story-based games." *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*. Vol. 5. No. 1. 2009.