1

Assignment 9.10.5.11

Shristy Sharma (EE22BNITS11001)

1 Problem

ABC and ADC are two right triangles with common hypotenuse AC. Prove that $\angle CAD = \angle CBD$.

2 Solution

Consider $\triangle ABC$ such that

$$\mathbf{A} = \begin{pmatrix} -a \\ 0 \end{pmatrix} \tag{2.0.1}$$

$$\mathbf{C} = \begin{pmatrix} a \\ 0 \end{pmatrix} \tag{2.0.2}$$

Since,both the triangles ($\triangle ABC$ and $\triangle ADC$) are right angled.

Therefore, it can be said that B and D lie on circle having A and C as its diametric end-points.

Equation of this circle is given by:

$$\left\|\mathbf{x} - \left(\frac{\mathbf{A} + \mathbf{C}}{2}\right)\right\|^2 = \left\|\frac{\mathbf{A} - \mathbf{C}}{2}\right\|^2 \tag{2.0.3}$$

$$\|\mathbf{x}\|^2 = a^2 \tag{2.0.4}$$

Points on this circle can be represented as

$$\mathbf{x} = a \begin{pmatrix} \cos \theta \\ \sin \theta \end{pmatrix} \tag{2.0.5}$$

Let

$$\mathbf{B} = a \begin{pmatrix} \cos \theta_1 \\ \sin \theta_1 \end{pmatrix} \tag{2.0.6}$$

$$\mathbf{D} = a \begin{pmatrix} \cos \theta_2 \\ \sin \theta_2 \end{pmatrix} \tag{2.0.7}$$

$$\cos \angle CAD = \frac{(\mathbf{C} - \mathbf{A})^{\mathsf{T}} (\mathbf{D} - \mathbf{A})}{\|\mathbf{C} - \mathbf{A}\| \|\mathbf{D} - \mathbf{A}\|}$$
(2.0.8)

$$=\sqrt{1+\cos\theta_1}\tag{2.0.9}$$

$$\cos \angle CBD = \frac{(\mathbf{C} - \mathbf{B})^{\mathsf{T}} (\mathbf{D} - \mathbf{B})}{\|\mathbf{C} - \mathbf{B}\| \|\mathbf{D} - \mathbf{B}\|}$$
(2.0.10)

$$=\sqrt{1+\cos\theta_1}\tag{2.0.11}$$

$$\implies \angle CAD = \angle CBD \tag{2.0.12}$$

Parameter	Value	Description
A	$\begin{pmatrix} -5 \\ 0 \end{pmatrix}$	End of common hypotenuse
С	$\begin{pmatrix} 5 \\ 0 \end{pmatrix}$	Other end of common hypotenuse
θ_1	$\frac{3\pi}{5}$	parameter θ for B
θ_2	$-\frac{9\pi}{20}$	parameter θ for D
а	1	parameter for A, C

TABLE 0: Table1




Fig. 0: Figure 1