

```

public class PRODUCTINVENTORYMGMTCONTROLLER {

    public PRODUCTINVENTORYMGMT__c product {get; set;}

    public List<PRODUCTINVENTORYMGMT__c> productList {get; set;}

    public String msg {get; set;}

    // ===== CONSTRUCTOR =====

    public PRODUCTINVENTORYMGMTCONTROLLER(){

        product = new PRODUCTINVENTORYMGMT__c();

        productList =

            [SELECT Id,
                Name,
                SERIALNO__c,
                MANUFACTUREDATE__c,
                EXPIRYDATE__c
            FROM PRODUCTINVENTORYMGMT__c];
    }

```

```
// ===== ADD PRODUCT =====
```

```
public void addProduct(){
```

```
    try{
```

```
        product.Id = null;
```

```
        insert product;
```

```
        product = new PRODUCTINVENTORYMGMT__c();
```

```
        productList =
```

```
        [SELECT Id,
```

```
            Name,
```

```
            SERIALNO__c,
```

```
            MANUFACTUREDATE__c,
```

```
            EXPIRYDATE__c
```

```
        FROM PRODUCTINVENTORYMGMT__c];
```

```
        msg = 'Product Added Successfully';
```

```
    }
```

```

catch(Exception e){

    msg = 'Error : ' + e.getMessage();
}
}

// ===== DELETE PRODUCT =====

public void deleteProduct(){

    try{

        delete [SELECT Id
                FROM PRODUCTINVENTORYMGMT__c
                WHERE Id = :product.Id];

        productList =

        [SELECT Id,
            Name,
            SERIALNO__c,
            MANUFACTUREDATE__c,
            EXPIRYDATE__c
            FROM PRODUCTINVENTORYMGMT__c];
    }
}

```

```

        msg = 'Product Deleted Successfully';
    }

    catch(Exception e){

        msg = 'Error : ' + e.getMessage();
    }
}

// ===== UPDATE PRODUCT =====

public void updateProduct(){

    try{

        update product;

        product = new PRODUCTINVENTORYMGMT__c();

        productList =

        [SELECT Id,
            Name,

```

```
        SERIALNO__c,  
        MANUFACTUREDATE__c,  
        EXPIRYDATE__c  
    FROM PRODUCTINVENTORYMGMT__c];
```

```
        msg = 'Product Updated Successfully';  
    }
```

```
    catch(Exception e){
```

```
        msg = 'Error : ' + e.getMessage();  
    }  
}
```

```
// ===== EDIT PRODUCT =====
```

```
public void editProduct(){
```

```
    product =
```

```
    [SELECT Id,  
        Name,  
        SERIALNO__c,  
        MANUFACTUREDATE__c,
```

```

        EXPIRYDATE__c
    FROM PRODUCTINVENTORYMGMT__c
    WHERE Id = :product.Id];

    msg = 'Editing Product Data...';
}
}

<apex:page controller="PRODUCTINVENTORYMGMTCONTROLLER"
    lightningStylesheets="true">

    <h1>
        PRODUCT INVENTORY MANAGEMENT SYSTEM
    </h1>

    <apex:form id="form">

        <apex:pageBlock title="Add Product">

            <apex:pageBlockSection columns="1">

                <apex:inputField value="{!product.Name}"
                    label="Product Name"/>

```

```
<apex:inputField value="{!product.SERIALNO__c}"  
    label="Serial Number"/>
```

```
<apex:inputField value="{!product.MANUFACTUREDATE__c}"  
    label="Manufacture Date"/>
```

```
<apex:inputField value="{!product.EXPIRYDATE__c}"  
    label="Expiry Date"/>
```

```
<apex:commandButton action="{!addProduct}"  
    value="Add Product"  
    reRender="form"/>
```

```
<apex:commandButton action="{!updateProduct}"  
    value="Update Product"  
    reRender="form"/>
```

```
</apex:pageBlockSection>
```

```
</apex:pageBlock>
```

```
<apex:pageBlock title="Product List">
```

```
    <apex:pageBlockTable value="{!productList}"  
        var="p"  
        id="productTable">
```

```
        <apex:column value="{!p.Name}"  
            headerValue="Product Name"/>
```

```
        <apex:column value="{!p.SERIALNO__c}"  
            headerValue="Serial Number"/>
```

```
        <apex:column value="{!p.MANUFACTUREDDATE__c}"  
            headerValue="Manufacture Date"/>
```

```
        <apex:column value="{!p.EXPIRYDATE__c}"  
            headerValue="Expiry Date"/>
```

```
</apex:column>
```

```
    <apex:commandButton action="{!editProduct}"  
        value="Edit"  
        reRender="form">
```



```
<apex:param assignTo="{!product.Id}"  
    name="productId"  
    value="{!p.Id}"/>
```

```
</apex:commandButton>
```

```
</apex:column>
```

```
<apex:column>
```

```
<apex:commandButton action="{!deleteProduct}"  
    value="Delete"  
    reRender="form">
```

```
<apex:param assignTo="{!product.Id}"  
    name="productId"  
    value="{!p.Id}"/>
```

```
</apex:commandButton>
```

```
</apex:column>
```

```
</apex:pageBlockTable>
```

</apex:pageBlock>

<apex:pageBlock>

<h3 style="color:red">

{!msg}

</h3>

</apex:pageBlock>

</apex:form>

</apex:page>