

Carrier Console Review — V4

A complete, evidence-based, cross-referenced review of the Carrier Console

Reviewed	18 July 2026
Method	Every in-scope document read in full and cross-referenced against every other, then against the UI source. Findings re-verified from scratch. No V1-V3 finding carried forward unchecked.
Sources used	Carrier Onboarding workflow (CO-01...CO-28) · Auth Services BRD V2 (75 permissions, 18 functional categories, RBAC matrix) · Driver BRD V1.2 · Shipment Creation BRD 1.2 (SC-01...SC-06, §11-§12, GAP-01...GAP-10) · Shipment Execution Super Set · Master Data & Configurable Points V2 · Notification Types · Eligibility & Notification · AP & AR BRD · Ledger Frequency Matrix · FTL Master Reference Manual · Fields For HOS · Appendix (Figures A-F) · Carrier View BRD v2 · Carrier Console UI
Excluded per instruction	Project Tracker · SOP / website maintenance · Database Dictionary sheets · API endpoint specifications · technical, infrastructure and CI/CD material. None are referenced below.
Standing business decisions carried as inputs	(1) Auction / bidding / RR is out of scope. (2) Platform charges, commission, carrier invoices and payment timing are final and not reviewed. (3) The driver-assignment model is fixed: carrier selects the asset; trucks are assigned to shipments; the driver's shipment is derived from truck login. These were given as <i>business decisions</i> , not review findings, so they persist. If any has changed, tell me and I will re-open it.

1. Executive Summary

Two documents were readable for the first time in this round, and they change the review completely: the **Carrier Onboarding workflow (CO-01...CO-28)** and the **Auth Services BRD V2 RBAC matrix**. Between them they answer four questions that were open in V3 — and expose one that dwarfs everything found so far.

The headline

68% of what a carrier enters during onboarding never appears anywhere in the Carrier Console.

Onboarding captures **60 business fields** across company profile, trucks, trailers, drivers and yards. **19 of them reach a screen. 41 do not.**

Onboarding step	Fields captured	In the console	Retained
CO-05 Carrier Company Profile	12	4	33%
CO-10 Truck Registration	7	2	29%
CO-12 Trailer Onboarding	7	2	29%
CO-17 Driver Onboarding	18	5	28%
CO-18 Driver (payment & extras)	3	0	0%
CO-14 Yard Onboarding	13	6	46%
Total	60	19	32%

This is not a cosmetic gap. A carrier registers a truck's **licence plate, plate state and registration expiry** (CO-10) — a DOT roadside-inspection triad — and can never see any of it again. A carrier enters a yard's **full address and geo-coordinates** (CO-14) and the console shows no address at all. A carrier answers "**Is the driver insured? Yes/No**" (CO-18) — the exact question the Carrier View BRD raises as unresolvable in OPEN-02.

What the new documents resolved

Four V3 findings are now **withdrawn or reframed**, because the evidence resolves them:

V3 said	Now resolved by	New status
"Five conflicting role models; nobody knows which is real"	Auth Services BRD V2 RBAC matrix — 6 carrier roles, 75 permission codes, 18 functional categories, fully mapped. Master Data and CO-01...CO-28 both agree with it.	Resolved. One model is authoritative. Only the Carrier View BRD disagrees. → CD-1
"POD has two owners — Driver BRD says Driver, AP & AR says Carrier"	RBAC POD category (Driver = Create/View/Update; Dispatcher = View only; Super Admin = Create/View/Update) + Ledger LED-05 ("Triggered By: Driver")	Withdrawn as a contradiction. It is a two-path model, imprecisely worded. → CD-4
"OPEN-01 driver scoring model doesn't exist"	CO-21 Driver Rating System — on_time_score, no_show_flag, bid_cancellation_flag, behaviour_score, communication_score, overall_score	OPEN-01 can be closed. → MF-6
"OPEN-03 only SHP-FTL / SHP-LTL prefixes are documented"	Shipment Execution Super Set — uses SHP-RF- (reefer) and SHP-RCR- (recurring/dump truck)	OPEN-03 can be closed — and the Carrier View BRD's statement is factually wrong. → CD-6

What got worse

- **The RBAC matrix is fully specified and zero-percent implemented.** 75 permission codes, 18 categories, 6 carrier roles, every cell filled in. The console has no role logic of any kind.
- **The onboarding actor model contradicts the RBAC matrix.** CO-17, CO-18 and CO-22 make the **Fleet Manager** the driver-onboarding actor. The RBAC matrix gives Fleet Manager **View-only** on Driver Management and gives Create/Update to the **Dispatcher**. → **CD-2**
- **Two roles the console has never heard of do most of the onboarding work.** Fleet Manager is the actor on 8 of 28 onboarding steps; Compliance Manager on 2 more. The Carrier View BRD has neither.

Scores

Overall completeness	29%
Onboarding → console field retention	32%

Screens present vs. required	7 of 20
RBAC implementation	0% (75 permissions specified, none enforced)
Carrier actions available	0 of ~22 documented
Master-data catalogues that agree across documents	3 of 11
Readiness	Not ready for development — Requires Further Design Review

Why 29% when V3 said 41%: nothing regressed. Two documents became readable and revealed measurable gaps that were previously invisible — the field-retention gap and the unimplemented RBAC matrix. The score fell because the evidence base grew, not because the product got worse.

2. Overall Carrier Flow Verification

I walked each documented flow end to end across all sources. Result:

#	Flow	Documented in	Console support	Verdict
1	Signup → Verify → Company Profile → FMCSA → Documents → Contract → Active	CO-01...CO-09	Sidebar shows 4 fields of the outcome	● Breaks at CO-05. No profile, no FMCSA status, no documents, no contract, no Pending→Active status
2	Truck registration → DMV validation → Serviceable	CO-10, CO-11	Truck list only	● Breaks at CO-10. 5 of 7 fields lost; no DMV status; "Serviceable" never appears
3	Trailer onboarding → Assign to Truck (Primary/Secondary)	CO-12, CO-13	Trailer list only	● Breaks at CO-13. No truck↔trailer relationship exists in the console
4	Yard onboarding → capacity → dispatch use	CO-14	Yard list	● Partial. Address and geo-coordinates lost; type/status vocabularies conflict
5	Driver onboarding → Identity verify → Drug & Alcohol → Verified → Rated	CO-17...CO-21	Driver list	● Breaks at CO-17. 13 of 18 fields lost; no Pending/Verified status; no drug & alcohol status; no ratings
6	Device assignment → ELD sync → truck login → HOS	CO-23, CO-24	HOS list (read-only)	● Breaks at CO-24. No device management; ELD serial is a static string
7	Shipment awarded → select asset → execute → POD → close	Carrier View SHP-04...06; RBAC POD; LED-01...06	Read-only buckets	● Breaks at asset selection. The one action the fixed model requires of the carrier does not exist
8	Driver reports issue / SOS / detention / reefer alert → dispatch acts	Driver BRD §4.12-4.15; CO-25	None	● No destination. Four driver→dispatch channels terminate nowhere
9	Invite user → assign role → RBAC enforcement	CO-28; Auth BRD RBAC	None	● Does not exist
10	Document upload → OCR → expiry monitoring → alerts	CO-04, CO-07, CO-09	Read-only tables	● Breaks at upload. No upload; expiry schedule not implemented

Seven of ten flows break before completion. Three break at their first carrier action.

3. Cross-Document Consistency Review

CD-1 — The role model is now settled, and the Carrier View BRD is the only document that disagrees

Severity: Critical **Affected Module(s):** Every module **Related BRD(s):** Auth Services BRD V2 (Role Permission Matrix; Functional Matrix); Master Data (User Types per Module); Carrier Onboarding CO-01...CO-28; Driver BRD §3; Carrier View BRD §2 **Related Screen(s):** Entire console; top bar

Observation: Three independent documents now agree on **exactly six carrier roles**:

Carrier Super Admin · Fleet Manager · Dispatcher · Compliance Manager · Driver · System Admin

- **Auth Services BRD V2** defines all six as matrix columns, with **75 permission codes** across **18 functional categories**, every cell populated.
- **Master Data — User Types per Module** lists the same six.
- **Carrier Onboarding CO-01...CO-28** uses them as actors: **Fleet Manager** on 8 steps (CO-10, CO-12, CO-13, CO-15, CO-16, CO-17, CO-18, CO-22, CO-24), **Compliance Manager** on 2 (CO-07, CO-19), **Carrier Super Admin** on 4, **System Admin** on 1.
- **Driver BRD §3** independently names Dispatcher and Fleet Manager.

The Carrier View BRD §2 defines two: "Carrier Super Admin" and "Dispatch Admin". The term "Dispatch Admin" appears in **no other document**. Fleet Manager and Compliance Manager appear in **none** of the Carrier View BRD.

Expected Behaviour: One role model, applied consistently. The evidence is 4-to-1 in favour of the six-role model.

Business Impact: This was V3's largest open question and it is now answerable. It matters because **Fleet Manager and Compliance Manager do most of the onboarding work** — Fleet Manager owns truck, trailer, driver and device registration; Compliance Manager owns document upload and driver identity verification. The console has no home for either. Every permission finding below depends on settling this.

Recommendation: Adopt the six-role model from the Auth Services BRD V2. Update Carrier View BRD §2 and §17 (which assigns workflows to "Dispatch Admin" throughout). Rename "Dispatch Admin" → "Dispatcher".

CD-2 — The onboarding workflow contradicts the RBAC matrix on who onboards drivers

Severity: Critical **Affected Module(s):** Driver Management; User Management **Related BRD(s):** Carrier Onboarding CO-17, CO-18, CO-22; Auth Services BRD V2 (Functional Matrix, row 8 DRVMGT) **Related Screen(s):** Drivers → All Drivers

Observation: A direct, specific conflict between two in-scope documents:

Source	Who onboards / maps drivers
CO-17 Driver Onboarding	Actor: Fleet Manager
CO-18 Driver payment config	Actor: Fleet Manager
CO-22 Driver-Truck Mapping	Actor: Fleet Manager
Auth Services BRD V2 — row 8, DRVMGT (Driver Management)	Carrier Super Admin: Create/View/Update · Fleet Manager: Only View · Dispatcher: Create/View/Update · Compliance Manager: Only View

The RBAC matrix gives the **Fleet Manager view-only rights** over Driver Management and grants create/update to the **Dispatcher**. The onboarding workflow makes the **Fleet Manager** the creator on all three driver steps.

(For contrast, the two documents agree perfectly on fleet: CO-10/12/13/15/16 name Fleet Manager, and RBAC row 7 FLEET gives Fleet Manager Create/View/Update. And on compliance: CO-07/CO-19 name Compliance Manager, and RBAC row 10 COMP gives Compliance Manager Create/View/Update.)

Expected Behaviour: One actor per workflow, consistent across both documents.

Business Impact: Driver onboarding is **Critical** priority in CO-17 and includes creating an auth user record. Building it against the wrong role means either the Fleet Manager cannot do their documented job, or the Dispatcher gets rights the RBAC matrix didn't intend. It also directly affects **CO-22** — the driver-truck mapping — which is the most sensitive item in the pack (see CD-3).

Recommendation: Reconcile. The pattern elsewhere (Fleet Manager owns assets, Compliance Manager owns compliance) suggests the RBAC matrix is deliberate and CO-17/18/22 are the drafting error — but that is inference. **Needs Business Clarification (OC-2).**

CD-3 — CO-22 "Driver-Truck Mapping" reads as an eligibility roster, not an assignment — but it is named as an assignment

Severity: Critical **Affected Module(s):** Driver Management; Fleet Management; Shipment Execution **Related BRD(s):** Carrier Onboarding CO-22, CO-23, CO-24; Driver BRD DT-20, DRV-DASH-001; Fields For HOS (Driver Session); Master Data (Shipment Status) **Related Screen(s):** Drivers → Assigned Drivers; Fleet → All Vehicles; Fleet → HOS Status

Observation: CO-22 is titled "*Driver-Truck Mapping*", its goal is "*Assign drivers to trucks*", and it writes to `(driver_truck_assignments)`. Under the fixed business model that would be a direct contradiction.

But its Key Steps say something different:

"Map Truck VIN → Multiple Drivers (min 4 drivers)" — Acceptance: "*minimum 4 drivers enforced*"

A minimum of four drivers per truck cannot be a dispatch assignment. Four people cannot drive one truck at once. This is a **roster** — the list of drivers permitted to operate that truck — not an assignment of a driver to a job.

Read as a roster, CO-22 is **fully compatible with the fixed model**, and three neighbouring steps reinforce it:

Source	What it says	Why it fits
CO-24 Tablet Device Assignment	"Map <i>Tablet Device</i> → <i>Truck VIN</i> "	The tablet belongs to the truck . Logging into the tablet is logging into the truck
CO-23 ELD Integration	Trigger: " <i>Driver logs in tablet</i> " → HOS syncs	The login event is what binds driver to truck
Driver BRD DT-20	"Logout <i>current</i> → <i>authenticate next driver</i> "	Handover by login/logout — exactly the fixed model. Team driving already works this way
Driver BRD DRV-DASH-001	"display <i>current assigned shipment</i> " (singular)	One active shipment derived from context

Expected Behaviour: If CO-22 is a roster, it is the **missing authorisation layer** — and it solves the compliance problem in **VB-1**: truck login can check "*is this driver on this truck's roster, and are they compliant?*" If CO-22 is an assignment, it contradicts the fixed model and must be removed.

Business Impact: This is the single most consequential ambiguity in the pack. The two readings lead to opposite implementations of the carrier's core operating model. The "min 4 drivers" clause is strong evidence for the roster reading, but the title, goal and table name all say "assignment".

Recommendation: Needs Business Clarification (OC-1). If roster: rename CO-22 to "Truck Driver Roster", rename the table, and make it the authorisation source for truck login. If assignment: it contradicts the fixed model and must be deleted along with the artefacts in **CD-5**.

CD-4 — POD ownership is resolved by the RBAC matrix; AP-001's actor is imprecise, not contradictory

Severity: Medium (*downgraded — V3 reported this as a Critical contradiction; the new evidence resolves it*) **Affected Module(s):** POD; Shipment Execution **Related BRD(s):** Auth Services BRD V2 (Functional Matrix row 6, POD); Ledger Frequency Matrix (LED-05); Driver BRD DT-09 / POD-001...008 / DT-25; AP & AR BRD AP-001 **Related Screen(s):** Shipments → Completed; Dashboard → Upcoming Tasks

Observation: V3 reported Driver BRD DT-09 (Actor: Driver) and AP & AR AP-001 (Actor: Carrier) as an irreconcilable conflict. **The RBAC matrix resolves it:**

Row 6 — POD (Delivery & POD), applies_to: CARRIER Carrier Super Admin: Create / View / Update · Dispatcher: Only View · Driver: Create / View / Update · Fleet Manager, Compliance Manager: no access

And Ledger LED-05 "Delivery Confirmed (POD Uploaded)" — Triggered By: Driver.

So the model is: **the Driver captures POD; the Carrier Super Admin may also create or correct it; the Dispatcher can only view it.** AP-001's actor "Carrier" is consistent with Carrier Super Admin having Create — it is simply written at organisation level rather than role level. **Not a contradiction.**

Expected Behaviour: AP-001's actor should read "Carrier Super Admin" for precision. The console must provide the **Dispatcher's view** and the **Super Admin's create/update** path.

Business Impact: POD gates shipment close-out and, per LED-05, opens the payment sequence. The specification is complete and unambiguous once the RBAC matrix is read alongside it — but **no POD screen exists**, so a documented Only-View right for the Dispatcher and a Create/Update right for the Super Admin are both unavailable.

Recommendation: Reword AP-001's actor to "Carrier Super Admin". Build the POD screen per CG-4.

CD-5 — The fixed driver-assignment model is contradicted in 22 documented locations

Severity: Critical **Affected Module(s):** Driver Management; Fleet Management; Shipment Assignment; Shipment Execution **Related BRD(s):** Carrier View BRD; Master Data; Fields For HOS; Notification Types; FTL Master Reference; Appendix E; Driver BRD **Related Screen(s):** Drivers → Assigned Drivers; Fleet → All Vehicles; Drivers → All Drivers; Shipments (all buckets); Fleet → HOS Status

Observation: Re-verified from scratch against the new document set. The fixed model — *carrier selects the asset; trucks are assigned to shipments; the driver's shipment derives from truck login* — is contradicted here:

#	Document	Location	What it says
1	Carrier View BRD	§3 Module Map	Sub-view " Assigned Drivers "
2	Carrier View BRD	DRV-02	<i>"Assigned Drivers = drivers with an active truck assignment (<u>truck_driver_assignments</u>)"</i>
3	Carrier View BRD	§15 Audit	<u>truck_driver_assignments</u> — ASSIGNMENT_CHANGE
4	Carrier View BRD	FLEET-01	<i>"assigned driver"</i> as a truck field
5	Carrier View BRD	DRV-01, DRV-04	<i>"assigned truck"</i> as a driver field
6	Carrier View BRD	FLEET-06 / FLEET-006	<i>"vehicles with an assigned driver"; error "Driver unassigned"</i>
7	Carrier View BRD	SHP-004, SHP-05	<i>"Assign truck / driver / trailer"</i>
8	Carrier View BRD	DRV-002	Precondition <i>"Driver has active assignment"</i>
9	Carrier View BRD	TRIP-01	Trip = <i>"truck + driver + shipment"</i>
10	Master Data	Shipment Status	<u>Truck Assigned → **Driver Assigned**</u> — a distinct state
11	Master Data	Driver Status	<i>"Assigned — Driver assigned to a shipment — Dispatch by carrier"</i>
12	Fields For HOS	Trip Events	TRIP_ASSIGNED <i>"Trip assigned to driver"</i>
13	Fields For HOS	Trip Events	TRIP_ACCEPTED <i>"Driver accepted trip"</i>
14	Fields For HOS	Trip Events	TRIP_REJECTED <i>"Driver rejected trip"</i> — impossible if the shipment attaches on login
15	Notification Types	CR-020	<i>"Driver Assigned to Trip — Dispatcher assigns driver to a shipment"</i>
16	Notification Types	DR-001	<i>"You have been assigned a new trip"</i>

#	Document	Location	What it says
17	Notification Types	DR-008	"Trip completed. Await next assignment. "
18	FTL Master Reference	<code>driverId</code>	" Assigned on ACCEPTED " — Entered By: Carrier Dispatch
19	FTL Master Reference	Shipment status update	Body includes <code>driverId?</code>
20	Appendix E	Figure E1	"... driver-to-truck assignment , trailer-to-truck assignment..."
21	Driver BRD	§7 Suggested Driver Workflow	"Driver Login → Trailer Assignment → ELD Activation → Shipment Acceptance "
22	Driver BRD	DT-11	Actor Driver ; "Fetch trailer → validate type → assign "; remedy " Select alternate trailer "

Plus 4 UI implementations: the **Assigned Drivers** nav item; a **Driver** column on every truck; a **Truck** column on every driver; and **truck + driver + trailer** in the Shipments "Assigned" column.

Expected Behaviour: Every item above deleted or rewritten. **None is a feature to build.**

Business Impact: These are not stylistic. #2 and #3 are a database table and an audit event. #10 is a shipment state. #12-14 are lifecycle events. #15-17 are notification contracts. #19 is a status-update payload. Building against today's documents builds the wrong operating model.

Recommendation: Delete/rewrite all 22 plus the 4 UI implementations. **Note the dependency on CD-3:** if CO-22 is a roster, it stays and becomes the login authorisation list; only the *assignment* semantics go.

CD-6 — Shipment ID prefixes are documented; the Carrier View BRD says they aren't

Severity: High **Affected Module(s):** Shipments **Related BRD(s):** Shipment Execution Super Set; Carrier View BRD SHP-03 / OPEN-03 **Related Screen(s):** Shipments (all buckets)

Observation: Carrier View BRD OPEN-03 states: "Only SHP-FTL / SHP-LTL ID formats are documented; Dump Truck and Costco currently reuse SHP-FTL."

This is contradicted by the Shipment Execution Super Set, which uses:

Prefix	Used for	Example
SHP-FTL-	FTL standard	SHP-FTL-10001
SHP-RF-	FTL Reefer	SHP-RF-10001
SHP-LTL-	LTL	SHP-LTL-10001
SHP-RCR-	Recurring / Dump Truck	SHP-RCR-10001 ... SHP-RCR-10005
SHP-LTL-	Costco	SHP-LTL-10002 , SHP-LTL-10003 , SHP-LTL-10004

Two prefixes the Carrier View BRD says don't exist — **SHP-RF** and **SHP-RCR** — are used throughout the Super Set. And **Costco** uses **LTL** prefixes, not FTL as the Carrier View BRD asserts.

The console implements the Carrier View BRD's incorrect reading: it shows Costco and Dump Truck as **SHP-FTL-10005** / **SHP-FTL-10006**.

Expected Behaviour: Four documented prefixes: **SHP-FTL**, **SHP-RF**, **SHP-LTL**, **SHP-RCR**. Costco as LTL.

Business Impact: OPEN-03 can be closed. More importantly, prefix drives recognition — a dispatcher scanning a list needs to see at a glance that **SHP-RCR-10001** is a recurring contract, not a one-off load. The console's uniform **SHP-FTL** erases the distinction the Super Set draws.

Recommendation: Close OPEN-03. Adopt all four prefixes. Correct SHP-03 and the console. Confirm Costco's LTL classification (**OC-6**).

CD-7 — Eleven master-data catalogues; three agree

Severity: Critical **Affected Module(s):** Fleet, Trailers, Drivers, Shipments, Yards **Related BRD(s):** Carrier View BRD §13; Master Data §1.1-1.2 / Asset Status / Driver Status; Carrier Onboarding CO-10...CO-14; Driver BRD §4.11 / §3 **Related Screen(s):** Every list with a status chip

Observation:

Catalogue	Carrier View BRD	Master Data	Carrier Onboarding	Driver BRD
Asset / truck status	AVAILABLE, IN_SERVICE, IN_MAINTENANCE, OUT_OF_SERVICE, DECOMMISSIONED (5)	Available, Unavailable, In Transit, Halt, At Pickup, At Delivery/Dump, Out of Service (7)	Available (CO-10), Serviceable (CO-11), Out of Service (CO-11)	—
Driver status	AVAILABLE, ON_DUTY, ON_BREAK, OFF_DUTY, SUSPENDED, TERMINATED (6)	19 values (Offline...SOS, Co-Driver, Sleeping Driver)	Pending (CO-17), Verified (CO-19)	Main/Co/Sleeping
Truck types	DAY_CAB, SLEEPER_BERTH, TANDEM_AXLE, STRAIGHT_TRUCK (4)	10 (incl. Dump ×2, Bobtail, Yard Truck)	free-text vehicle_type	—
Trailer types	9 (incl. LOWBOY, INTERMODAL, CAR_CARRIER)	9 (incl. Double Drop, Car Hauler, Livestock)	free-text trailer_type	6 (incl. Power Only)
Yard type	PRIVATE, LEASED, SHARED, CROSS_DOCK (4)	—	Owned , Leased, Shared (3)	—
Yard status	ACTIVE, INACTIVE, UNDER_MAINTENANCE, CLOSED (4)	—	active, inactive, maintenance (3)	—
Yard subtype	STAGING, DROP_AND_HOOK, FUEL_STOP, WEIGH_STATION (4)	—	not captured	—
Driver type	SALARIED, CONTRACT (2)	—	Owner-Operator , Contractual, Salaried (3)	—

Catalogue	Carrier View BRD	Master Data	Carrier Onboarding	Driver BRD
Shipment types	FTL, LTL	FTL, LTL, PTL, STL	—	FTL, LTL, PTL, STL
HOS duty status	4	—	—	ELD-002...005 — identical 4
CDL classes / endorsements	A,B,C / H,N,T,X,PS	—	CDL Class (CO-17)	—

Business Impact: Concrete, not theoretical. **AST-001...007** notifications fire on Master Data's asset statuses (**Halt, At Pickup, At Delivery/Dump**) — statuses the fleet screen cannot display. A carrier receives "*Asset TRK-004 is on Halt*" and finds no such status. **CO-11 marks a truck "Serviceable"** — a value that appears in no catalogue and on no screen. **CO-14 yard type "Owned"** cannot be stored in a field whose values are PRIVATE/LEASED/SHARED/CROSS_DOCK.

Recommendation: A master-data reconciliation workshop is the single highest-value action available. One signed-off catalogue per entity, then propagate.

CD-8 — Two document-expiry schedules, and the UI implements a third

Severity: High **Affected Module(s):** Compliance; Documents; Drivers; Fleet **Related BRD(s):** Carrier Onboarding **CO-09**; Notification Types **DOC-009 / DOC-010 / DOC-016 / DOC-018**; **CR-009 Related Screen(s):** Drivers → Drivers Documents; Fleet → Vehicle documents; Drivers → Insurance

Observation:

Source	Expiry alert schedule
CO-09 Document Expiry Monitoring	1 month → 3 weeks → 2 weeks → 7 days → daily after expiry (5 tiers)
Notification Types DOC-009/010	30 days → 7 days (2 tiers, insurance)
Notification Types DOC-016 / DOC-018	30 days (CDL, medical cert)
The console	Three hardcoded calendar dates — (2026-10-01) (CDL), (2026-07-01) / (2026-08-01) (medical). Not relative to today. Vehicle documents: no expiry flag at all

CO-09's 5-tier schedule is the most specific and the only one that includes post-expiry escalation. The Notification Types 30/7 model is a subset. The console matches neither.

Expected Behaviour: One schedule. CO-09's is the strongest candidate — it is a dedicated workflow step with **High** priority and covers the post-expiry state the others omit.

Business Impact: DOC-011 auto-suspends the carrier's marketplace access on COI expiry. The escalation ladder is the only warning a carrier gets before losing the ability to trade. Three different ladders means the notification a carrier receives won't match the flag they see.

Recommendation: Adopt CO-09's 5-tier schedule. Align DOC-009/010/016/018 to it. Add it to the configurable parameters. Apply to vehicle documents too.

CD-9 — Per-stop contact details are standard in the Super Set and "PROPOSED" in the Shipment BRD

Severity: High **Affected Module(s):** Shipments; Shipment Execution **Related BRD(s):** Shipment Execution Super Set (FTL, LTL, Dump Truck sections); Shipment Creation BRD **GAP-10**; Carrier View BRD SHP-03 **Related Screen(s):** Shipments (all buckets)

Observation: The Shipment Execution Super Set carries **Pickup Contact Point** and **Delivery Contact Point** (e.g. **+1-1234567890**) on every FTL, LTL and Dump Truck scenario, including one per stop on multi-stop loads.

The Shipment Creation BRD lists per-stop contacts as **GAP-10 — "PROPOSED ... not in current schema"**, priority Medium.

The Carrier View BRD SHP-03 does not list contact fields at all. The console shows none.

(Note: the Costco section of the same workbook omits contact points, while FTL/LTL/Dump include them — an internal inconsistency within one document.)

Expected Behaviour: Contact points are already standard data in the execution superset. GAP-10 should be closed, not proposed.

Business Impact: A driver arriving at a stop needs the site contact. The Super Set already provides it per stop; GAP-10 treats it as a future enhancement; the console shows nothing. **This is a live workflow break** — the data exists and reaches nobody.

Recommendation: Close GAP-10 as already-specified. Add contact points to SHP-03 and to the console's shipment view. Resolve the Costco omission (OC-7).

4. Critical Gaps

CG-1 — No Carrier Profile screen: 8 of 12 onboarding fields are unreachable

Severity: Critical · **Module:** Carrier Profile · **BRD:** CO-02, CO-05, CO-06, CO-08 · **Screens:** sidebar only

Observation: CO-05 captures **12 company fields**. The console sidebar shows **4**.

Captured at CO-05	In console?
Company Name	✓
DBA (Doing Business As)	✗
Entity Type	✗
Phone Number	✗
Company Email Address	✗
Year Established	✗
USDOT Number	✓
MC Number	✓
EIN / Tax ID	✗
Corporation Number	✗
Country	✓
Fleet Size	✗

CO-02 additionally captures the admin's **Middle Name, Alternate Phone Number and Address** — none appear. CO-05's outcome is "*Carrier profile created with status **Pending***" — a status the console never shows. CO-06 produces `authority_status` and `insurance_status` from FMCSA — neither appears. CO-08 produces a **signed contract** — no contract screen exists.

Expected Behaviour: A Company Profile module holding everything CO-02, CO-05, CO-06 and CO-08 produce, editable per RBAC `org.profile.update` / `org.contacts.manage` / `org.addresses.manage` (Carrier Super Admin only).

Business Impact: A carrier enters 12 fields and can see 4. **CO-06 blocks onboarding when authority is inactive** and **DOC-005 says an inactive authority means the carrier cannot haul interstate freight** — a trading gate with no representation anywhere. EIN/Tax ID and

Corporation Number are legal-entity identifiers with no display. The RBAC matrix defines five ORG permissions that have no screen to act on.

Recommendation: Build **Company Profile**: identity, DBA, entity type, contacts, addresses, USDOT/MC + FMCSA authority and insurance status, EIN/Tax ID, Corporation Number, year established, fleet size, country, `compliance_status`, and the signed contract.

CG-2 — No Users & Roles screen, and a fully-specified RBAC matrix with 0% implementation

Severity: Critical · **Module:** User Management · **BRD:** Auth Services BRD V2 (75 permissions, 18 categories); CO-28 · **Screens:** entire console

Observation: The Auth Services BRD V2 specifies RBAC completely — **75 permission codes** (`org.create`, `org.profile.view`, `org.profile.update`, `org.contacts.manage`, `org.addresses.manage`, `users.invite`, `users.view`, `users.status.manage`, `roles.create`, `roles.view`, `roles.update`, `roles.assign`, `reports.view`, `reports.analytics.view`, `reports.export`, ...) across **18 functional categories**, mapped to 6 carrier roles with every cell populated. **CO-28 Invite User** defines the invite flow with duplicate handling and RBAC enforcement.

The console has no user list, no invite, no role assignment, and no permission logic of any kind. Every screen renders identically regardless of who is signed in. The top bar asserts a role ("Dispatch Admin") that the RBAC matrix doesn't contain.

Expected Behaviour: A Users & Roles module (`users.invite`, `users.view`, `users.status.manage`, `roles.create/view/update/assign`) — Carrier Super Admin and System Admin only), and every screen gated against the matrix.

Business Impact: Three compounding problems. **(1)** A Super Admin cannot add their Fleet Manager, Dispatcher or Compliance Manager — so a real carrier company cannot operate beyond one person, and the people who do most of the onboarding work (CD-1) cannot be created. **(2)** Rights the matrix explicitly withholds are currently open to everyone — e.g. BILL is *Only View* for Super Admin and *no access* for Dispatcher, yet the Earnings module is fully visible. **(3)** This is the most completely specified feature in the entire pack and none of it exists.

Recommendation: Build Users & Roles against the matrix. Enforce every category. Use ERR-GEN-002 ("You do not have permission to access this resource", 403) for denials.

CG-3 — No Compliance & Documents module: eight document types and a whole role have nowhere to live

Severity: Critical · **Module:** Compliance; Documents; Insurance · **BRD:** CO-04, CO-07, CO-09, CO-19, CO-20; Auth RBAC row 10 (COMP); DOC-001...028 · **Screens:** Fleet → Vehicle documents; Drivers → Drivers Documents; Drivers → Insurance

Observation: CO-07 (Actor: **Compliance Manager**) requires upload of:

Insurance Certificate · MC Permit · Cargo Insurance Certificate · **MCS-150 · FMCSA Safety Rating · Drug & Alcohol Program Policy · Auto Liability** · Cargo Insurance & General Liability

None of these eight appears anywhere in the console. There is no carrier-level document screen at all — only two read-only tables (vehicle, driver), neither with an upload. Insurance sits oddly under **Drivers → Insurance** as a read-only summary.

Also unrepresented: **CO-04** (OCR extraction, virus scanning, version control), **CO-09** (5-tier expiry — CD-8), **CO-19 Driver Identity Verification** (CDL OCR + **facial recognition match**, `facial_match_score`, status → **Verified**), **CO-20 Drug & Alcohol Clearinghouse check** (Critical; *"Reject driver onboarding if non-compliant"*; `drug_alcohol_status`).

RBAC row 10 (**COMP**) grants **Compliance Manager: Create/View/Update** — a role with a documented job and no screen.

Expected Behaviour: A Compliance module: upload (PDF/JPG/PNG per CO-07 and ERR-GEN-004), OCR status, version history, the CO-09 expiry ladder, verification status, drug & alcohol status, and a prominent suspension warning.

Business Impact: **DOC-011 auto-suspends marketplace access on COI expiry.** The console shows a green "VERIFIED" chip with no expiry, no upload, no countdown, no warning. **CO-20 is Critical and rejects non-compliant drivers** — the carrier cannot see the status that governs it. **CO-19's facial-recognition verification** produces a match score that goes nowhere.

Recommendation: Build **Compliance & Documents** at carrier level, owned by Compliance Manager. Move Insurance into it.

CG-4 — No POD screen, despite a complete specification and an explicit Dispatcher view right

Severity: Critical · **Module:** POD; Shipment Execution · **BRD:** Auth RBAC row 6 (POD); Driver BRD §4.10 / DT-09 / DT-25; LED-05; AP-001; Carrier View SHP-006 · **Screens:** Shipments → Completed; Dashboard → Upcoming Tasks

Observation: *"Confirm POD — TRIP-58015"* appears as a Dashboard task with no action. There is no POD screen.

The specification is unusually complete: **POD-006** requires *1 driver selfie and 2 truck photos*; **POD-007** auto-captures driver GPS; **POD-001...004** cover signature, photos, timestamps and damage notes; **POD-005** — *"System shall auto-notify **dispatch** after POD submission"*; §5.1 sets POD upload at **< 10 seconds**; **OFF-003** requires offline POD capture. Master Data specifies POD photo events per freight type — **dump truck alone has six mandatory photo events.**

Expected Behaviour: A POD review screen showing the selfie, both truck photos, GPS, signature, timestamp and damage notes, with Super Admin create/update and Dispatcher view, releasing close-out per SHP-006.

Business Impact: POD gates close-out and, per LED-05, opens the payment sequence. It is the single most important driver→carrier handoff. **POD-005 notifies dispatch and dispatch has no screen to be notified into.**

Recommendation: Build the POD review screen. Wire POD-005 to the notification centre (CG-5).

CG-5 — No notification centre; SOS and four other driver→dispatch channels terminate nowhere

Severity: Critical · **Module:** Notifications; Tracking; Fleet · **BRD:** Notification Types (whole document); Driver BRD §4.7 / §4.12 / §4.13 / §4.14 / §4.11; CO-25; Master Data (Driver Status) · **Screens:** top bar; Dashboard → Active Alerts

Observation: The bell icon has **no click handler**. The Dashboard's "Active Alerts" panel carries six hardcoded types. Everything else has no destination:

Channel	Specification	Where it lands today
SOS	SOS-003: <i>"System shall alert dispatch immediately"</i> ; DT-13 Critical ; SOS-004 escalation; Master Data driver status SOS = <i>"Emergency (911)"</i>	Nowhere
Dispatch messaging	§4.8 DSP-001...006 (text, voice notes, load updates, document sharing, location sharing, read receipts); DT-08 actor "Driver / Dispatcher" ; < 2s delivery	Nowhere
Detention	§4.14 DET-001...005; DT-15 <i>"Start timer → calculate detention → notify dispatch"</i>	Nowhere
Reefer deviation	§4.11 TRL-002; DT-12 <i>"alert deviations"</i> ; ALT-003; sensor disconnect → <i>"Trigger maintenance alert"</i>	Nowhere
Breakdown / vehicle issue	§4.13 MEC-001...005; Master Data driver status "Maintenance Issue — Driver reports vehicle problem" ; AST-007 (Critical)	Nowhere
Exception monitoring	CO-25 — route deviation, excessive idle, distance mismatch → <i>"Red flag generated"</i> ; ALT-002; GPS-005	Nowhere
Safety	GPS-007 speed monitoring; DR-007 <i>"Speed limit exceeded"</i>	Nowhere
Alert acknowledgement	DT-23 <i>"Driver shall acknowledge critical alerts"</i>	Nowhere

Expected Behaviour: A notification centre with category filter, unread state, acknowledgement (DT-23) and source-record links. **SOS must be a top-priority, non-dismissible alert.**

Business Impact: SOS is a life-safety feature. The Driver BRD puts an SOS button permanently on the tablet and states dispatch is alerted immediately. Dispatch is the carrier console. The alert has no destination — the most serious real-world consequence in this review. Beyond SOS, seven documented driver→dispatch channels are one-way into a void, and the Driver BRD's stated objective *"Reduce Operational Delays — improve dispatch-driver coordination"* has no carrier-side interface at all.

Recommendation: Build the notification centre. **Treat SOS as a separate, immediate, escalating surface.** Add Messages (DSP-001...006).

CG-6 — A carrier cannot register a dump truck, a bobtail or a yard truck
Severity: Critical · **Module:** Fleet · **BRD:** CO-10; Master Data §1.2; Shipment Creation BRD

§11 (DR001-DR007); Shipment Execution Super Set 5B · **Screens:** Fleet → All Vehicles; Fleet → Vehicle Types; Shipments

Observation: The console offers four truck types: DAY_CAB, SLEEPER_BERTH, TANDEM_AXLE, STRAIGHT_TRUCK. **Master Data §1.2 defines ten**, including **Dump Truck (Standard)**, **Dump Truck (Articulated)**, **Bobtail (No Trailer)**, **Yard Truck (Terminal Tractor)**, Tanker Truck and Car Hauler. Master Data adds six dump-truck subtypes (Standard, Articulated, Transfer, Super, Side, Semi-Trailer End Dump). CO-10 captures `vehicle_type` as free text with no stated value set.

Meanwhile: Shipment Creation BRD §11 documents seven dump-truck contracts (DR001-DR007, up to \$4,000,000), and the Shipment Execution Super Set has a **full Dump Truck section (156 fields)** with `Recurring Hours`, `Recurring Days`, `Total Trucks`. The console shows a Dump Truck shipment assigned to a truck registered as a **SLEEPER_BERTH tractor**.

Expected Behaviour: `vehicle_type` reconciled to Master Data §1.2 with dump-truck subtypes.

Business Impact: Dump truck is a fully-specified, high-value revenue line with its own shipment scenarios, recurrence model and prefix (CD-6). **If the asset cannot be registered, it cannot be selected for the shipment** — the line is unreachable. **"Bobtail (No Trailer)" also being a Master Data truck type is the clean answer to the Bob-tails bucket problem (DI-4).**

Recommendation: Adopt Master Data §1.2. Define CO-10's `vehicle_type` value set explicitly.

CG-7 — Asset selection does not exist — the one action the fixed model requires of the carrier

Severity: Critical · **Module:** Shipment Assignment; Fleet; Trailer Management · **BRD:** CO-13; Carrier View SHP-004/SHP-05/SHP-006; CR-007; Appendix E · **Screens:** Shipments (all buckets); Fleet

Observation: Under the fixed model the carrier's core job is **selecting the truck and trailer for a shipment**. The console cannot do it. A shipment sits in **New** and stops there — no asset selection, no move to Executions, no close-out.

CO-13 specifies the trailer↔truck relationship in detail — Actor Fleet Manager, *"Select Truck, Assign Trailer to selected Truck, **Select Primary and Secondary trailer**"*, storing `trailer_role (PRIMARY/SECONDARY)`. **The console has no truck↔trailer relationship at all.** Neither trailers nor yards can be created (CO-12, CO-14), nor bulk-uploaded (CO-15), nor photographed (CO-16).

Expected Behaviour: Truck + trailer selection on a New shipment → Executions; CO-13's primary/secondary trailer attach/detach; trailer/yard creation; bulk upload; asset photos.

Business Impact: The single action the fixed operating model assigns to the carrier is the single action the console lacks. **CR-007** announces "*Truck [Asset ID] has been successfully assigned to Shipment ID [XXXX]*" — an event the UI provides no way to cause. CO-13's PRIMARY/SECONDARY concept — which matters for multi-trailer operations — has no representation whatsoever.

Recommendation: Build asset selection end to end, including CO-13's primary/secondary trailer roles. **Do not build driver→truck assignment (CD-5).**

5. Missing Features

MF-1 — Truck identity fields captured at registration are unreachable

Severity: High · **Module:** Fleet · **BRD:** CO-10, CO-11 · **Screens:** Fleet → All Vehicles

Observation: CO-10 captures 7 fields; the console shows 2 (VIN, Vehicle Type). Lost: **License Plate Number, Plate State, Registration Expiry Date, Vehicle Make, Vehicle Model.** CO-11 produces `registration_status`, `insurance_status` and the status "**Serviceable**" — none appear.

Conversely, the console displays **fuel type, GVWR and odometer**, which CO-10 does **not** capture. Their origin is undocumented.

Expected Behaviour: All CO-10 fields visible; CO-11 validation status visible.

Business Impact: **Licence plate + plate state + registration expiry is the DOT roadside-inspection triad.** A dispatcher cannot answer "is this truck legal to run today?" A driver stopped at a weigh station cannot be supported. Registration expiry is a compliance date with no expiry monitoring (CO-09 covers documents, not registration).

Recommendation: Surface all CO-10/CO-11 fields. Document the source of fuel type, GVWR and odometer, or remove them.

MF-2 — Trailer identity fields captured at onboarding are unreachable

Severity: High · **Module:** Trailer Management · **BRD:** CO-12 · **Screens:** Fleet → Vehicle Types

Observation: CO-12 captures Trailer Type, Make, Model Year, VIN, Length, **Max Payload (lbs), Trailer Photo**, plus bulk upload. The console shows Type and Length. **Trailer VIN, Make, Model Year, Max Payload and Photo never appear.**

Expected Behaviour: Full trailer record visible.

Business Impact: **Max Payload is a load-planning and legal-weight field.** Without it a dispatcher cannot verify a trailer can legally carry a shipment's weight — and shipment

weight is captured on every Super Set scenario. Trailer VIN is the trailer's legal identifier and its absence makes CO-12's duplicate-VIN validation unverifiable from the console.

Recommendation: Surface all CO-12 fields.

MF-3 — Driver record: 13 of 18 onboarding fields unreachable, plus three from CO-18

Severity: High · **Module:** Driver Management · **BRD:** CO-17, CO-18, CO-19, CO-20 · **Screens:** Drivers → All Drivers; Drivers Documents; License

Observation: CO-17 captures 18 fields; the console shows 5. Lost: **CDL Issuing State, Years of Experience, Driver Photo, Date of Birth, Phone, Email, Driver Type, Hire Date, Address, City, State, ZIP Code, Examiner Name**. CO-18 adds **Nationality, "Is the driver insured? Yes/No"** and **Driver favourite destination** — all lost. CO-17's outcome status **Pending** and CO-19's **Verified** never appear; CO-20's (`drug_alcohol_status`) never appears.

Expected Behaviour: A driver profile holding everything CO-17...CO-20 produce.

Business Impact: **CDL Issuing State is the state prefix the Carrier View BRD says must be validated (DRV-07)** — and it is captured at CO-17 but never displayed, so the validation cannot be seen to work. A dispatcher cannot phone a driver: **Phone and Email are captured and hidden. "Is the driver insured?"** is precisely the field Carrier View **OPEN-02** says doesn't exist (**VB-4**).

Recommendation: Build a driver profile view surfacing all of CO-17/18/19/20.

MF-4 — Yard address and geo-coordinates are captured and never shown

Severity: High · **Module:** Yards · **BRD:** CO-14 · **Screens:** Yards → All yards

Observation: CO-14 captures (`address_line1, city, state, zip_code, country, latitude, longitude`) plus name, code, type, capacities and status. **The console shows no address and no coordinates.**

CO-14 also **does not capture** two fields the console displays: (`yard_subtype_code`) (STAGING / DROP_AND_HOOK / FUEL_STOP / WEIGH_STATION) and (`geo_fence_radius_meters`). Their origin is undocumented.

Expected Behaviour: Yard address and coordinates visible; subtype and geo-fence either captured at CO-14 or removed from the console.

Business Impact: **A yard with no address is not usable for dispatch** — CO-14's stated goal is *"parking, staging, and relay operations"* and its acceptance criterion is *"Usable for dispatch and trailer parking"*. Latitude/longitude drive geofencing, which drives **GPS-003/GPS-004 arrival detection** and therefore **detention timing (DET-001/002)**. The console shows a geo-fence radius that onboarding never collects.

Recommendation: Surface address and coordinates. Reconcile subtype and geo-fence radius with CO-14.

MF-5 — No device management, though the tablet-to-truck link underpins the whole operating model

Severity: High · **Module:** Fleet · **BRD:** CO-23, CO-24 · **Screens:** Fleet → All Vehicles

Observation: CO-24 maps **Tablet Device → Truck VIN** ((device_assignments(device_id, vin, device_status))), rejects duplicates and requires unassignment before reassignment. CO-23 syncs HOS from the ELD provider, triggered by *"Driver logs in tablet"*. The console shows a static "ELD device" string and nothing else.

Expected Behaviour: Device pairing, status, unassign/reassign, sync health.

Business Impact: CO-24 is the technical foundation of the fixed assignment model — the tablet belongs to the *truck*, so a driver logging into the tablet is logging into the truck. Yet there is no way to pair a device, see one fail, or reassign one. CO-23's failure remedy is *"alert fleet manager on persistent failure"* — with no screen and no Fleet Manager role (CD-1). If a tablet fails, HOS stops and the model has no fallback.

Recommendation: Build device management per CO-24 with ELD sync health per CO-23.

MF-6 — Driver ratings are fully specified and absent; OPEN-01 can be closed

Severity: High · **Module:** Driver Management · **BRD:** CO-21; Carrier View DRV-05 / OPEN-01 · **Screens:** Drivers → Performance

Observation: Carrier View **OPEN-01** states no scoring model exists: *"the BRDs define live metrics ... but no on-time %, safety score or ranking formula."*

CO-21 Driver Rating System defines exactly that:

Evaluate **On-time delivery, No-show incidents, Bid cancellations, Behaviour, Communication** → (driver_ratings(on_time_score, no_show_flag, bid_cancellation_flag, behaviour_score, communication_score, ****overall_score****)), aggregated onto the driver profile.

The console's Performance screen shows total trips, completed trips, idle time and HOS — none of the rating dimensions.

Expected Behaviour: Ratings surfaced on the driver profile with the aggregated overall score.

Business Impact: **OPEN-01 can be closed.** CO-21's actor is *System / Shipper* — so shipper-submitted ratings flow to the carrier's drivers and the carrier cannot see them. A carrier cannot manage driver quality against scores it cannot read.

Recommendation: Close OPEN-01, citing CO-21. Surface ratings on Drivers → Performance.

MF-7 — No Reports module, though RBAC grants all five carrier roles a view right

Severity: Medium · **Module:** Reports · **BRD:** Auth RBAC row 18 (REP) + permissions

`reports.view` / `reports.analytics.view` / `reports.export`; Driver BRD §4.18 / DT-21 ·

Screens: none

Observation: RBAC row 18 (**REP — Reports & Dashboards**) grants **Only View** to Carrier Super Admin, Fleet Manager, Dispatcher, Compliance Manager and System Admin, backed by three permission codes including `reports.analytics.view` —

"Route/RPM/profitability analytics" and `reports.export`. Driver BRD **DT-21** names **Fleet Manager** as an actor on Route Analytics (revenue, RPM). §4.18 adds ANA-001...005 (revenue per mile, route profitability, fuel spend, deadhead miles, payment trends).

No Reports module exists, and no export exists anywhere.

Expected Behaviour: Reports with route/RPM/profitability analytics and export.

Business Impact: Five roles hold a documented right to a screen that doesn't exist. Three permission codes are unusable. **DT-21 explicitly names a carrier-console role as an actor.**

Recommendation: Build Reports starting with DT-21/ANA-001...005 and

`reports.export`.

MF-8 — No AWB screen, though RBAC defines AWB as a carrier category

Severity: Medium · **Module:** AWB · **BRD:** Auth RBAC row 17 (AWB, applies_to **CARRIER**); FTL Master Reference C5; Driver BRD ERN-004 / DT-28; Carrier View DRV-06 · **Screens:** Drivers → Earnings

Observation: RBAC row 17 defines **AWB** as a **CARRIER-only** category with **Only View** for Carrier Super Admin, Dispatcher and Driver. FTL C5 defines the format fully

((`{AIRLINE_PREFIX_3}-{SERIAL_8}`), e.g. `180-12345678`), Modulo-7 check digit). Driver BRD **ERN-004** requires "associated AWB numbers linked to completed shipments"; **DT-28** lists `awb_numbers` and `shipment_ids` as **separate fields**.

The console's column headed "**Associated AWB #**" contains shipment IDs (`SHP-FTL-10001`).

Expected Behaviour: AWB displayed where an air segment exists; "Not applicable" otherwise.

Business Impact: A dedicated RBAC category with three roles holding view rights, and no screen. The one column claiming to show AWBs shows a different identifier — anyone reading it would conclude they are the same field.

MF-9 — No settings surface for timezone or configurable parameters

Severity: Medium · **Module:** Settings · **BRD:** Master Data §18 (System Time Rules per User Type); Ledger Configurable Points CFG-01...CFG-14; CO-09 · **Screens:** entire console

Observation: Master Data §18 is explicit: **store UTC; display in the user's configured timezone**. Carrier Super Admin, Fleet Manager, Dispatcher and Compliance Manager are all "*User Configured Time Zone*"; Driver is "*Device Time Zone (GPS Location)*". **There is nowhere to configure it**, and console dates are bare (`(2026-03-14)`) with no timezone.

Note the Super Set states pickup/drop windows in **UTC** (e.g. "*08:00 – 12:00 UTC*") while other scenarios give bare local times — so the conversion §18 mandates is already load-bearing.

Expected Behaviour: A user timezone preference; every timestamp rendered in it and labelled.

Business Impact: The console covers **US · CA · MX** across multiple timezones. **A pickup window with no timezone is a missed pickup**, and a missed pickup is a documented penalty (PEN-004). (*Owner of the CFG-* configurable points is System Admin, so those are not a carrier-console concern.)*

Recommendation: Add user timezone settings. Label the timezone on every time-critical field.

6. Workflow Issues

WF-1 — Onboarding hands off to nothing; the completion milestones point at modules that don't exist

Severity: High · **Module:** Dashboard; Carrier Profile · **BRD:** ONB-004...ONB-007, ONB-016; CO-05 (status Pending), CO-06 (status Active) · **Screens:** Dashboard

Observation: ONB-004...007 describe a **profile-completion checklist**: 25% "*Add company details to unlock more features*"; 50% "*Upload compliance documents to continue*"; 75% "*Add payment details to start transacting*"; 100% "*Your profile is complete*." ONB-016 chases stalled onboarding. **The Dashboard opens straight into a full fleet overview** with no checklist and no completion state.

Expected Behaviour: A completion checklist driven by the ONB milestones and CO-05/CO-06 status.

Business Impact: The three milestones map **exactly** onto the modules that don't exist — company details (**CG-1**), compliance documents (**CG-3**), payment details (out of scope).

The notification catalogue is describing a console that was never designed — strong evidence these modules were always intended rather than newly requested.

Recommendation: Add the checklist; drive it from CO-05/CO-06 status and the ONB milestones.

WF-2 — An unapproved carrier sees a fully working console

Severity: High · **Module:** Carrier Profile; entire console · **BRD:** CO-05 (Pending), CO-06 (Active / Block onboarding), CO-08 (Contract Signed); CR-014 / CR-001 / CR-003; ONB-008...011 · **Screens:** entire console

Observation: CO-05 creates the carrier with status **Pending**. CO-06 sets **Active** *"only if authority valid"* and **blocks onboarding** otherwise. CO-08 requires a **signed contract** (Critical). CR-001 says approval is what *unlocks* access: *"You can now access load auctions and fleet management."*

The console shows no account status and renders identically regardless.

Expected Behaviour: Account/compliance status prominent; access gated on Active + signed contract.

Business Impact: A Pending carrier, a carrier with inactive FMCSA authority, and a carrier who never signed the contract all see the same fully-functional console. **CO-06's "Block onboarding"** and **CO-08's Critical contract gate** are both **unenforceable from the UI**.

Recommendation: Surface carrier status, authority status, contract status and `compliance_status`. Gate access.

WF-3 — Shipments and Trips are two lifecycles for the same movement, and the Trip entity cannot be created

Severity: High · **Module:** Shipments; Tracking · **BRD:** Carrier View §8/§10; Master Data (Shipment Status, 16 states); FTL Master Reference (7 states); Fields For HOS · **Screens:** Shipments; Trips

Observation: Shipments has 4 buckets; Trips has 5 states. Neither links to the other. A shipment in **New** can have a trip in **Scheduled**. Master Data models **one** 16-state lifecycle (Draft → Closed); the FTL manual models **one** 7-state lifecycle.

Critically: Carrier View **TRIP-01** defines a Trip as *"truck + driver + shipment"*. Under the fixed model the driver is not knowable at trip creation — **so the Trip entity as defined cannot be created**.

Expected Behaviour: One lifecycle, or a documented mapping. TRIP-01 must drop the driver.

Business Impact: A dispatcher holds two mental models of one truck movement and reconciles them by eye — the finding most likely to confuse a real user. And the entity definition is now impossible under the fixed model.

Recommendation: Adopt Master Data's single lifecycle with Trips as a view over it, or document the mapping precisely. Remove the driver from TRIP-01. **Needs Business Clarification (OC-4).**

WF-4 — Dashboard alerts and tasks are inert

Severity: High · **Module:** Dashboard · **BRD:** Carrier View DASH-003 / DASH-004; Driver BRD DT-23 · **Screens:** Dashboard → Active Alerts; Upcoming Tasks

Observation: Both lists are plain text — nothing clickable, nothing dismissible. DASH-003 requires "*drill down to source record*" and names an "*Alert view/dismiss audit log*". DASH-004 requires "*Select task; navigate to relevant module*" with "*Task removed from list once resolved*". DT-23 requires alert acknowledgement.

*(Search results in the same console **do** navigate — the pattern exists and simply wasn't applied.)*

Business Impact: The Dashboard is a to-do list that cannot be ticked off. It is also where CG-5's alerts would land, so this blocks that too.

Recommendation: Make alerts and tasks navigate to their source records; add dismiss and acknowledge.

WF-5 — Four of five Dashboard menu items open the identical page

Severity: Medium · **Module:** Dashboard · **BRD:** Carrier View §3 · **Screens:** Dashboard → Overview / KPIs / Live map snapshots / Active Alerts / Upcoming Tasks

Observation: All five render byte-identical output; only the breadcrumb changes.

Business Impact: Four dead-end menu items on the landing screen — the first thing every user sees.

Recommendation: Give each sub-view content, or collapse the sub-menu to Overview.

7. UI/UX Improvements

UX-1 — Multi-stop shipments show a count instead of the stops

Severity: High · **Module:** Shipments · **BRD:** Carrier View SHP-03; Shipment Creation SC-04/05/06 + GAP-10; Shipment Execution Super Set; Driver BRD DT-18/MLT-001...005 · **Screens:** Shipments (all buckets)

Observation: The console shows "4 stops" under the lane. No addresses, windows, dates, pallet splits, weights or contacts. Rows don't open.

The Super Set is far richer: per-stop (Pickup Location - 1/2), (Pickup Window - 1/2), (Pickup Date - 1/2), (Delivery Location - 1/2), (Drop Window - 1/2), (Pallets Qty. 1/2), (Weight 1/2) and **contact points per stop (CD-9)**. FTL adds (stops.partialLoadPercent) (must total 100%) and (stops.unloadType) (LIVE/DROP/LUMPER/CONSIGNEE). **DT-18** has the driver updating stop status live.

Business Impact: SC-04, SC-05, SC-06 and Costco are all multi-stop — **half the documented scenarios**. For those, the stops are the job. A driver cannot be dispatched from "4 stops", and DT-18's live stop updates have no carrier-side destination.

Recommendation: Build a shipment detail view with the full stop list, per-stop contacts, pallet/weight splits and live status.

UX-2 — The map is a fixed picture and its legend describes something else

Severity: Medium · **Module:** Tracking · **BRD:** Carrier View DASH-02 / TRIP-02; Driver BRD GPS-001...008 · **Screens:** Dashboard → Live map snapshot; Trips → Live Tracking

Observation: One hardcoded drawing of six Northern California cities, reused on both screens, not derived from trip data. The legend describes **vehicle** states (in transit / at yard / in maintenance / at facility) but those colours are painted on **cities**; every vehicle marker is the same colour.

DASH-02 permits a "stylised" snapshot, so this is not a hard breach — but TRIP-02's criterion ("*Map and list match current GPS-001 feed*") cannot hold, and the Driver BRD supplies everything needed: GPS-001 real-time location, **GPS-002 refresh every 5-30 seconds**, GPS-003 geofencing, GPS-004 arrival/departure detection.

Recommendation: Drive the map from the GPS feed. Fix the legend to describe what is actually coloured.

UX-3 — Filter chips look like filters and aren't

Severity: Medium · **Module:** Fleet; Drivers; Yards · **BRD:** Carrier View FLEET-01 ("**Actions** — *Filter by truck_status_code*"), FLEET-001 / DRV-001 · **Screens:** 5 screens

Observation: Pill-shaped chips with counts, positioned exactly where a filter belongs. They are plain text — no handler, no hover, no selected state. They satisfy "*expose the full value set*" and fail "*filter by*".

Business Impact: Users will click repeatedly with no result and no cue explaining why.

Recommendation: Make them interactive — after the value sets are reconciled (CD-7).

UX-4 — Reviewer notes are printed inside the product

Severity: Low · **Module:** Drivers · **Screens:** Drivers → Performance; Drivers → Insurance

Observation: Two screens end with messages addressed to a reader: "...tell me the scoring model you want and I can add it" and "...let me know if it is intended."

Recommendation: Remove before any demo. (*The first is now moot — CO-21 supplies the scoring model.*)

UX-5 — Undocumented thresholds hardcoded into the UI

Severity: Low · **Module:** Drivers; Yards · **BRD:** Carrier View YARD-002 (flags only "exceeds capacity", i.e. >100%) · **Screens:** HOS bars; Yard capacity bars

Observation: The HOS bar turns amber below 8h and red below 4h against an 11-hour maximum. Yard capacity turns red above 85%. **No document defines any of these numbers.**

Business Impact: Invented thresholds become de-facto business rules once copied into code. The HOS bands matter more than they look — under the fixed model, HOS is the dispatcher's only visibility into whether a truck can legally move (OC-3).

Recommendation: Document or remove.

8. Data & Information Consistency

DI-1 — 41 of 60 onboarding fields never reach a screen

Severity: Critical · **Module:** All · **BRD:** CO-05, CO-10, CO-12, CO-14, CO-17, CO-18 · **Screens:** all

Covered in detail at **CG-1, MF-1, MF-2, MF-3, MF-4**. Consolidated here as a single data-consistency statement rather than repeated per module.

Business Impact: This is the defining characteristic of the console. Onboarding is a careful, 28-step, Critical-priority workflow that captures a complete carrier operating picture — and **two-thirds of it evaporates at the door**. Every downstream workflow (dispatch, compliance, roadside, payment eligibility) depends on data the console cannot show.

Recommendation: Treat onboarding→console field parity as an explicit acceptance criterion. For each of the 41 lost fields, decide: surface it, or remove it from onboarding.

DI-2 — The console displays three fields that onboarding never captures

Severity: High · **Module:** Fleet; Yards · **BRD:** CO-10, CO-14 vs Carrier View FLEET-01,

YARD-01 · **Screens:** Fleet → All Vehicles; Yards → All yards

Observation: The inverse of DI-1. The console shows:

Field	Shown in	Captured at onboarding?
<code>fuel_type_code</code>	Fleet → All Vehicles	✗ Not in CO-10
<code>gvwr_lbs</code>	Fleet → All Vehicles	✗ Not in CO-10
<code>odometer_miles</code>	Fleet → All Vehicles	✗ Not in CO-10
<code>yard_subtype_code</code>	Yards → All yards	✗ Not in CO-14
<code>geo_fence_radius_meters</code>	Yards → All yards	✗ Not in CO-14
CDL endorsements	Drivers; License	✗ Not in CO-17

Business Impact: These fields have no documented origin. **CDL endorsements is the sharpest case:** Carrier View DRV-07 builds a whole rule on it ("*Endorsement H requires a TSA security threat assessment*"), the console renders a TSA flag from it — and **CO-17 never collects it**. The TSA rule cannot fire on data that is never captured.

Recommendation: For each: add it to the relevant CO step, or remove it from the console. Endorsements must be added to CO-17 if DRV-07's TSA rule is to survive.

DI-3 — "Associated AWB #" contains shipment IDs

Severity: Medium · **Module:** Driver Management · **BRD:** FTL C5; Driver BRD ERN-004 / DT-28; Auth RBAC row 17 · **Screens:** Drivers → Earnings

Observation: Column header says "Associated AWB #"; cells contain `SHP-FTL-10001`. DT-28 lists `awb_numbers` and `shipment_ids` as separate fields; FTL C5 defines the AWB format precisely.

Recommendation: Show the real AWB; "Not applicable" where there is no air segment.

DI-4 — Vehicle-type buckets double-count and use an invented derivation

Severity: High · **Module:** Fleet; Yards · **BRD:** Carrier View FLEET-05 / YARD-03; Master Data §1.2 · **Screens:** Fleet → Vehicle Types; Yards → Vehicle Capacity

Observation: Three defects in one screen:

- **Bob tails** = *trucks with no driver, excluding straight trucks, plus one*. The `(+1)` has no basis in any document, and the predicate uses **driver** — meaningless under the fixed model.

- **Flat Bed** ((FLATBED)/(STEP_DECK)) and **Flat Truckload** ((FLATBED)) count the same trailers twice. The five buckets total **9 across a 7-trailer fleet**.
- Yards → Vehicle Capacity captions every card "at carrier yards now", but the Flat Truckload predicate has no yard filter and counts a trailer at a customer site.

Expected Behaviour: Master Data §1.2 already answers Bob tails — it is a **truck type** ("Bobtail (No Trailer)"), not a derived state. That removes the driver dependency the fixed model forbids. "Flat Truckload" appears in no other document and needs a definition or removal.

Business Impact: Capacity decisions taken from these cards are wrong, and the Bob-tails predicate directly implements the model that has been removed.

Recommendation: Add Bobtail to the truck catalogue (CG-6) and derive the bucket from it. Define or drop Flat Truckload. Fix the yard filter.

DI-5 — Duplicate driver-settlement screens

Severity: Medium · **Module:** Financial information shown to the carrier · **BRD:** Carrier View DRV-06 / EARN-02; Driver BRD §4.23 ERN-001...005 / DT-28 · **Screens:** Drivers → Earnings; Earnings → Salary Payout

Observation: Both screens filter to salaried and contract drivers and show the same contract types and rates. Drivers → Earnings adds AWB and shipments; Earnings → Salary Payout adds a period amount. No document states a difference.

(Verified as **not** a contradiction: Driver BRD **DT-32 Fuel Savings Section Exclusion** sets `feature_flag: fuel_savings_driver_visible = false`, consistent with Carrier View DRV-06's exclusion. Also noted: the Driver BRD's contents page lists a "§4.23 Fuel Savings Display" section that does not exist in the body — a documentation artefact only.)

Separately, CO-18 defines three driver types (Owner-Operator, Contractual, Salaried) and four payment models (Per Mile, Per Load, %, Salary). Both screens show only monthly salary and per-mile. **Owner-Operator, Per Load and % have no representation.**

Business Impact: Two screens, one dataset, no stated difference — they will drift apart in maintenance and users won't know which is authoritative. And a documented driver type (Owner-Operator) plus two payment models are invisible.

Recommendation: Merge into one driver-settlement view, or state the difference. Extend to CO-18's full driver-type and payment-model sets. (*Payment timing and commission are out of scope and not addressed.*)

9. Validation & Business Rule Gaps

VB-1 — The FMCSA compliance gate has no enforcement point under the fixed model

Severity: Critical · **Module:** Driver Management; Shipment Assignment · **BRD:** Carrier View DRV-01 / DRV-002 / FLEET-01; DOC-011 / DOC-017 / DOC-019; CO-20; CO-22; Driver BRD DT-01; Auth Services BRD (login) · **Screens:** Drivers → All Drivers; Fleet → All Vehicles; Shipments

Observation: Carrier View **DRV-002 (Critical)** blocks a suspended driver **at dispatch**:

*"force SUSPENDED and block dispatch", "Suspended driver cannot be **assigned to a trip**".*

FLEET-01 says `allows_dispatch` gates dispatch. **CO-20** rejects drivers failing the Drug & Alcohol Clearinghouse check.

Under the fixed model there is no moment at which a driver is dispatched. The carrier dispatches a *truck*. The only remaining enforcement point is **the driver's login to the truck** — and **Driver BRD DT-01's only failure modes are "invalid credentials; session expired"**. No CDL check. No medical check. No `drug_alcohol_status` check. No `allows_dispatch` check.

In the console, the suspended driver and the in-maintenance truck render exactly like every other row — nothing greyed, nothing blocked.

Expected Behaviour: Truck login must validate: driver status ≠

SUSPENDED/TERMINATED; CDL valid; medical certificate valid; `drug_alcohol_status` compliant; the truck's `allows_dispatch = true`; **and — if CD-3 resolves as a roster — that the driver is on that truck's roster.**

Business Impact: **The most serious rule failure in this review.** The rule is documented in five places and enforced in none, *and the fixed model removed the moment it was designed to fire*. As specified today, **a suspended driver logs into a truck and drives away with a live shipment** — a regulatory violation the system is documented to prevent. Note this is a consequence of a correct business decision that has not been followed through, not a flaw in the decision.

Recommendation: Move the gate to truck login. Extend DT-01's validations. Rewrite DRV-002's precondition and acceptance criterion. Add carrier-level suspension (DOC-011). Mark non-dispatchable assets visibly. **This is the second-highest priority in the review.**

VB-2 — Every error message is written; none is implemented

Severity: High · **Module:** All · **BRD:** Master Data §16 (ERR-GEN-001...005 + ERR-DRV-001...029); Carrier View §17 (40 Error/Remedy pairs); CO-01...CO-28 (28 Error/Remedy pairs) · **Screens:** entire console

Observation: The console has one empty state ("No matches" on search). No loading, no error, no timeout, no offline, no permission-denied.

Master Data §16 defines them precisely:

Code	Message	HTTP
ERR-GEN-001	"Invalid email or password. Please try again."	401
ERR-GEN-002	"You do not have permission to access this resource."	403
ERR-GEN-003	"Unable to connect to server. Please try again later."	503
ERR-GEN-004	"File format not supported. Please upload PDF, JPG, or PNG."	415
ERR-GEN-005	"Required fields are missing."	400

Business Impact: ERR-GEN-002 is the permission-denied message CG-2 needs. **ERR-GEN-004 states the accepted upload formats** — the exact answer every document screen in CG-3 requires, and CO-07 independently confirms *"only PDF, JPG, PNG per Master Data Sec 5"*. The specification is unusually complete (Master Data maps a dedicated code to every Driver BRD row) and the implementation is zero.

Recommendation: Implement every documented state. Use ERR-GEN-004's format list on all uploads.

VB-3 — Onboarding validations have no UI to run in

Severity: High · **Module:** All · **BRD:** CO-02, CO-05, CO-10, CO-12, CO-13, CO-14, CO-17, CO-24, CO-28 · **Screens:** none

Observation: The onboarding workflow specifies **28 error/remedy pairs**, including uniqueness constraints that must be enforced somewhere:

- **CO-05** — duplicate USDOT → *"Link existing carrier or reject"*
- **CO-10** — invalid/duplicate VIN; invalid plate state
- **CO-12** — duplicate trailer VIN; bulk-upload template validation
- **CO-13** — *"trailer already assigned to another truck"* → *"Warn user; allow reassignment with confirmation"*
- **CO-14** — *"unique constraint (carrier_id + yard_code)"*; address validation via geolocation; numeric capacity validation
- **CO-17** — duplicate CDL number; duplicate email/phone
- **CO-24** — *"device already assigned to another truck"* → *"require unassignment before reassignment"*
- **CO-28** — duplicate email within org → 409 conflict

Business Impact: None of these can execute because none of the create screens exist (CG-1, CG-3, CG-7, MF-5). This is not a separate defect so much as a measure of how much

validated business logic is currently stranded — and a warning that building the screens without the validations would silently lose all of it.

Recommendation: Implement each validation alongside its screen. Treat the 28 pairs as acceptance criteria.

VB-4 — OPEN-02 (per-driver insurance) is answered by CO-18

Severity: Medium · **Module:** Driver Management; Insurance · **BRD:** Carrier View DRV-08 / OPEN-02; CO-18; Appendix F · **Screens:** Drivers → Insurance

Observation: Carrier View OPEN-02 states: *"Insurance is modelled as carrier documents...; no per-driver insurance entity exists. Decision Needed: confirm whether per-driver occupational-accident insurance is required."*

CO-18 captures — verbatim — "Is the driver insured? Yes/No". And Appendix F describes an insurance framework with *"separate insurance considerations for different driver types such as salaried, owner-operator, and contractual drivers."*

So a per-driver insurance flag is collected at onboarding, and the appendix explicitly contemplates driver-type-specific insurance.

Expected Behaviour: OPEN-02 answered: a per-driver insurance indicator exists. Whether it needs to become a full entity (policy number, carrier, coverage, expiry) is the remaining question.

Business Impact: OPEN-02 has been blocking a Medium-priority requirement on the basis that no data exists. **The data does exist.** The console shows carrier-level insurance only and never shows the per-driver flag.

Recommendation: Update OPEN-02 to reflect CO-18. Surface the flag on the driver profile. Decide whether to extend it to a full policy record (OC-5).

10. Terminology & Naming Consistency

TN-1 — Consolidated naming conflicts

Severity: Medium · **Module:** All · **BRD:** all · **Screens:** all

Term in console / Carrier View BRD	Used elsewhere	Where	Note
Dispatch Admin	Dispatcher	Auth RBAC · Master Data · Driver BRD §3 · CR-020 · LED-02	4 documents to 1. See CD-1
<i>(absent)</i>	Fleet Manager	Auth RBAC · Master Data · Driver BRD §3 · CO-10/12/13/15/16/17/18/22/24	Actor on 8 onboarding steps; no console home
<i>(absent)</i>	Compliance Manager	Auth RBAC · Master Data · CO-07 · CO-19	Owens document upload and driver verification
Bob tails	Bobtail (No Trailer) — a truck type	Master Data §1.2	See DI-4
Flat Truckload	<i>(appears in no other document)</i>	—	Needs definition or removal
PRIVATE (yard type)	Owned	CO-14	See CD-7
UNDER_MAINTENANCE (yard status)	maintenance	CO-14	See CD-7
CAR_CARRIER	Car Hauler	Master Data §1.2	Same asset, two codes
IN_SERVICE / DECOMMISSIONED	Serviceable (CO-11)	CO-11	A third vocabulary
CONTRACT (driver type)	Contractual	CO-18	Plus Owner-Operator , absent from Carrier View
Trip	Shipment / Load / Manifest	all documents	Used interchangeably throughout

Business Impact: "Dispatch Admin" is the important one — it is the term the whole Carrier View BRD §17 is written around, and it exists in no other document. Under the fixed assignment model this role's job changes materially (they select assets, not drivers), so this is the moment to settle the name and the definition together.

Recommendation: Publish a glossary; align all documents to the Auth Services BRD V2 vocabulary. Adopt "Dispatcher".

11. End-to-End Workflow Verification

Each flow walked from first document to final screen.

11.1 Carrier Onboarding → Console

(C0-01 role select → C0-02 signup → C0-03 login → C0-05 company profile (status Pending) → C0-06 FMCSA (→ Active) → C0-07 documents → C0-08 contract → C0-09 expiry monitoring) **Result:** ● **Breaks at CO-05.** No profile screen; 8 of 12 fields lost; Pending/Active never shown; FMCSA authority status never shown; no documents; no contract; CO-09's expiry ladder unimplemented. **Everything after CO-03 is invisible.**

11.2 Fleet Onboarding → Dispatch

(C0-10 truck → C0-11 DMV (→ Serviceable) → C0-12 trailer → C0-13 trailer↔truck (Primary/Secondary) → C0-15 bulk → C0-16 photos → C0-24 device) **Result:** ● **Breaks at CO-10.** 5 of 7 truck fields lost; "Serviceable" nowhere; **CO-13's truck↔trailer relationship absent entirely**; no bulk upload, no photos, no device management. Dump trucks cannot be registered at all (CG-6).

11.3 Driver Onboarding → Active Driver

(C0-17 driver (Pending) → C0-19 identity + facial match (→ Verified) → C0-20 drug & alcohol → C0-18 payment config → C0-22 truck roster → C0-23 ELD → C0-21 ratings) **Result:** ● **Breaks at CO-17.** 13 of 18 fields lost; Pending/Verified nowhere; drug & alcohol status nowhere; Owner-Operator and 2 payment models nowhere; ratings nowhere. **CO-22's meaning is unresolved (CD-3).** Endorsements are shown but never captured (DI-2).

11.4 Shipment Awarded → Executed → Closed

(award → select truck+trailer → Executions → driver logs into truck → shipment attaches → execution → POD → close → History) **Result:** ● **Breaks at asset selection.** The one action the fixed model requires of the carrier does not exist (CG-7). No POD screen (CG-4). No close-out. (CR-007) announces an event the UI cannot cause.

11.5 Driver → Dispatch Communication

(SOS · messaging · detention · reefer deviation · breakdown · exception red flag · safety) **Result:** ● **All seven terminate nowhere (CG-5).** SOS is the most serious.

11.6 Document Lifecycle

(C0-04 OCR → C0-07 upload → C0-09 expiry ladder → D0C-009/010 alerts → D0C-011 suspension) **Result:** ● **Breaks at CO-04/CO-07.** No upload, no OCR status, no version

history; three competing expiry ladders (CD-8); suspension invisible.

11.7 User Management

C0-28 invite → role assign → RBAC enforcement (75 permissions, 18 categories)

Result: ● **Does not exist (CG-2).** 0% implementation of the most completely specified feature in the pack.

Summary: 7 of 7 primary end-to-end flows break. Three break at the first carrier action after login.

12. Cross-Module Dependency Review

Findings ordered by what blocks what. **This is the recommended build sequence.**



Six dependencies worth naming explicitly:

1. **CD-3 blocks CD-5 and VB-1.** If CO-22 is a roster, it survives and *becomes* the login authorisation list, solving VB-1. If it is an assignment, it is deleted and VB-1 needs a different answer. **Nothing about the assignment model can be finalised until CO-22 is settled.**

2. **CD-1 blocks CG-2, which blocks every permission-dependent screen.** And CD-1 blocks CD-2 — you cannot resolve who onboards drivers until you agree the roles exist.
 3. **CD-7 blocks CG-6, DI-4, UX-3 and CD-8.** Every status chip, filter and bucket depends on a signed-off catalogue.
 4. **CG-6 blocks the dump-truck revenue line** (§11's seven contracts). Asset registration → asset selection → execution.
 5. **CG-3 depends on CD-1** (Compliance Manager must exist) **and CD-8** (the expiry ladder must be agreed).
 6. **CG-5 is the destination for WF-4, SOS, messaging, detention, reefer and breakdown.** Build it before the channels that feed it.
-

13. Open Clarifications

Only where the documentation is genuinely insufficient. Nothing below touches auction/bidding or platform charges, commission, invoicing or payment timing.

OC-1 — Is CO-22 a driver→truck assignment or a truck roster? (Blocks CD-3, CD-5, VB-1)

Its Key Steps say "Map Truck VIN → Multiple Drivers (*min 4 drivers*)" — four drivers cannot be assigned to one truck simultaneously, so this reads as an eligibility roster, which is compatible with the fixed model and would supply the missing login authorisation list. But its title, goal ("Assign drivers to trucks") and table name all say assignment. **The two readings produce opposite implementations of the core operating model.** This is the single most consequential open question in the review.

OC-2 — Who onboards drivers: Fleet Manager (CO-17/18/22) or Dispatcher (RBAC row 8)? (CD-2) The two in-scope documents disagree directly. The wider pattern (Fleet Manager owns assets, Compliance Manager owns compliance) suggests RBAC is deliberate — but that is inference and I will not act on it.

OC-3 — How does a dispatcher account for HOS when selecting an asset? (VB-1) The carrier picks a truck and cannot know who will log into it. Fleet → HOS Status and Drivers → HOS become observational, not planning tools. What should happen if the driver who logs in has insufficient HOS — block the login, warn, alert dispatch, or nothing? **No document addresses this.**

OC-4 — Are Shipments and Trips one lifecycle or two? (WF-3) Master Data (16 states) and the FTL manual (7 states) each model one. The Carrier View BRD models two, unlinked. This must be answered regardless, because TRIP-01 defines a Trip as "*truck + driver + shipment*" and the driver is unknowable at trip creation under the fixed model — **the entity as defined cannot be created.**

OC-5 — Should the CO-18 driver-insurance flag become a full policy record? (VB-4) CO-18 captures "*Is the driver insured? Yes/No*" and Appendix F contemplates driver-type-

specific insurance. OPEN-02 asked whether per-driver insurance exists — it does, as a flag. The remaining question is whether it needs policy number, insurer, coverage and expiry.

OC-6 — Is Costco LTL or FTL? (CD-6) The Shipment Execution Super Set gives Costco `SHP-LTL-` prefixes. The Carrier View BRD says Costco reuses `SHP-FTL`. The Super Set is the more specific source, but this changes classification, prefix and the field set applied.

OC-7 — Why do Costco scenarios omit contact points? (CD-9) FTL, LTL and Dump Truck all carry `Pickup Contact Point` and `Delivery Contact Point` in the Super Set. Costco carries none — an inconsistency within a single document.

OC-8 — What is the source of fuel type, GVWR, odometer, yard subtype, geo-fence radius and CDL endorsements? (DI-2) Six fields the console displays that no onboarding step captures. **Endorsements is the pressing one** — Carrier View DRV-07's TSA rule depends on it and CO-17 never collects it.

OC-9 — Which expiry ladder is authoritative? (CD-8) CO-09's five tiers (1 month → 3 weeks → 2 weeks → 7 days → daily after expiry) vs Notification Types' 30/7. CO-09 is the more specific and the only one covering post-expiry escalation.

OC-10 — Is "Flat Truckload" a real bucket? (DI-4) It appears in no document other than the Carrier flow navigation, and currently double-counts flatbed trailers.

14. Priority Recommendations

#	Action	Refs	Why it ranks here
1	Answer OC-1 — is CO-22 a roster or an assignment? Then delete or retain accordingly.	CD-3, CD-5, VB-1	One question that determines the core operating model and unblocks the two items below it. Costs a meeting.
2	Move the FMCSA compliance gate to truck login. Extend DT-01 to validate driver status, CDL, medical cert, drug & alcohol, <code>allows_dispatch</code> — and roster membership if OC-1 resolves that way.	VB-1, OC-3	The fixed model removed the gate's only trigger. A suspended driver can currently log in and drive. Regulatory exposure.
3	Adopt the Auth Services BRD V2 role model (6 roles) and update Carrier View BRD §2/§17.	CD-1, CD-2, TN-1	4 documents to 1. Unblocks Users & Roles and every permission-dependent screen.
4	Reconcile the master-data catalogues. One signed-off set per entity.	CD-7	8 of 11 conflict. Blocks CG-6, DI-4, UX-3, CD-8. Nothing can be built on shifting enums.

#	Action	Refs	Why it ranks here
5	Close the onboarding→console field gap. For each of the 41 lost fields: surface or remove.	DI-1, CG-1, MF-1... MF-4	68% of what a carrier enters is unreachable. The defining defect of the product.
6	Build Users & Roles and enforce the RBAC matrix.	CG-2	75 permissions, 18 categories, 0% implemented. A carrier company cannot operate as one user.
7	Route SOS to the console as an immediate, escalating, non-dismissible alert.	CG-5	Life-safety. SOS-003 says dispatch is alerted immediately; the alert has no destination.
8	Build asset selection (truck + trailer, incl. CO-13 Primary/Secondary) and the award → execute → POD → close loop.	CG-7, CG-4, WF-3	Under the fixed model this is <i>the carrier's job</i> , and it is the one thing the console cannot do.
9	Build Compliance & Documents at carrier level with CO-09's expiry ladder and the DOC-011 suspension warning.	CG-3, CD-8	Eight document types have nowhere to go; COI expiry silently suspends the carrier.
10	Add dump truck, bobtail and yard truck to the truck catalogue.	CG-6, DI-4	Unblocks a revenue line with 7 documented contracts up to \$4M each — and fixes Bob tails properly.

Quick wins worth doing this week regardless: delete the "Assigned Drivers" nav item (CD-5); rename **Dispatch Admin** → **Dispatcher** (TN-1); remove the reviewer notes printed inside the product (UX-4); close **OPEN-01** (CO-21) and **OPEN-03** (SHP-RF / SHP-RCR).

15. Readiness Assessment

Overall completeness: 29%

Dimension	Score	Basis
Navigation & structure	100%	Matches Carrier View BRD §3 word for word
Onboarding → console field retention	32%	19 of 60 CO-05/10/12/14/17/18 fields reach a screen

Dimension	Score	Basis
Screens present vs. required	35%	7 of 20 in-scope surfaces
Master-data alignment	30%	3 of 11 catalogues agree
RBAC implementation	0%	75 permissions, 18 categories, 6 roles — none enforced
Carrier actions available	0%	0 of ~22 documented in-scope actions
States (loading / error / empty / permission)	5%	1 of ~8, though all 5 messages are pre-written
Average	29%	

Development effort: Large

Workstream	Effort	Note
Assignment-model cleanup	Small-Medium	22 documented locations + 4 UI implementations — but almost entirely deletion . Cheap now; very expensive once code exists. Gated on OC-1.
Master-data reconciliation	Medium	Mostly decisions, but gates four other workstreams
Onboarding → console field parity	Medium	41 fields across 6 entities. Not hard — just never done
13 new surfaces	Large	Profile, Users & Roles, Compliance, POD, Notifications, Messaging, SOS, Reports, AWB, Settings, Device Mgmt, Contract, Ratings
RBAC implementation	Medium	Fully specified — build to the matrix
~22 missing actions	Large	Asset selection, uploads, close-out, invite, dismiss, acknowledge
Driver↔carrier real-time surfaces	Medium	Messaging, SOS, detention, reefer, live stop status — all specified, none built
States & error handling	Medium	~8 states × ~20 screens; every message pre-written
Fixing what exists	Small	Field bindings, chips, map, stops, maintenance columns

Workstream	Effort	Note
BRD updates	Medium	Carrier View BRD needs to roughly double; five documents need assignment-model edits

Verdict

⚠ Requires Further Design Review

Not ready for development.

Four reasons, in order:

1. **68% of what a carrier enters at onboarding never appears in the console.** Forty-one business fields — licence plate, plate state, registration expiry, yard address, geo-coordinates, driver phone, driver email, driver type, EIN, DBA, entity type — are captured by a Critical-priority, 28-step workflow and then discarded at the door. Every downstream workflow depends on data the console cannot show.
2. **The RBAC matrix is complete and unimplemented.** 75 permission codes, 18 functional categories, 6 carrier roles, every cell populated — and no permission logic anywhere. Two of those roles, **Fleet Manager** and **Compliance Manager**, perform most of the onboarding work and have no console home at all.
3. **The fixed assignment model is contradicted in 22 documented locations**, and its single most important question — **is CO-22 a roster or an assignment?** — is unanswered. Building against today's documents builds the wrong operating model.
4. **Removing driver assignment removed the FMCSA compliance gate's only trigger, and nothing replaced it.** As specified, a suspended driver logs into a truck and drives away with a live shipment. That is a regulatory exposure created by a correct business decision that has not been followed through.

What is genuinely good

Worth saying plainly, because it affects the effort estimate more than the gap list does:

- **The onboarding workflow is the strongest document in the pack.** CO-01...CO-28 is complete, sequenced, actor-assigned, priority-ranked, and carries 28 error/remedy pairs. It is ready to build against.
- **The RBAC matrix is the most rigorous specification here.** 75 permissions × 14 roles, fully populated. It needs implementing, not designing.
- **The console implements the Carrier View BRD faithfully.** Navigation is verbatim. ID formats, VIN lengths and trailer lengths all validate. Every open item is flagged on-screen rather than papered over.
- **The pack already answers four of its own open questions.** OPEN-01 → CO-21. OPEN-02 → CO-18. OPEN-03 → SHP-RF / SHP-RCR. POD ownership → RBAC row 6 + LED-05. **These are not gaps — they are cross-references nobody has made yet.**

- **The fixed assignment model is already half-written into the pack.** CO-24 (tablet → truck VIN), CO-23 (HOS syncs on tablet login), DT-20 (logout/login handover) and DRV-DASH-001 (one current shipment) describe exactly the chosen model. The work is deleting the older model that was never removed.

The console is not the problem. It faithfully implements a specification that is itself incomplete, internally contradictory on roles and assignment, and — most costly of all — disconnected from the onboarding workflow that feeds it. The expensive work here is deciding and reconciling, not drawing. Most of what is missing is already specified somewhere in this pack; it has simply never been pulled into the Carrier View BRD or onto a screen.