



AN ISO 9001:2015 COMPANY




SINCE 1982

PIPES & FITTINGS

CPVC | UPVC | SWR | AGRI







SINCE 1982

ABOUT US...

Jolly To ensure customer service & satisfaction by providing high-quality plastic pipes solutions through a ubiquitous distribution network, spreading product awareness and constantly improving manufacturing and operational efficiencies through systems and result oriented, competent manpower resources thereby creating sustained value for all our customers and stakeholders while.

At JOLLY, we specialize in the manufacturing and distribution of a diverse range of plastic products tailored to meet the evolving needs of residential, commercial, and industrial sectors. Our comprehensive product portfolio includes a wide spectrum of high-quality Pipe & Fittings products.

Mission


To continually innovate, develop & provide water storage solutions to society for enhanced living.



Vision

The company will generate value for employees, customers, and other stakeholders in a sustainable manner for long-term growth.





CPVC PIPE & FITTINGS

JOLLY CPVC pipes and fittings are manufactured from a specially formulated compound in accordance with Indian Standards. The pipes are made as per ISI and fittings are made as per ASTMD-2846. The pipes are supplied plain in 3 meters and 5 meters length, in SDR 11 and SDR 13.5 respectively. Applications: CPVC pipes and fittings is safe, long lasting and cost effective solution for hot and cold water supply in residential, commercial and public projects, high and low rise buildings, corporate houses & academic institutes and gas & solar heater application etc.

Features & Benefits:

- Smooth continuous flow of water due to smooth inner surface
- Low thermal expansion & conductivity
- Light weight & long service life.
- Easy to handle & installation
- Flame & smoke resistant
- Chemical Resistant
- Resilient & longer lasting
- Most cost-effective
- Service temperature up to 93 C

cPVC PLUMBING PIPE WEIGHT LIST

SIZE		Weight / 3 mtr. SDR 11	Weight / 5 mtr. SDR 11
Inch	mm		
1/2"	15 mm	0.380	0.600
3/4"	20 mm	0.610	1.010
1"	25 mm	0.980	1.630
1 1/4"	32 mm	1.490	2.480
1 1/2"	40 mm	2.050	3.415
2"	50 mm	3.500	5.830
2 1/2"	65 mm	6.000	10.000
3"	80 mm	8.000	13.330

SIZE		Weight / 3 mtr. SDR 13.5	Weight / 5 mtr. SDR 13.5
Inch	mm		
1/2"	15 mm	0.300	0.500
3/4"	20 mm	0.500	0.835
1"	25 mm	0.800	1.330
1 1/4"	32 mm	1.200	2.000
1 1/2"	40 mm	1.700	2.830
2"	50 mm	2.900	4.830
2 1/2"	65 mm	4.650	7.750
3"	80 mm	6.200	10.330

cPVC PLUMBING FITTINGS (As Per ASTM d-2846 SDR 11)

	ELBOW 90°				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
1/2"	15	100x18	1800	5.75	
3/4"	20	100x8	800	10.16	
1"	25	50x8	400	19.18	
1 1/4"	32	25x8	200	35.44	
1 1/2"	40	15x8	120	58.66	
2"	50	8x6	48	117.14	
2 1/2"	65	1	30	249.48	
3"	80	1	18	362.88	
1" x 3/4"	50 x 20	60x6	360	19.88	


	COUPLER				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
1/2"	15	200x15	3000	3.70	
3/4"	20	160x8	1280	6.24	
1"	25	80x6	480	13.92	
1 1/4"	32	45x6	270	25.48	
1 1/2"	40	20x10	200	36.14	
2"	50	14x7	98	65.75	
2 1/2"	65	1	60	116.91	
3"	80	1	36	191.16	

	TEE				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
1/2"	15	100x12	1200	8.00	
3/4"	20	60x8	480	12.72	
1"	25	40x6	240	27.12	
1 1/4"	32	20x6	120	45.5	
1 1/2"	40	15x6	90	71.24	
2"	50	5x7	35	162.45	
2 1/2"	65	1	20	340.84	
3"	80	1	14	446.88	

	UNION				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
1/2"	15	50x18	900	-	
3/4"	20	35x12	420	27.30	
1"	25	35x6	210	47.84	
1 1/4"	32	20x6	120	72.80	
1 1/2"	40	15x6	90	106.10	
2"	50	6x8	48	192.92	

	MALE THREADED ADAPTOR (PLASTIC)				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
3/4"	20	100x12	1200	9.36	
1"	25	80x8	640	15.08	
1 1/4"	32	40x6	240	26.88	
1 1/2"	40	25x6	150	35.88	
2"	50	16x6	96	71.82	
1/4" x 1/2"	20 x 15	175x8	1400	10.26	

	FEMALE THREADED ADAPTOR (PLASTIC)				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
3/4"	20	75x12	900	10.66	
1"	25	70x6	420	21.32	
1 1/4"	32	35x6	210	36.96	
1 1/2"	40	25x6	150	51.84	
2"	50	12x6	72	101.80	
1/4" x 1/2"	20 x 15	125x8	1000	13.44	

	CROSS TEE				
	Size		Pkg. Bag	Master Pkg.	Rate
	Inch	mm			
3/4"	20	60x6	360	20.50	
1"	25	25x8	200	31.72	
1 1/4"	32	15x6	90	54.54	

cPVC PLUMBING FITTINGS (As Per ASTM d-2846 SDR 11)


END CAP				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50x80	4000	-
3/4"	20	100x18	1800	4.75
1"	25	70x14	980	9.84
1 1/4"	32	40x14	560	18.72
1 1/2"	40	40x8	320	35.64
2"	50	25x6	150	56.98



REDUCER TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1" x 3/4"	25 x 20	40x8	4000	23.14
1/4" x 3/4"	32 x 20	20x6	1800	41.26
1 1/4" x 1"	32 x 25	20x6	980	42.42
1/2" x 3/4"	40 x 20	15x6	560	61.10
1 1/2" x 1"	40 x 25	15x6	320	60.25
1 1/2" x 1/4"	40 x 32	15x6	150	61.20



REDUCER COUPLER				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4" x 1/2"	20 x 15	100 x 14	1400	6.60
1" x 3/4"	25 x 20	100 x 6	600	11.75
1 1/4" x 3/4"	32 x 20	50 x 8	400	17.62
1 1/4" x 1"	32 x 25	50 x 7	350	20.18
1 1/2" x 3/4"	40 x 20	20 x 14	280	27.47
1 1/2" x 1"	40 x 25	15 x 14	210	29.98
1 1/2" x 1/4"	40 x 32	30 x 6	180	29.95



REDUCER BUSH				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1" x 3/4"	25 x 20	50 x 24	1200	7.32
1/4" x 3/4"	32 x 20	50 x 14	700	17.14
1 1/4" x 1"	32 x 25	50 x 14	700	11.42
1/2" x 3/4"	40 x 20	80 x 6	480	23.22
1 1/2" x 1"	40 x 25	80 x 6	480	24.44
1 1/2" x 1/4"	40 x 32	80 x 6	480	14.58



SOCKET TANK NIPPLE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4"	20	50 x 8	400	31.72
1"	25	30 x 8	240	38.50
1 1/4"	32	15 x 10	150	58.06
1 1/2"	40	15 x 8	120	79.44
2"	50	8 x 10	80	119.16



THREADED TANK NIPPLE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4"	20	50 x 8	400	34.22
1"	25	30 x 8	240	51.32



TRANSACTION BUSH U TO C				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4" x 3/4"	20 x 20	50 x 24	1200	5.50
1" x 1"	25 x 25	50 x 14	700	7.90
1" x 3/4"	25 x 20	50 x 14	700	13.50



LONG BEND				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	25 x 12	300	25.31
3/4"	20	20 x 10	200	33.40
1"	25	10 x 10	100	50.50
1 1/4"	32	50	150	85.95
1 1/2"	40	32	96	133.00
2"	50	15	45	241.00



NAIL CLAMP				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	1	7000	2.13
3/4"	20	1	5000	3.22
1"	25	1	3000	3.95
1 1/4"	32	1	2000	5.40
1 1/2"	40	1	1500	6.80
2"	50	1	750	11.60



METAL CLAMP				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	-	-	-
3/4"	20	1	3000	4.81
1"	25	1	2200	5.46
1 1/4"	32	1	1800	5.98
1 1/2"	40	1	1500	7.80
2"	50	1	1200	8.19

cPVC BRASS FITTINGS (As Per ASTM d-2846 SDR 11)



BRASS ELBOW				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50 x 6	300	40.90
3/4"	20	35 x 4	140	60.43
1"	25	18 x 3	54	107.47
3/4" x 1/2"	20 x 15	40 x 4	160	47.13
1" x 1/2"	25 x 15	30 x 4	120	52.35
1" x 3/4"	25 x 20	25 x 4	100	73.15



BRASS TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50 x 5	250	43.87
3/4"	20	20 x 3	60	62.36
1"	25	20 x 3	60	107.64
3/4" x 1/2"	20 x 15	30 x 4	120	49.20
1" x 1/2"	25 x 15	20 x 4	80	66.01
1" x 3/4"	25 x 20	18 x 4	72	79.03



BRASS MTA				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	-	-	-
3/4"	20	30 x 6	180	73.35
1"	25	20 x 4	80	132.75
1 1/4"	32	15 x 4	60	242.01
1 1/2"	40	10 x 4	40	318.62
2"	50	6 x 4	24	383.62
3/4" x 1/2"	20 x 15	40 x 6	200	68.16
1" x 1/2"	25 x 15	40 x 4	160	71.29
1" x 3/4"	25 x 20	25 x 6	150	81.71



BRASS FTA				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	-	-	-
3/4"	20	35 x 6	210	55.2
1"	25	25 x 4	100	97.05
1 1/4"	32	20 x 4	80	143.35
1 1/2"	40	12 x 4	48	210.60
2"	50	9 x 4	36	210.60
3/4" x 1/2"	20 x 15	50 x 4	200	49.02
1" x 1/2"	25 x 15	40 x 4	160	52.13
1" x 3/4"	25 x 20	30 x 4	120	61.51



BRASS MTA (HEXAGON)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4"	20	50 x 4	200	122.51
1"	25	40 x 4	160	172.27
3/4" x 1/2"	20 x 15	50 x 4	200	90.09
1" x 1/2"	25 x 15	40 x 4	160	90.09



BRASS FTA (HEXAGON)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4"	20	50 x 4	200	62.50
1"	25	40 x 4	160	113.13
3/4" x 1/2"	20 x 15	50 x 4	200	60.52
1" x 1/2"	25 x 15	40 x 4	160	88.36



CONCEALED VALVE QUARTER TURN (SHORT BODY)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4"	20	1	32	1080.00



CONCEALED VALVE QUARTER TURN (LONG BODY)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4"	20	1	32	1145.00



cPVC SOLVENT CEMENT		
Qty.	Packing in Box	Rate Per Pc.
10 ML	50	17.95
25 ML	30	32.50
59 ML	48	82.50
118 ML	24	131.00
237 ML	15	220.00
473 ML	8	362.00
946 ML	6	733.00



WALL MIXER ADAPTER 6"				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4" x 1/2"	20 x 15	1	32	216.00




UPVC PIPE & FITTINGS

JOLLY UPVC pipes & fittings are made as per ASTM (American Society for Testing of materials) standards. The pipes are made as per ASTM D-1785 and fittings are made as per ASTM D-2467. The pipes are supplied in 3 meters and 6 meters length, in SCH 40 and SCH 80 respectively. Applications: This system is designed for normal water application and it is an ideal solution for potable water distribution, plumbing and water supply in residential complexes, commercial & industrial building, public utilities, hotels, hospitals & swimming pools.

Features & Benefits:

- Excellent resistance to corrosion and chemical attacks
- Maintenance-free & easy to install
- Simple and leak proof joint
- Better insulation properties
- Designed to last for ages
- Most cost-effective
- Low thermal conductivity
- UV resistant
- Service temperature up to 60°C

uPVC PLUMBING PIPE WEIGHT LIST



SIZE		UPVC (10 Feet) 40 SCH	UPVC (10 Feet) 80 SCH
Inch	mm		
1/2"	15 mm	0.750	0.900
3/4"	20 mm	1.000	1.250
1"	25 mm	1.500	1.750
1 1/4"	32 mm	2.000	2.500
1 1/2"	40 mm	2.500	3.000
2"	50 mm	3.000	4.000
2 1/2"	65 mm	4.800	6.500
3"	80 mm	6.000	8.500
4"	100 mm	9.000	13.000

uPVC PLUMBING FITTINGS (As Per ASTM D-2867 SCH 80)



ELBOW 90°				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	800	7.42
3/4"	20	50	1050	12.95
1"	25	40	600	18.66
1 1/4"	32	25	375	35.84
1 1/2"	40	15	270	45.33
2"	50	10	150	74.43
2 1/2"	65	5	35	146.10
3"	80	2	20	212.50
4"	100			



TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50	1200	12.00
3/4"	20	25	750	18.62
1"	25	25	450	25.33
1 1/4"	32	15	225	50.4
1 1/2"	40	12	144	60.95
2"	50	7	105	95.55
2 1/2"	65	2	20	206.50
3"	80	1	12	281.00
4"	100			



COUPLER				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	2400	6.60
3/4"	20	100	1500	9.73
1"	25	50	900	14.93
1 1/4"	32	25	525	21.77
1 1/2"	40	25	375	30.22
2"	50	15	225	45.60
2 1/2"	65	5	50	85.70
3"	80	5	35	118.90



ELBOW 45°				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	1800	8.68
3/4"	20	50	1200	14.66
1"	25	30	720	20.77
1 1/4"	32	20	360	36.88
1 1/2"	40	15	270	44.80
2"	50	10	150	76

uPVC PLUMBING FITTINGS (As Per ASTM D-2867 SCH 80)


PLAIN MALE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	3000	6.00
3/4"	20	50	1800	10.13
1"	25	50	1200	13.6
1 1/4"	32	25	675	24.00
1 1/2"	40	30	450	29.15
2"	50	20	300	40.40
2 1/2"	65	5	60	68.10
3"	80	2	40	105.00



PLAIN FEMALE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	2700	7.00
3/4"	20	100	1500	10.71
1"	25	50	900	15.66
1 1/4"	32	40	600	25.80
1 1/2"	40	30	360	35.48
2"	50	10	270	42.28
2 1/2"	65	5	50	85.70
3"	80	2	35	118.90



UNION				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50	1200	21.88
3/4"	20	30	720	29.66
1"	25	25	450	40.73
1 1/4"	32	20	300	58.88
1 1/2"	40	10	180	87.82
2"	50	8	108	98.48
2 1/2"	65	5	50	156.50
3"	80	5	35	238.00



END CAP				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	2400	5.33
3/4"	20	100	2100	7.37
1"	25	50	1500	9.60
1 1/4"	32	40	750	21.1
1 1/2"	40	30	600	22.00
2"	50	20	420	35.88
2 1/2"	65	5	100	66.15
3"	80	5	60	95



CROSS TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	40	840	15.86
3/4"	20	25	525	24.80
1"	25	20	300	37.02



THREADED ELBOW				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	1800	12.32

uPVC PLUMBING FITTINGS (As Per ASTM D-2867 SCH 80)


REDUCER TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4" x 1/2"	20 x 15	40	720	20.60
1" x 1/2"	25 x 15	25	525	24.11
1" x 3/4"	25 x 20	40	480	36.00
1/4" x 1/2"	32 x 40	10	240	48.00
1/4" x 3/4"	32 x 20	10	240	51.80
1 1/4" x 1"	32 x 25	10	240	52.88
1 1/2" x 1/2"	40 x 15	10	150	56.68
1 1/2" x 3/4"	40 x 20	10	150	66.66
1 1/2" x 1"	40 x 25	10	150	60.00
1 1/2" x 1 1/4"	40 x 32	10	150	77.66
2" x 1/2"	50 x 15	6	108	103.86
2" x 3/4"	50 x 20	6	108	109.66
2" x 1"	50 x 25	6	108	94.00
2" x 1 1/4"	50 x 32	6	90	107.55
2" x 1 1/2"	50 x 40	6	90	98.40



REDUCER COUPLER				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4" x 1/2"	20 x 15	50	1500	8.60
1" x 1/2"	25 x 15	50	1050	11.00
1" x 3/4"	25 x 20	50	1050	13.20
1/4" x 1/2"	32 x 15	25	525	27.13
1/4" x 3/4"	32 x 32	25	525	23.20
1 1/4" x 1"	32 x 25	25	525	27.44
1 1/2" x 1/2"	40 x 15	20	360	27.44
1 1/2" x 3/4"	40 x 20	20	360	28.28
1 1/2" x 1"	40 x 25	20	360	28.17
1 1/2" x 1 1/4"	40 x 32	20	360	36.88
2" x 3/4"	50 x 20	15	270	41.00
2" x 1"	50 x 25	15	270	47.11
2" x 1 1/4"	50 x 32	15	270	45.00
2" x 1 1/2"	50 x 40	15	270	50.00



REDUCER BUSH				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4" x 1/2"	20 x 15	100	3600	4.88
1" x 1/2"	25 x 15	100	2100	10.97
1" x 3/4"	25 x 20	100	2100	8.88
1/4" x 1/2"	32 x 40	25	750	15.55
1/4" x 3/4"	32 x 32	25	750	16.44
1/4" x 1"	32 x 25	25	750	13.08
1 1/2" x 1/2"	40 x 15	25	750	20.26
1 1/2" x 3/4"	40 x 20	25	750	22.22
1 1/2" x 1"	40 x 25	25	750	19.55
1 1/2" x 1 1/4"	40 x 32	25	750	18.66



REDUCER ELBOW				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
3/4" x 1/2"	20 x 15	50	1200	14.66
1" x 1/2"	25 x 15	50	750	20.10
1" x 3/4"	25 x 20	50	750	24.37



SOCKET TANK NIPPLE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	1500	13.60
3/4"	20	50	900	21.10
1"	25	25	600	29.60
1 1/4"	32	20	360	49.33
1 1/2"	40	15	270	56.00
2"	50	10	150	84.44



THREADED TANK NIPPLE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50	1200	17.71
3/4"	20	50	900	26.97
1"	25	25	525	31.97
1 1/4"	32	20	360	62.37
1 1/2"	40	10	225	71.77
2"	50	7	150	99.15

uPVC PLUMBING FITTINGS (As Per ASTM D-2867 SCH 80)



STEP OVER BEND				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	25	600	26.52
3/4"	20	20	480	34.70
1"	25	15	270	51.85
1 1/4"	32	8	96	88.00
1 1/2"	40	6	72	115.00
2"	50	6	72	155.00



PLASTIC CLAMP				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	5000	2.26
3/4"	20	100	3000	3.75
1"	25	100	2500	4.60
1 1/4"	32	50	1500	6.35
1 1/2"	40	50	1250	7.45
2"	50	25	750	11.78



METAL CLAMP				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	100	3000	4.54
3/4"	20	100	2200	5.10
1"	25	100	1800	5.60
1 1/4"	32	100	1500	6.55
1 1/2"	40	100	1200	7.25
2"	50	100	1000	8.46



LONG BEND				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	25	600	22.32
3/4"	20	20	600	28.35
1"	25	15	270	42.50
1 1/4"	32	-	-	67.50
1 1/2"	40	-	-	91.00
2"	50	-	-	133.00



LONG HANDLE BALL VALVE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	1	490	52.00
3/4"	20	1	354	68.00
1"	25	1	210	99.00
1 1/4"	32	1	-	202.00
1 1/2"	40	1	-	265.00
2"	50	1	-	385.00



BALL VALVE (SH)				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	1	498	50.00
3/4"	20	1	370	62.00
1"	25	1	222	93.00
1 1/4"	32	1	124	180.00
1 1/2"	40	1	84	245.00
2"	50	1	57	350.00



UPVC SOLVENT CEMENT				
Qty.	Packing in Box	Rate Per Pc.		
10 ML	50	16.25		
25 ML	30	26.50		
59 ML	48	52.25		
118 ML	24	86.45		
237 ML	15	152.85		
473 ML	8	361.00		
946 ML	6	667.00		



LONG PLUG				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"(Black)	15	100	2500	2.50
1/2"(White)	15	100	2500	3.00

uPVC BRASS FITTINGS (As Per ASTM D-2867 SCH 80)


BRASS ELBOW				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50	500	37.70
3/4"	20	50	400	62.78
1"	25	25	200	95.46
3/4"x1/2"	20x15	50	400	39.20
1"x1/2"	25x15	25	250	41.68
1"x3/4"	25x20	25	250	62.40



BRASS TEE				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50	400	41.60
3/4"	20	25	250	68.06
1"	25	25	150	105.22
3/4"x1/2"	20x15	40	320	46.92
1"x1/2"	25x15	25	200	50.74
1"x3/4"	25x20	25	150	74.46



BRASS M.T.A				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50	700	53.32
3/4"	20	50	500	83.16
1"	25	30	300	117.58
1 1/4"	32	16	192	260.16
1 1/2"	40	12	144	297.54
2"	50	9	81	517.32
3/4"x1/2"	20x15	50	500	57.42
1"x1/2"	25x15	50	400	59.56
1"x3/4"	25x20	50	400	64.24



BRASS F.T.A				
Size		Pkg. Bag	Master Pkg.	Rate
Inch	mm			
1/2"	15	50	600	34.14
3/4"	20	40	480	57.42
1"	25	50	240	95.00
1 1/4"	32	12	144	179.54
1 1/2"	40	12	144	202.94
2"	50	9	81	433.62
3/4"x1/2"	20x15	50	500	33.44
1"x1/2"	25x15	50	400	39.26
1"x3/4"	25x20	25	300	57.42



SWR PIPE & FITTINGS

JOLLY SWR Systems are the ideal solution for drainage & sewerage applications, owing to its superior properties compared to conventional drainage systems. The Pipes are supplied in 3 meters and 6 meters length. The Pipes and Fittings are available in 40mm to 160mm (1 1/2" to 6") Applications: Topline SWR Drainage Systems in residential, commercial & public projects, high & low rise buildings, corporate offices, hospitals, hotels & academic institutes.

Features & Benefits:

- 100% leak-proof joints
- High flow rates no choking.
- A high degree of dimensional accuracy
- UV stabilized
- Light weight, easy to handle & transport
- Quick and convenient installation
- High chemical resistance
- Cost-effective
- Strong and durable
- Maintenance-free

SWR PIPE (RING FIT)



SWR RING FIT - TYPE - A			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	10	1.70
4"	110	10	3.20
6"	160	5	



SWR RING FIT - TYPE - B			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	10	-
4"	110	10	-
6"	160	5	-

SWR FITTINGS (RING FIT)



BEND 87.5°			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	96	57.00
4"	110	36	105.00
6"	160	12	425.00



BEND 87.5° (DOOR)			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	90	83.00
4"	110	30	155.00
6"	160	10	475.00



SHOE BEND 45°			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	80	57.00
4"	110	44	105.00



SINGLE TEE			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	66	90.00
4"	110	24	168.00
4" x 2½"	110 x 75	28	160.00
6"	160	10	



SINGLE TEE (DOOR)			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	50	107.00
4"	110	24	230.00
4" x 2½"	110 x 75	24	213.00
6"	160	10	



DOUBLE TEE			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	45	120.00
4"	110	16	237.00



COUPLER			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	75	46.00
4"	110	68	97.00
4" x 2½"	110 x 75	60	80.00



CLEANSING PIPE			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	82	115.00
4"	110	30	205.00



SINGLE - Y			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	56	120.00
4"	110	20	235.00



DOOR CAP			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	200	25.00
4"	110	125	40.00



DOUBLE Y			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	20	180.00
4"	110	12	410.00



RUBBER RING			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	1000	7.00
4"	110	1000	11.00

SWR PIPE (SELF FIT)



SWR RING FIT - TYPE - A			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	10	1.7
3"	90	10	-
4"	110	10	3.2
6"	160	5	-



SWR RING FIT - TYPE - B			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	10	-
3"	90	10	-
4"	110	10	-
6"	160	5	-

SWR FITTINGS (SELF FIT)



BEND 87.5°			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	110	46.00
4"	110	36	93.00
6"	160	12	400.00



BEND 87.5° (DOOR)			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	90	71.00
4"	110	32	142.00
6"	160	10	450.00



SHOE BEND 45°			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	140	46.00
3"	90	48	76.00
4"	110	60	93.00



SINGLE TEE 87.5°			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	66	70.00
4"	110	24	143.00
4" x 2½"	110 x 75	28	134.00
6"	160	10	



SINGLE TEE (DOOR)			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	50	100.00
4"	110	24	208.00
4" x 2½"	110 x 75	24	188.00
6"	160	10	



DOUBLE TEE			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	51	105.00
4"	110	16	212.00



COUPLER			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	86	31.00
4"	110	76	62.00
4" x 2½"	110 x 75	60	67.00



CLEANSING PIPE			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	54	105.00
4"	110	30	190.00



SINGLE - Y			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	60	103.00
4"	110	20	210.00
4" x 2½"	110 x 75	20	260.00



SINGLE - Y (DOOR)			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	24	124.00
4"	110	16	251.00
4" x 2½"	110 x 75	16	300.00



DOUBLE Y			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	20	163.00
4"	110	12	387.00



VENT COWL			
Size		Pkg. Bag	Rate
Inch	mm		
2"	63	-	16.00
2½"	75	-	22.00
3"	90	-	31.00
4"	110	-	35.00

SWR FITTINGS (SELF FIT)


P - TRAP			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 4"	110 x 110	17	338.00
5" x 4"	125 x 110	17	345.00



S - TRAP			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 4"	110 x 110	12	515.00
5" x 4"	125 x 110	12	530.00



NAHANI TRAP WITHOUT JALI			
Size		Pkg. Bag	Rate
Inch	mm		
4 x 1½	110 x 50	60	98.00
4 x 2	110 x 63	60	102.00
4 x 2½	110 x 75	52	108.00
4 x 3	110 x 90	48	113.00
4 x 4	110 x 110	40	120.00



Q - TRAP			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 4"	110 x 110	15	430.00
5" x 4"	125 x 110	15	440.00



PIPE CLIP PP			
Size		Pkg. Bag	Rate
Inch	mm		
2½"	75	480	18.00
4"	110	180	26.00



MULTI FLOOR TRAP WITHOUT JALI			
Size		Pkg. Bag	Rate
Inch	mm		
4" x 2½"	110 x 75	45	171.00

A G R I



AGRI PIPE & FITTINGS

JOLLY AGRI PIPES is self-socketed in one end and plain on other ends. This allows for a snug fit, without the use of any couplers. The strong solvent cement joint is permanent and trouble-free. This eliminates the inconvenience of loose couplers and thereby saves both time and cost.

Applications: Water supply & distribution schemes, Irrigation, drinking water supply & distribution, cable ducting & ventilation pipeline.

Features & Benefits:

- Light weight, easy to transport, store, handle and install. saves labour,
- Solvent cement joint therefore quick installation.
- Cost effective. Added value for your money
- Smooth bore ensures higher flow compared to G.I pipes and fittings of the same size.
- No clogging. Saves operational cost.
- Long working life

AGRICULTURE NON ISI PIPE WEIGHT LIST

SIZE	INCH	6kgf/ cm ²	10kgf/ cm ²	Super	Heavy Super
20 mm	0II	-	-	1.000	1.500
25 mm	0III	-	-	1.400	2.000
32 mm	1	-	-	1.800	3.000
40 mm	1I	-	2.000	3.000	
50 mm	1II	2.000	3.000	4.000	
63 mm	2	2.700/3	4.000		
75 mm	2II	3.700/4	5.000		
90 mm	3	5.000	6.000 7.000		
110 mm	4	6.600 7.000	8.000 9.000 10.000		
140 mm	5	10.000 11.000	12.000 15.000		
160 mm	6	13.000	15.000 17.000 20.000		
180 mm	7	18.000	23.000		
200 mm	8	20.000 22.500 25.000	30.000 35.000 40.000 45.000 50.000		
225 mm	9	35.000 40.000	55.000		
250 mm	10	40.000	60.000		

AGRICULTURE ISI PIPE WEIGHT LIST

SIZE	2.5kgf/ cm ²	4kgf/ cm ²	6kgf/ cm ²
40 mm	-	-	1.700
50 mm	-	-	2.500
63 mm	-	2.800	4.000
75 mm	-	4.000	5.500
90 mm	-	5.500	8.000
110 mm	5.200	8.000	11.000
140 mm	8.500	13.000	19.000
160 mm	11.000	17.000	24.000
180 mm	14.000	21.850	31.300
200 mm	17.000	27.000	38.500
225 mm	22.000	33.500	49.000
250 mm	27.000	41.000	61.000

AGRICULTURE FITTINGS


ELBOW (PN - 4)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	100	7.00
25	¾	60	11.00
32	1	45	12.00
40	1¼	200	14.00
50	1½	120	21.00
63	2	110	30.00
75	2½	120	37.00
90	3	75	53.00
110(LW)	4	40	73.00
110	4	40	93.00
140	5	18	190.00
160	6	12	280.00
200	8	5	710.00



TEE (PN - 4)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	70	9.00
25	¾	45	14.00
32	1	25	18.00
40	1¼	140	25.00
50	1½	96	29.00
63	2	72	43.00
75	2½	84	50.00
90	3	50	68.00
110	4	26	110.00
110	4 HW	26	-
140	5	18	242.00
160	6	15	385.00
200	8	5	1250.00
110 x 75	4 x 2½		135.00



ELBOW (PN - 6)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	110	65.75
75	2½	120	85.75
90	3	65	137.00
110	4	40	200.00
140	5	24	440.00
160	6	10	628.00



TEE (PN - 6)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	72	85.70
75	2½	84	110.00
90	3	50	166.00
110	4	26	272.00
140	5	18	575.00
160	6	15	855.00



COUPLER			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	150	5.25
25	¾	100	7.50
32	1	60	9.25
40	1¼	-	-
50	1½	256	19.00
63	2	132	25.00
75	2½	110	31.00
90	3	120	43.00
110	4	78	58.00
140	5	18	105.00
160	6	18	135.00



END CAP			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	200	4.00
25	¾	150	6.00
32	1	100	7.00
40	1¼	-	-
50	1½	-	-
63	2	308	21.00
75	2½	150	24.00
90	3	130	35.00
110	4	84	48.00
140	5	60	80.00
160	6	35	115.00



MTA			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½	130	
25	¾	100	
32	1	60	
40	1¼	-	
50	1½	-	
63	2	-	
75	2½	-	
90	3	-	
110	4	-	



FTA			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
20	½		
25	¾		
32	1		
40	1¼		
50	1½		
63	2		
75	2½		
90	3		
110	4		

AGRICULTURE FITTINGS


REDUCER			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
25 x 20	¾ x ½	120	8.00
32 x 20	1 x ½	80	9.00
32 x 25	1 x ¾	80	11.00
50 x 40	1½ x 1¼	-	19.00
63 x 32	2 x 1		22.00
63 x 50	2 x 1½	220	24.00
75 x 32	2½ x 1		33.00
75 x 50	2½ x 1½	128	35.00
75 x 63	2½ x 2	128	36.00
90 x 63	3 x 2	88	45.00
90 x 75	3 x 2½	88	47.00
110 x 63	4 x 2	78	57.00
110 x 75	4 x 2½	78	57.00
110 x 90	4 x 3	78	60.00
140 x 63	5 x 2	32	114.00
140 x 75	5 x 2½	32	116.00
140 x 90	5 x 3	32	118.00
140 x 110	5 x 4	36	120.00
160 x 75	6 x 2½	15	125.00
160 x 90	6 x 3	15	128.00
160 x 110	6 x 4	15	130.00
160 x 140	6 x 5	-	130.00



R-BUSH			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
75 x 50	2½ x 1½	165	40.00
75 x 63	2½ x 2	165	44.00
90 x 50	3 x 1½	100	60.00
90 x 63	3 x 2	100	62.00
90 x 75	3 x 2½	100	65.00
110 x 63	4 x 2	64	65.00
110 x 75	4 x 2½	64	65.00
110 x 90	4 x 3	64	70.00
140 x 110	5 x 4	45	177.00
160 x 110	6 x 4	-	198.00



End Cap Threaded			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	-	-
75	2½	-	-
90	3	-	-
110	4	-	-
140	5	-	-
160	6	-	-



M. T. A. SET			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
75	2½	-	-
90	3	60	98.00
110	4	30	176.00
140	5	16	272.00
160	6	10	470.00



RRC REPAIR COUPLER 6 KG (ISI)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	90	121.00
75	2½	100	165.00
90	3	60	256.00
110	4	35	380.00
140	5	23	691.00
160	6	15	947.00




45° Elbow			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	-	32.00
75	2½	-	45.00
90	3	-	68.00
110	4	-	110.00
140	5	-	230.00
160	6	-	350.00



RRC REPAIR COUPLER 4 KG (ISI)			
Size (mm)	Size (inc)	Std. (Packing)	List (Price)
63	2	90	93.45
75	2½	100	135.50
90	3	60	200.00
110	4	35	305.00
140	5	23	539.45
160	6	15	723.50



PVC SOLVENT CEMENT		
Qty.	Master Packing	Rate Per Pc.
50 ML	48	65.00
100 ML	24	110.00
250 ML	15	182.00
500 ML	8	326.00
1 LTR.	6	580.00

F.R.P. MANHOLE COVER

MFG OF F.R.P. MANHOLE COVER

FRAME OUTER SIZE		FRAME INNER SIZE		PRICE	PRICE	APPROX
Inch	mm	Inch	mm	3T	5T	WG./PC.	STD. PKG.
10 x 10	250 x 250	7 x 7	190 x 190	568	-	-	-
12 x 12	300 x 300	10 x 10	245 x 245	703	780	3.00	10
12 x 24	300 x 600	10 x 20	200 x 500	1320	1600	7.20	6
12 x 18	300 x 450	9 x 15	235 x 390	1062	1131	4.10	10
15 x 15	380 x 380	13 x 13	325 x 325	900	1014	4.60	10
18 x 18	450 x 450	15 x 15	375 x 375	1460	1680	7.40	5
18 x 24	450 x 600	15 x 20	375 x 580	1671	1940	9.50	4
21 x 21	550 x 550	18 x 18	460 x 460	1860	2140	11.50	3
24 x 24	600 x 600	20 x 20	510 x 510	2434	2743	14.30	3
26 x 26	660 x 660	22 x 22	560 x 560	2831	3200	17.00	2
28 x 28	710 x 710	24 x 24	600 x 600	3691	4191	23.20	1
30 x 30	760 x 760	26 x 26	660 x 660	4148	4748	26.20	1
18 x 36	450 x 914	12 x 30	315 x 770	2880	3282	20.70	2
36 x 36	914 x 914	30 x 30	760 x 760	6220	7271	42.00	1
24 x 30	600 x 760	18 x 24	465 x 620	3274	3717	22.30	2
24 x 36	600 x 914	18 x 30	465 x 770	3762	4328	26.00	2
22 x 28	550 x 710	18 x 24	460 x 620	2848	3185	19.00	2



SINCE 1982



**SAVE WATER
SAVE LIFE**

TERMS & CONDITIONS :

- GST Applicable.
- Prices are Ex-factory Gondal (Gujarat).
- Payment terms are 100% advance before delivery.
- All disputes are subject to Gondal Jurisdiction only.
- We are not responsible for any breakage, damage or any losses in transportation.
- All Size & Specifications are subject to change ± 5% without prior notice for better quality improvement.
- Warranty is not applicable incase of use in combination with other brand/make pipes, fittings & solvents.
- Actual product may not exactly resemble the picture depicting the products.
- This price list cancels all the previous price list and subject to change without prior notice.

AN ISO 9001:2015 COMPANY

HOT & COLD WATER
A COMPLETE
**PIPING
SOLUTION**

CPVC | UPVC | SWR | AGRI



SINCE 1982

Mfg by
RAJHANS RIGID PVC PIPE INDUSTRIES
Junagadh Road, Dhoraji (Gujarat) INDIA.
Contact : +91 98253 69068, 97259 86060
E-mail : rajhansplastic@gmail.com
Website : www.jollypipes.in

