

- Book - chapter - Section using headings.
- Usage of p tag → Welcome to my coding blog
- My resume using <p>,
, <h1>, <hr>.
- Biography of nikola tesla.

4) Line Break Tag

 → To go to next line.

Self-closing Tag

5) Pre-Formatted Text

<pre> → Jaisa code editor mei hai, waisa hi dikhega.

Lecture - 2 - HTML Lists, Anchor & Images

* HTML Lists

Unordered Lists

- Order does not matter.
- Just mention the things.

 Banana
 Orange
 Grapes

Bulleted List

Ordered Lists

- Following things in order.
- Ordered lists hold a semantic meaning.

 Take water
 Add sugar
 Add chai & milk
 Boil & chai is ready

Numbered List

→ To change into something else, attributes are used.

<ul style="list-style-type: square;">

Disc, circle, square, none are used.

→ To change into something else,

<ol type="a, A, 1, I, i">

We can use this.

<ol start="10">

→ Starts from 10.

- HTML Lists Example project was created.
- IP*5 → Create 5 lists.

* Nested Lists

1. Array

- 1D Array
- 2D Array

2. Linked List

- Singly
- Doubly
- Circular
- Double.

3. Tree

```

<ol>
  <li> Array
    <ul>
      <li> 1D Array
      <li> 2D Array
    </ul>
  </li>
</ol>

```

You can also use multiple attributes here.

List from Project was created

* Anchor Tag

- Used to create hyperlinks
- ` YouTube `
- To open in new page → `target = "blank"`
- My Top 5 Websites Project was created.

* Image Tag

- Self Closing Tag

```

<img src = " " height = "100" width = "200" alt = " "

```

Image Tag

Source Link

Height

& width of Image

If image not opened this text is shown

Image show → X

→ Because of website, user authentication, blocked (Bandwidth)