





Anthyllis vulneraria\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 0.14 0.16 0.17 0.18 0.15 Value

Arctagrostis latifolia\_LDMC 2.0 1.5 -0.0 tung NotRemoved 1 0.5 0.0 0.2 0.4 0.0 0.6 0.8 Value













Astragalus umbellatus\_LDMC 2.0 1.5 -0.0 tung NotRemoved 1 0.5 0.0 -0.3 0.5 0.7 0.4 0.6 Value








Betula glandulosa\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 0.50 0.60 0.45 0.55 0.65 Value

















Bromus variegatus\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -0.35 0.31 0.32 0.33 0.34 0.30 Value


Calamagrostis arundinacea\_LDMC 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 0.320 0.325 0.330 0.335 0.340 0.345 Value











Campanula tridentata\_LDMC 2.0 1.5 -1.0 -NotRemoved 1 0.5 0.0 -0.24 0.26 0.28 Value






































































































































Epilobium angustifolium\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 0.00 0.240 0.245 0.250 0.255 0.260 Value







Equisetum variegatum\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -0.17 0.18 0.16 Value


Eremogone lychnidea\_LDMC 2.0 1.5 conut NotRemoved 0.5 0.0 -0.24 0.27 0.33 0.21 0.30 Value








Erigeron caucasicus\_LDMC 2.0 1.5 -0.0 tung NotRemoved 0.5 -0.0 0.18 0.19 0.20 0.21 0.17 Value























































Gentiana septemfida\_LDMC 1.00 0.75 -NotRemoved conut 0 0.25 -0.00 -0.10 0.15 0.20 Value





















Gymnadenia conopsea\_LDMC 2.0 1.5 -0.0 tu NotRemoved 1 0.5 0.0 -0.100 0.150 0.125 Value





Harrimanella hypnoides\_LDMC 2.0 1.5 conut NotRemoved 1 0.5 -0.0 -0.50 0.55 0.65 0.45 0.60 Value



















































Leucanthemopsis alpina\_LDMC 2.0 1.5 -1.0 -NotRemoved 1 0.5 0.0 -0.150 0.175 0.225 0.125 0.200 Value





Ligusticum mutellina\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 0.24 0.23 0.25 0.26 Value































Matteuccia struthiopteris\_LDMC 2.0 1.5 conut NotRemoved 1 0.5 0.0 -0.11 0.13 0.14 0.15 0.12 0.16 Value



























































































































Potentilla grandiflora\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -0.21 0.25 0.22 0.23 0.24 Value













Psephellus caucasicus\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 0.17 0.18 0.19 0.20 0.21 Value













Ranunculus brachylobus\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 0.00 0.190 0.180 0.185 0.195 0.200 Value








Ranunculus pygmaeus\_LDMC 2.0 1.5 conut NotRemoved 1 0.5 -0.0 -0.15 0.16 0.17 0.18 0.14 0.13 Value



























































Saussurea alpina\_LDMC 2.0 1.5 -1.0 -NotRemoved 0.5 0.0 -0.175 0.180 0.185 0.190 0.195 Value


Saussurea angustifolia\_LDMC 2.0 1.5 conut NotRemoved 1 0.5 0.0 -0.2 0.3 0.4 Value


Saxifraga aizoides\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 0.125 0.150 0.175 0.200 0.100 Value


Saxifraga bryoides\_LDMC 2.0 1.5 -NotRemoved 0.0 tung 0 0.5 0.0 -0.16 0.20 0.24 0.26 0.18 0.22 Value


Saxifraga nelsoniana\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -0.1 0.2 0.3 Value


Saxifraga oppositifolia\_LDMC 2.0 1.5 -0.0 tung NotRemoved 1 0.5 -0.0 -0.20 0.30 0.25 Value








































Stellaria longipes\_LDMC 2.0 1.5 -NotRemoved 0.0 tung 0 0.5 -0.0 -0.2 0.5 0.1 0.3 0.4 Value















Tephroseris integrifolia\_LDMC 2.0 1.5 -0.0 tung NotRemoved 1 0.5 -0.0 -0.1 0.2 0.3 0.4 Value









Traunsteinera globosa\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -0.13 0.14 0.15 0.12 Value





Trifolium polyphyllum\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 0.225 0.250 0.275 0.300 0.200 Value





Trollius europaeus\_LDMC 1.00 0.75 conut NotRemoved 1 0.25 -0.00 0.18 0.19 0.20 0.21 0.22 Value








































Agoseris aurantiaca\_LeafArea 1.00 0.75 -NotRemoved 0.25 -0.00 -750 1000 1250 Value






























Anaphalis margaritacea\_LeafArea 1.00 0.75 -NotRemoved 0.25 -0.00 -300 400 Value


Andromeda polifolia\_LeafArea 1.00 0.75 -NotRemoved count 1 0.25 -0.00 -30 35 45 40 25 Value


































Anthriscus sylvestris\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 -100000 120000 140000 160000 Value
















Arctostaphylos uva-ursi\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -55 60 65 70 50 Value
















Artemisia pattersonii\_LeafArea 2.0 1.5 -1.0 -NotRemoved 1 0.5 0.0 -50 100 150 200 Value



























Betula pubescens\_LeafArea 2.0 1.5 -1.0 -NotRemoved 1 0.5 -0.0 -800 1000 1200 1400 Value











Bromus variegatus\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 500 600 700 800 Value




Calamagrostis canadensis\_LeafArea 1.00 0.75 NotRemoved conut 1 0.25 0.00 500 1000 1500 Value




Calamagrostis purpurascens\_LeafArea 1.00 0.75 -NotRemoved conut 0.25 -0.00 -200 300 400 500 Value


Caltha leptosepala\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 1500 1000 2000 2500 3000 3500 Value


Campanula collina\_LeafArea 2.0 1.5 conut NotRemoved 0.5 0.0 600 800 400 1000 1200 Value








Cardamine digitata\_LeafArea 2.0 1.5 conut NotRemoved 0.5 0.0 -200 300 500 100 400 Value










































Carex oreophila\_LeafArea 2.0 1.5 -NotRemoved 1.0 -0 0.5 0.0 -100 150 200 250 300 Value














Carex sempervirens\_LeafArea 2.0 1.5 -1.0 -NotRemoved 1 0.5 -0.0 -100 200 300 400 500 Value



















Castilleja occidentalis\_LeafArea 2.0 1.5 -0 1.0 conut NotRemoved 0.5 -0.0 -100 125 150 175 200 Value















Chaerophyllum roseum\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 1000 1500 2000 Value













Colpodium variegatum\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -200 300 400 Value


Corydalis conorhiza\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 1000 1500 2000 500 Value















Dactylorhiza euxina\_LeafArea 2.0 1.5 conut NotRemoved 1 0.5 0.0 -800 1200 1600 400 Value














Deschampsia flexuosa\_LeafArea 2.0 1.5 -0.1 conut NotRemoved 1 0.5 0.0 -120 40 60 80 100 Value




























Epilobium angustifolium\_LeafArea 2.0 1.5 -0.0 tung NotRemoved 1 0.5 -0.0 -250 500 750 1000 Value




Equisetum scirpoides\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -110 130 150 170 190 90 Value

Equisetum variegatum\_LeafArea 1.00 0.75 NotRemoved conut 1 0.25 -0.00 300 400 500 600 Value




Eremogone lychnidea\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 70 50 60 80 Value



Erigeron alpinus\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -200 300 400 500 Value

Erigeron caucasicus\_LeafArea 2.0 1.5 conut NotRemoved 0.5 -0.0 -500 600 700 800 Value





Erigeron melanocephalus\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 -100 150 200 Value


Erigeron peregrinus\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 500 1000 1500 2000 Value


Erigeron pinnatisectus\_LeafArea 1.00 0.75 -NotRemoved conut 0.25 -0.00 -80 60 100 120 Value


Erigeron uniflorus\_LeafArea 2.0 1.5 -0.0 tung NotRemoved 1 0.5 0.0 -80 40 120 160 Value



















Erysimum capitatum\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -130 140 150 160 110 120 Value





























Frasera speciosa\_LeafArea 1.00 0.75 -NotRemoved conut 0.25 -0.00 4000 5000 6000 7000 3000 Value




Gagea bohemica\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 150 200 250 300 350 Value





Gentiana algida\_LeafArea 2.0 1.5 conut NotRemoved 1 0.5 0.0 -300 200 400 Value




Gentiana septemfida\_LeafArea 1.00 0.75 -NotRemoved count 1 0.25 -0.00 250 150 200 Value














Geranium gymnocaulon\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 -1250 1500 1750 2000 Value



















Harrimanella hypnoides\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -0.7 1.1 1.3 0.9 Value




























Hymenoxys grandiflora\_LeafArea 2.0 1.5 conut NotRemoved 0.5 -0.0 -200 400 600 Value
















Kobresia myosuroides\_LeafArea 2.0 1.5 -0.0 tu NotRemoved 1 0.5 -0.0 80 20 40 60 Value


Lactuca racemosa\_LeafArea 1.00 0.75 count NotRemoved 1 0.25 -0.00 -2000 2500 1500 3000 Value





Leontodon hispidus\_LeafArea 2.0 1.5 -1.0 -NotRemoved 1 0.5 -0.0 -1200 300 600 900 Value


Leucanthemopsis alpina\_LeafArea 2.0 1.5 -1.0 -NotRemoved 1 0.5 0.0 -50 100 150 Value




Ligularia sibirica\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -6000 4000 8000 Value


Ligusticum mutellina\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 300 400 500 Value


Ligusticum tenuifolium\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 -2000 2500 3000 1500 3500 Value








Loiseleuria procumbens\_LeafArea 2.0 1.5 -1.0 -NotRemoved 1 0.5 0.0 -13 9 11 Value

























Matteuccia struthiopteris\_LeafArea 1.00 0.75 NotRemoved count 1 0.25 0.00 40000 50000 60000 70000 80000 Value

























































































































Phyteuma hemisphaericum\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -40 60 80 20 Value

































































Primula angustifolia\_LeafArea 1.00 0.75 conut NotRemoved 0.25 -0.00 500 1000 1500 Value








Psephellus caucasicus\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -900 1200 1800 1500 Value


Pseudocymopterus montanus\_LeafArea 2.0 1.5 conut NotRemoved 1 0.5 -0.0 -2500 1000 1500 2000 Value






















Ranunculus pygmaeus\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 90 50 70 80 40 60 Value





Rhodiola integrifolia\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 60 80 100 Value





Rhododendron lapponicum\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 20 50 30 40 Value


Ribes montigenum\_LeafArea 1.00 0.75 conut NotRemoved 0.25 -0.00 -300 600 900 Value




















































Saussurea alpina\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -500 600 700 400 Value




Saxifraga aizoides\_LeafArea 2.0 1.5 -0 1.0 conut NotRemoved 0.5 -0.0 20 15 25 30 Value





Saxifraga nelsoniana\_LeafArea 3 2 -NotRemoved 1 1 -0 -500 1000 1500 2000 Value


Saxifraga oppositifolia\_LeafArea 2.0 1.5 -0.0 tung NotRemoved 1 0.5 -0.0 -2.5 5.0 7.5 Value


Saxifraga rhomboidea\_LeafArea 2.0 1.5 -0.0 tung NotRemoved 1 0.5 0.0 -300 400 500 600 Value






















Senecio triangularis\_LeafArea 1.00 0.75 -NotRemoved conut 0.25 -0.00 1500 1000 2000 2500 3000 Value














Soldanella pusilla\_LeafArea 1.00 0.75 -NotRemoved 0.25 -0.00 -50.1 49.8 50.4 Value

Solidago spathulata\_LeafArea 1.00 0.75 -NotRemoved conut 0.25 -0.00 400 500 600 700 800 Value

Solidago virgaurea\_LeafArea 2.0 1.5 conut NotRemoved 1 0.5 0.0 -1000 1500 2000 Value










Taraxacum alpinum\_LeafArea 2.0 1.5 conut NotRemoved 1 0.5 0.0 -300 400 500 700 600 Value


Taraxacum campylodes\_LeafArea 1.00 0.75 -NotRemoved conut 1 0.25 0.00 -1500 1750 2000 1250 Value





Taraxacum sp.\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -700 400 500 600 Value



















Tonestus pygmaeus\_LeafArea 1.00 0.75 -NotRemoved conut 0.25 -0.00 -70 90 110 Value


Traunsteinera globosa\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -750 1250 1750 1000 1500 Value




Trifolium brandegei\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -120 80 160 200 Value


Trifolium dasyphyllum\_LeafArea 2.0 1.5 conut NotRemoved 1 0.5 0.0 -100 150 200 Value








Trifolium polyphyllum\_LeafArea 1.00 0.75 conut NotRemoved 1 0.25 -0.00 350 400 500 450 550 Value



















Vaccinium uliginosum\_LeafArea 1.00 0.75 -0.50 onut NotRemoved 1 0.25 0.00 30 50 70 110 90 Value
















Veronica gentianoides\_LeafArea 1.00 0.75 NotRemoved conut 1 0.25 -0.00 500 600 700 800 400 Value














































































































Bromus variegatus\_LeafN 1.00 0.75 conut NotRemoved 0.25 -0.00 -20 22 24 Value


Calamagrostis arundinacea\_LeafN 1.00 0.75 -NotRemoved conut 1 0.25 -0.00 22 20 24 26 28 Value


Calamagrostis lapponica\_LeafN 2.0 1.5 conut NotRemoved 1 0.5 0.0 -10 5 20 15 Value





















































































Dactylorhiza viridis\_LeafN 1.00 0.75 conut NotRemoved 0.25 -0.00 32.5 33.5 34.5 31.5 Value























Epilobium angustifolium\_LeafN 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -36 40 44 Value






Equisetum variegatum\_LeafN 1.00 0.75 conut NotRemoved 0.25 -0.00 -20 21 22 19 Value


Eremogone lychnidea\_LeafN 1.00 0.75 conut NotRemoved 1 0.25 -0.00 17.5 18.0 18.5 19.0 Value





Erigeron caucasicus\_LeafN 1.00 0.75 conut NotRemoved 0.25 -0.00 -28 29 30 32 31 Value





Eriophorum angustifolium\_LeafN 2.0 1.5 -0.0 tung NotRemoved 1 0.5 -0.0 -18 21 24 Value







































































































































































































Parnassia palustris\_LeafN 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -18 20 22 16 24 Value

































































































Ranunculus brachylobus\_LeafN 1.00 0.75 -NotRemoved conut 0.25 -0.00 -36 34 38 Value































































Saxifraga aizoides\_LeafN 2.0 1.5 -NotRemoved 0.5 -0.0 -21 17 19 Value


Saxifraga oppositifolia\_LeafN 1.00 0.75 -NotRemoved conut 0.25 -0.00 -16 20 18 Value










































Taraxacum sp.\_LeafN 2.0 1.5 -1.0 -NotRemoved 0.5 -0.0 -33 34 35 36 37 Value













Traunsteinera globosa\_LeafN 1.00 0.75 -NotRemoved conut 0.25 -0.00 -36 37 39 38 40 Value





Trifolium polyphyllum\_LeafN 1.00 0.75 conut NotRemoved 0.25 -0.00 29.0 30.0 31.0 29.5 30.5 Value









































































































































































Calamagrostis lapponica\_SLA 2.0 1.5 conut NotRemoved 1 0.5 0.0 -10.0 12.5 15.0 17.5 20.0 Value






























































































Chaerophyllum roseum\_SLA 2.0 1.5 -0 1.0 conut NotRemoved 1 0.5 -0.0 -18 16 20 22 Value




































































Equisetum variegatum\_SLA 1.00 0.75 conut NotRemoved 1 0.25 0.00 7.5 10.0 12.5 5.0 15.0 Value


Eremogone lychnidea\_SLA 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -10.0 12.5 15.0 17.5 Value











Erigeron uniflorus\_SLA 2.0 1.5 -0.0 tu NotRemoved 1 0.5 -0.0 15 10 20 25 Value











































Gagea bohemica\_SLA 2.0 1.5 -0.0 tung NotRemoved 0.5 -0.0 -15.0 17.5 20.0 22.5 Value

























Geranium gymnocaulon\_SLA 2.0 1.5 conut NotRemoved 1 0.5 -0.0 -15.0 17.5 20.0 22.5 25.0 Value




























































Lactuca alpina\_SLA 1.00 0.75 conut NotRemoved 0.25 -0.00 35.75 36.00 35.50 36.25 36.50 Value













Leucanthemopsis alpina\_SLA 2.0 1.5 -1.0 -NotRemoved 1 0.5 0.0 -10 15 20 25 Value





Ligusticum mutellina\_SLA 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -13 17 11 12 15 16 14 Value































































































































































































































































































































Sempervivum caucasicum\_SLA 1.00 0.75 conut NotRemoved 1 0.25 -0.00 -7 8 9 12 10 11 Value
























































Traunsteinera globosa\_SLA 2.0 1.5 -0.0 tung NotRemoved 0.5 -0.0 -22 24 26 28 Value

