

Lab 8 and Lab 9

When Event Listener is used:

Mouse Event	Description	Example
click	Fires when the user clicks (presses and releases the left mouse button) on an element.	Clicking a button to submit a form.
dblclick	Fires when the user double-clicks an element.	Double-clicking an image to zoom.
mousedown	Fires when a mouse button is pressed down on an element.	Starting to drag an object.
mouseup	Fires when a pressed mouse button is released.	Dropping a dragged object.
mousemove	Fires whenever the mouse pointer moves over an element.	Displaying the current mouse coordinates.
mouseover	Fires when the mouse pointer enters an element or one of its child elements .	Showing a tooltip when hovering over a button.
mouseout	Fires when the mouse pointer leaves an element or moves to one of its child elements .	Hiding a tooltip when the mouse leaves a button.
mouseenter	Fires only when the mouse pointer enters the element itself (does not trigger for child elements).	Highlighting a card when the cursor enters it.
mouseleave	Fires only when the mouse pointer leaves the element itself.	Removing the highlight when the cursor leaves the card.

```
document.getElementById("clickbtn").addEventListener('click', ()=> {  
  |   document.getElementById("text").innerHTML = "click";  
  | });
```

When event is accessed by e and listed as html attribute

```
<button onclick="check(event)">click</button> <br> <b  
<button ondblclick="check(event)">dblclick</button> <  
<button onmousedown="check(event)">mousedown</button>
```

```
function check(e){  
    document.write(e.type)  
}
```

Mouse Event	Description	Example
onclick	Fires when the user clicks (presses and releases the left mouse button) on an element.	Clicking a button to submit a form.
ondblclick	Fires when the user double-clicks an element.	Double-clicking an image to zoom.
onmousedown	Fires when a mouse button is pressed down on an element.	Starting to drag an object.
onmouseup	Fires when a pressed mouse button is released.	Dropping a dragged object.
onmousemove	Fires whenever the mouse pointer moves over an element.	Displaying the current mouse coordinates.
onmouseover	Fires when the mouse pointer enters an element or one of its child elements .	Showing a tooltip when hovering over a button.
onmouseout	Fires when the mouse pointer leaves an element or moves to one of its child elements .	Hiding a tooltip when the mouse leaves a button.
onmouseenter	Fires only when the mouse pointer enters the element itself (does not trigger for child elements).	Highlighting a card when the cursor enters it.
onmouseleave	Fires only when the mouse pointer leaves the element itself.	Removing the highlight when the cursor leaves the card.

Other Events:

Event	Description
abort	The loading of a media is aborted/cancelled.
blur	An element loses focus.
drag	An element is being dragged.
focus	An element gets focus/clicked.
keydown	When a key is pressed down.
keyup	When a key is released so it comes up.
keypress	When key is pressed.
submit	A form is submitted
unload	A page is unloaded.

Note: add 'on' so an event can be written as html tag's attribute:

dblclick ---→ onclick