

CLOUD COMPUTING LAB – 19MAM58

CONTINUOUS ASSESSMENT TEST – 2

TEAM MEMBERS:

1934011-ILAKIYA S

1934043-SHRUTHI J

1934054-VAISHALI K

AIM:

To dockerize a web application and deploy it in the Kubernetes cluster.

APPLICATION:

HOSPITAL MANAGEMENT

PROBLEM STATEMENT:

In this pandemic situation, it is hard to book an appointment for the consultation of the doctor in person and consulting doctor personally was not advisable at this situation.

PROPOSED SOLUTION:

The solution for this problem is online consultation of the doctors and booking an appointment through online registration makes the work easier and simpler.

DOCKERFILE:

```
Dockerfile
1 FROM nginx:alpine
2 COPY . /usr/share/nginx/html
```

BUILDING DOCKER IMAGE:

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>docker build -t project:1 .
[+] Building 69.0s (7/7) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 84B
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [internal] load metadata for docker.io/library/nginx:alpine
=> [internal] load build context
=> => transferring context: 36.93MB
=> [1/2] FROM docker.io/library/nginx:alpine@sha256:da9c94bec1da829ebd52431a84502ec471c8e548ffb2cedbf36268fd9bd1
=> => resolve docker.io/library/nginx:alpine@sha256:da9c94bec1da829ebd52431a84502ec471c8e548ffb2cedbf36268fd9bd1
=> => sha256:da9c94bec1da829ebd52431a84502ec471c8e548ffb2cedbf36268fd9bd1d4d3 1.65kB / 1.65kB
=> => sha256:050385609d832fae11b007fbbfba77d0bba12bf72bc0dca0ac03e09b1990580f 1.57kB / 1.57kB
=> => sha256:bef258acf10dc257d641c47c3a600c92f87be4b4ce4a5e4752b3eade7533dcd9 8.89kB / 8.89kB
=> => sha256:59bf1c3509f33515622619af21ed55bbe26d24913cedbca106468a5fb37a50c3 2.82MB / 2.82MB
=> => sha256:8d6ba530f6489d1267d7f61628427d067243ba4a3a512c3e28813b977cb3b0e 7.34MB / 7.34MB
=> => sha256:5288d7ad7a7f84bdd19c1e8f0abb8684b5338f3da86fe9aed7f0e9bc2de6595 601B / 601B
=> => sha256:39e51c1c03442d00c40a30b2a9ed01f40205875fbd8664c50b4dc3e99ad5cf 894B / 894B
=> => sha256:e66f71c6f4a82b2af01f92bdf6be0079364d03020e8a2c569062e1c06d3822b 665B / 665B
=> => sha256:f2303c6c88053b9a6739d50f611c170b9d97d161c6432489c680f6b46a5f112f 1.39kB / 1.39kB
=> => extracting sha256:59bfc13509f33515622619af21ed55bbe26d24913cedbca106468a5fb37a50c3
=> => extracting sha256:8d6ba530f6489d1267d7f61628427d067243ba4a3a512c3e28813b977cb3b0e
=> => extracting sha256:5288d7ad7a7f84bdd19c1e8f0abb8684b5338f3da86fe9aed7f0e9bc2de6595
=> => extracting sha256:39e51c1c03442d00c40a30b2a9ed01f40205875fbd8664c50b4dc3e99ad5cf
=> => extracting sha256:e66f71c6f4a82b2af01f92bdf6be0079364d03020e8a2c569062e1c06d3822b
=> => extracting sha256:f2303c6c88053b9a6739d50f611c170b9d97d161c6432489c680f6b46a5f112f
=> [2/2] COPY . /usr/share/nginx/html
=> => exporting to image
=> => exporting layers
=> => writing image sha256:9a53ad7ff7b4e42a8991e410055058dd7df4856ed00da3d5e10e9712cdc9bee3
=> => naming to docker.io/library/project:1
```

RUNNING DOCKER IMAGE [CONTAINER DEPLOYMENT]:

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>docker run -d -p 80:80 project:1
e5cd5a5f58bc78409ccc386dca7364e0d647f4bc962865497380c96fa6d80c45
```

IMAGE CACHING:

project	IN USE	1	9a53a47ff2b4	about 12 hours ago	60.34 MB
---------	--------	---	--------------	--------------------	----------

LAYER CACHING:

< project:1 IN USE

IMAGE HISTORY

0	COPY . /usr/share/nginx/html # buildkit	36.9 MB
1	/bin/sh -c #(nop) CMD ["nginx" "-g" "daemon off;"]	0 Bytes
2	/bin/sh -c #(nop) STOPSIGNAL SIGQUIT	0 Bytes
3	/bin/sh -c #(nop) EXPOSE 80	0 Bytes
4	/bin/sh -c #(nop) ENTRYPOINT ["/docker-entrypoint.sh"]	0 Bytes
5	/bin/sh -c #(nop) COPY file:09a214a3e07c919af2fb2d7c749ccbc446b8...	4.61 KB
6	/bin/sh -c #(nop) COPY file:0fd5fca330dcd6a7de297435e32af634f29f...	1.04 KB
7	/bin/sh -c #(nop) COPY file:0b866ff3fc1ef5b03c4e6c8c513ae014f691f...	1.96 KB
8	/bin/sh -c #(nop) COPY file:65504f71f5855ca017fb64d502ce873a31b2...	1.2 KB
9	/bin/sh -c set -x && addgroup -g 101 -S nginx && adduser -S -D -H -u ...	17.84 MB
10	/bin/sh -c #(nop) ENV PKG_RELEASE=1	0 Bytes
11	/bin/sh -c #(nop) ENV NJS_VERSION=0.7.2	0 Bytes

CONTAINERS:

Containers / Apps

Images

Volumes

Dev Environments PREVIEW

Search...

Sort by


k8s_kube-scheduler_kube-scheduler-docker-desktop_kube-system_d19d89767cc69ae3010bc658c1cd2e46_1 sha256:935d8fd...

minikube gcr.io/k8s-minikube...

dazzling_volhard project:1

tender_roentgen project:1


CONTAINER SERVICE EXPOSURE:




HOMEABOUT USDOCTORSALLERYBLOGSCONTACT USREGISTRATIONLOGINBOOK APPOINTMENT

Appointment Form


Name




E-mail




Purpose Of Appointment




Mobile Number




Select Department




Select Date





Select Time



Send message

Appointment Notes

You Only Can Book Your Appointment Between **8 AM to 10 PM.**

In Other Times You Can Call Our Ambulance Which Is Available 24/7.

Business Hours

Monday-Saturday: 24/7 Available.

Sunday: 4 AM to 11 PM.

Why Choose Us?

All healthcare facilities can be accessed here under one roof, making UNITY Hospital a one point contact for all your healthcare needs.

- ✔ 24/7 Ambulance Support.
- ✔ Eminent and Experienced Doctors.
- ✔ Multiple Options For Treatment.

CONTAINER LOG FETCHING:

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>docker logs e5cd5a5f58bc
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2022/01/28 20:17:10 [notice] 1#1: using the "epoll" event method
2022/01/28 20:17:10 [notice] 1#1: nginx/1.21.6
2022/01/28 20:17:10 [notice] 1#1: built by gcc 10.3.1 20211027 (Alpine 10.3.1_git20211027)
2022/01/28 20:17:10 [notice] 1#1: OS: Linux 5.10.16.3-microsoft-standard-WSL2
2022/01/28 20:17:10 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2022/01/28 20:17:10 [notice] 1#1: start worker processes
2022/01/28 20:17:10 [notice] 1#1: start worker process 32
2022/01/28 20:17:10 [notice] 1#1: start worker process 33
2022/01/28 20:17:10 [notice] 1#1: start worker process 34
2022/01/28 20:17:10 [notice] 1#1: start worker process 35
2022/01/28 20:17:10 [notice] 1#1: start worker process 36
2022/01/28 20:17:10 [notice] 1#1: start worker process 37
2022/01/28 20:17:10 [notice] 1#1: start worker process 38
2022/01/28 20:17:10 [notice] 1#1: start worker process 39
```

EXECUTING INTO THE DOCKER:

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>docker exec -it e5cd5a5f58bc sh
/ # ls
bin                docker-entrypoint.sh  lib                opt                run                sys                var
dev                etc                   media              proc               /sbin              tmp
docker-entrypoint.d home                  mnt                root                srv                usr
/ # exit
```

KUBERNETES:

STARTING MINIKUBE:

```
C:\Windows\System32\cmd.exe
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>minikube start
* minikube v1.25.1 on Microsoft Windows 11 Home Single Language 10.0.22000 Build 22000
* Automatically selected the docker driver
* Starting control plane node minikube in cluster minikube
* Pulling base image ...
* Downloading Kubernetes v1.23.1 preload ...
  > gcr.io/k8s-minikube/kicbase: 378.98 MiB / 378.98 MiB 100.00% 1.69 MiB p/
  > preloaded-images-k8s-v16-v1...: 504.42 MiB / 504.42 MiB 100.00% 319.32 K
* Creating docker container (CPUs=2, Memory=2200MB) ...
! Executing "docker ps -a --format {{.Names}}" took an unusually long time: 9.1107913s
* Restarting the docker service may improve performance.
! Executing "docker container inspect minikube --format={{.State.Status}}" took an unusually long time: 16.4245885s
* Restarting the docker service may improve performance.
! StartHost failed, but will try again: creating host: create host timed out in 360.000000 seconds
* docker "minikube" container is missing, will recreate.
* Creating docker container (CPUs=2, Memory=2200MB) ...
* Preparing Kubernetes v1.23.1 on Docker 20.10.12 ...
  - kubelet.housekeeping-interval=5m
  - Generating certificates and keys ...
  - Booting up control plane ...
  - Configuring RBAC rules ...
* Verifying Kubernetes components...
  - Using image gcr.io/k8s-minikube/storage-provisioner:v5
* Enabled addons: default-storageclass, storage-provisioner
* Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default
```

CREATING NAME SPACE:

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>minikube image load project:1
! Executing "docker container inspect minikube --format={{.State.Status}}" took an unusually long time: 4.5350648s
* Restarting the docker service may improve performance.

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl get namespaces
NAME                STATUS    AGE
default              Active    4h12m
kube-node-lease      Active    4h13m
kube-public           Active    4h13m
kube-system           Active    4h13m
```

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl apply -f ns.yml
namespace/cchospital created
```

```
! ns.yml
1  apiVersion: v1
2  kind: Namespace
3  metadata:
4  |   name: cchospital
```

CREATING POD IN THE NAME SPACE:

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl apply -f deployment.yml
deployment.apps/cchospital-deployment created
```

```
! deployment.yml
1  apiVersion: apps/v1
2  kind: Deployment
3  metadata:
4  |   labels:
5  |     app: cchospital
6  |   name: cchospital-deployment
7  |   namespace: cchospital
8  spec:
9  |   replicas: 2
10 |   selector:
11 |     matchLabels:
12 |       app: cchospital
13 |   template:
14 |     metadata:
15 |       labels:
16 |         app: cchospital
17 |     spec:
18 |       containers:
19 |       - image: project:2
20 |         imagePullPolicy: Never
21 |         name: cchospital
22 |         ports:
23 |         - containerPort: 80
```

CONFIGURING DEPLOYMENT POD WITH 2 REPLICAS:

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl apply -f deployment.yaml
deployment.apps/cchospital-deployment created

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl get deployments -n=cchospital
NAME                                READY   UP-TO-DATE   AVAILABLE   AGE
cchospital-deployment              0/2     2             0           32s

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl get pods -n=cchospital
NAME                                READY   STATUS              RESTARTS   AGE
cchospital-deployment-78dc94677c-fj2kp  0/1     ErrImageNeverPull    0          79s
cchospital-deployment-78dc94677c-j279f  0/1     ErrImageNeverPull    0          79s
```

SERVICE EXPOSURE(v1):

```
! service.yaml
1  apiVersion: v1
2  kind: Service
3  metadata:
4    name: cchospital-service
5    namespace: cchospital
6  spec:
7    selector:
8      app: cchospital
9    type: LoadBalancer
10   ports:
11     - protocol: TCP
12       port: 8080
13       targetPort: 80
14       nodePort: 30000
15
```

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl apply -f service.yaml
service/cchospital-service created

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl get service
NAME         TYPE        CLUSTER-IP   EXTERNAL-IP   PORT(S)    AGE
kubernetes   ClusterIP   10.96.0.1    <none>        443/TCP    4h37m

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl get service -n=cchospital
NAME           TYPE        CLUSTER-IP   EXTERNAL-IP   PORT(S)    AGE
cchospital-service  LoadBalancer  10.103.104.179  <pending>     8080:30000/TCP  26s
```

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>minikube service cchospital-service -n=cchospital
! Executing "docker container inspect minikube --format={{.State.Status}}" took an unusually long time: 5.7327434s
* Restarting the docker service may improve performance.


|-----|
| NAMESPACE | NAME           | TARGET PORT | URL                |
|-----|
| cchospital | cchospital-service | 8080        | http://192.168.49.2:30000 |
|-----|

* Starting tunnel for service cchospital-service.

|-----|
| NAMESPACE | NAME           | TARGET PORT | URL                |
|-----|
| cchospital | cchospital-service |             | http://127.0.0.1:56371 |
|-----|

* Opening service cchospital/cchospital-service in default browser...
! Because you are using a Docker driver on windows, the terminal needs to be open to run it.
* Stopping tunnel for service cchospital-service.
```

HOSTED WEBPAGE:



RESOURCE LIMITATION:

```
Select C:\Windows\System32\cmd.exe
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl apply -f deployment.yaml
deployment.apps/cchospital-deployment configured

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl get deployment -n cchospital
NAME                    READY   UP-TO-DATE   AVAILABLE   AGE
cchospital-deployment   0/2     1            0           130m

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl get pods -n cchospital
NAME                                READY   STATUS    RESTARTS   AGE
cchospital-deployment-5dfb69589-8nqf1   0/1     ErrImageNeverPull    0           46s
cchospital-deployment-78dc94677c-fj2kp   0/1     ErrImageNeverPull    0           130m
cchospital-deployment-78dc94677c-j279f   0/1     ErrImageNeverPull    0           130m

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl describe pod cchospital-deployment-5dfb69589-8nqf1 -n cchospital
Name:               cchospital-deployment-5dfb69589-8nqf1
Namespace:          cchospital
Priority:            0
Node:               minikube/192.168.49.2
Start Time:         Sat, 29 Jan 2022 09:28:46 +0530
Labels:             app=cchospital
                   pod-template-hash=5dfb69589
Annotations:        <none>
Status:             Pending
IP:                172.17.0.5
IPs:               172.17.0.5
Controlled By:      ReplicaSet/cchospital-deployment-5dfb69589
Containers:
  cchospital:
    Container ID:
    Image:         project:2
    Image ID:
    Port:          80/TCP
    Host Port:     0/TCP
    States:        Waiting
    Reason:        ErrImageNeverPull
    Ready:         False
    Restart Count: 0
    Limits:
      cpu:    100m
      memory: 1Mi
    Requests:
      cpu:    100m
      memory: 1Mi
    Environment:  <none>
    Mounts:
      /var/run/secrets/kubernetes.io/serviceaccount from kube-api-access-d9472 (ro)
```

```

Conditions:
  Type              Status
  Initialized        True
  Ready              False
  ContainersReady    False
  PodScheduled       True
Volumes:
  kube-api-access-d9472:
    Type:              Projected (a volume that contains injected data from multiple sources)
    TokenExpirationSeconds: 3607
    ConfigMapName:      kube-root-ca.crt
    ConfigMapOptional:  <nil>
    DownwardAPI:        true
QoS Class:           Guaranteed
Node-Selectors:      <none>
Tolerations:         node.kubernetes.io/not-ready:NoExecute op=Exists for 300s
                     node.kubernetes.io/unreachable:NoExecute op=Exists for 300s
Events:
  Type    Reason             Age    From          Message
  ----    -
Normal    Scheduled          2m56s  default-scheduler  Successfully assigned cchospital/cchospital-deployment-5dfb69589-8nqfl to minikube
Warning   Failed             16s    kubelet        Error: ErrImageNeverPull
Warning   ErrImageNeverPull  4s     kubelet        Container image "project:2" is not present with pull policy of Never

```

```

! deployment.yaml
1  apiVersion: apps/v1
2  kind: Deployment
3  metadata:
4    labels:
5      app: cchospital
6    name: cchospital-deployment
7    namespace: cchospital
8  spec:
9    replicas: 2
10   selector:
11     matchLabels:
12       app: cchospital
13   template:
14     metadata:
15       labels:
16         app: cchospital
17     spec:
18       containers:
19         - image: project:2
20           imagePullPolicy: Never
21           name: cchospital
22           ports:
23             - containerPort: 80
24
25       resources:
26         requests:
27           cpu: 0.1
28           memory: 1Mi
29         limits:
30           cpu: 0.1
31           memory: 1Mi

```

ROLLBACK STRATEGY

VERSION 2:

```
E:\Hospital-Management-Html-master\Hospital-Management-Html-master>docker build -t project:2 .
[+] Building 54.3s (7/7) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 31B
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [internal] load metadata for docker.io/library/nginx:alpine
=> CACHED [1/2] FROM docker.io/library/nginx:alpine@sha256:da9c94bec1da829ebd52431a84502ec471c8e548ffb2cedbf36260fd9bd1d4d3
=> [internal] load build context
=> => transferring context: 144.79MB
=> [2/2] COPY . /usr/share/nginx/html
=> exporting to image
=> => exporting layers
=> => writing image sha256:6995ac64a8a4e77c4c12e2f733a5ccc20223ff477c54e2fc94fc078dc63f532b
=> => naming to docker.io/library/project:2

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl apply -f deployment.yaml
deployment.apps/cchospital-deployment configured

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>kubectl get deployments -n cchospital
NAME                                READY   UP-TO-DATE   AVAILABLE   AGE
cchospital-deployment              0/2     1             0           136m

E:\Hospital-Management-Html-master\Hospital-Management-Html-master>minikube service cchospital-service -n cchospital
! Executing "docker container inspect minikube --format={{.State.Status}}" took an unusually long time: 4.6495285s
* Restarting the docker service may improve performance.
-----
| NAMESPACE | NAME           | TARGET PORT | URL               |
|-----|-----|-----|-----|
| cchospital | cchospital-service | 8080        | http://192.168.49.2:30000 |
|-----|-----|-----|-----|
* Starting tunnel for service cchospital-service.
-----
| NAMESPACE | NAME           | TARGET PORT | URL               |
|-----|-----|-----|-----|
| cchospital | cchospital-service |            | http://127.0.0.1:61316 |
|-----|-----|-----|-----|
* Opening service cchospital/cchospital-service in default browser...
! Because you are using a Docker driver on windows, the terminal needs to be open to run it.
* Stopping tunnel for service cchospital-service.
```

