

## ASSIGNMENT:-3

### Q-1

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>grid-container</title>
  <style>
    body{
      display: flex;
      justify-content: center;
      text-align: center;
      height: 100vh;
      width: 100vh;
      background-color: aliceblue;
    }
    .container{
      display: grid;
      height: 50%;
      width: 70%;
      gap: 3px;
      margin-top: 60px;
      padding: 60px;
      grid-template-columns: 1fr 1fr 1fr;
      grid-template-rows: 1fr 1fr 1fr;
    }
    .item{
      display: flex;
      justify-content: center;
      align-items: center;
      font-size: larger;
      color: aliceblue;
      font-weight: bold;
    }
    .item-a{
      grid-column: 1/2;
      background-color: aqua;
    }
    .item-b{
      grid-column: 2/3;
      background-color: orangered;
    }
    .item-c{
      grid-column: 3/4;
      background-color: rgb(35, 116, 183);
    }
    .item-d{
      grid-column: 1/2;
      background-color: rgb(209, 211, 88);
    }
    .item-e{
      grid-column: 2/3;
      background-color: rgb(101, 90, 198);
    }
    .item-f{
      grid-column: 3/4;
      background-color: green;
    }
    .item-g{
      grid-column: 1/2;
      background-color: rgb(223, 121, 66);
    }
    .item-h{
      grid-column: 2/3;
      background-color: rgb(40, 102, 102);
    }
    .item-i{
      grid-column: 3/4;
      background-color: brown;
    }
    @media screen and (max-width : 658px){
      body{
        display: flex;
      }
      .item-a{
        background-color: rgb(28, 69, 69);
      }
      .item-b{
        background-color: rgb(162, 106, 86);
      }
      .item-c{
        background-color: rgb(91, 116, 136);
      }
      .item-d{
        background-color: rgb(81, 82, 8);
      }
      .item-e{
        background-color: rgb(49, 39, 139);
      }
      .item-f{
```

```
        background-color: rgb(80, 168, 80);
    }
    .item-g{
        background-color: rgb(238, 145, 95);
    }
    .item-h{
        background-color: rgb(87, 219, 219);
    }
    .item-i{
        background-color : rgb(223, 107, 107);
    }
}

</style>
</head>
<body>
    <div class="container">
        <div class="item item-a">1.</div>
        <div class="item item-b">2.</div>
        <div class="item item-c">3.</div>
        <div class="item item-d">4.</div>
        <div class="item item-e">5.</div>
        <div class="item item-f">6.</div>
        <div class="item item-g">7.</div>
        <div class="item item-h">8.</div>
        <div class="item item-i">9.</div>
    </div>
</body>
</html>
```



1.	2.	3.
4.	5.	6.
7.	8.	9.

## Q-2

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Time-table</title>
  <style>
    body{
      margin-top: 100px;
    }
    table{
      width: 100%;
      text-align: center;
    }
    th,td{
      border: 1px solid black;
      border-collapse: collapse;
      padding: 10px;
    }
    .special{
      color: red;
    }
    .sub1{
      color: rgb(13, 13, 215);
    }
    .sub2{
      color: rgb(244, 174, 44);
    }
    .sub3{
      color: rgb(0, 0, 0);
    }
  </style>
</head>
<body>
  <table>
    <tr>
      <td>1.</td>
      <td>2.</td>
      <td>3.</td>
    </tr>
    <tr>
      <td>4.</td>
      <td>5.</td>
      <td>6.</td>
    </tr>
    <tr>
      <td>7.</td>
      <td>8.</td>
      <td>9.</td>
    </tr>
  </table>
</body>
</html>
```

```

    }
    .sub4{
        color: green;
    }
    .sub5{
        color: rgb(94, 4, 4);
    }

</style>
</head>
<body>
    <h2 style="text-align: center;">COLLEGE TIME TABLE</h2>
    <table>
        <tr>
            <td>--</td>
            <td>8:30-9:30</td>
            <td>9:30-10:30</td>
            <td>10:30-11:30</td>
            <td>11:30-12:30</td>
            <td>12:30-2:00</td>
            <td>2:00-3:00</td>
            <td>3:00-4:00</td>
            <td>4:00-5:00</td>
        </tr>
        <tr>
            <th>MONDAY</th>
            <td>---</td>
            <td class="sub1">SUB1</td>
            <td class="sub2">SUB2</td>
            <td class="sub3">SUB3</td>
            <th rowspan="6">L<br>U<br>N<br>C<br>H</th>
            <td class="sub4">SUB4</td>
            <td class="sub5">SUB5</td>
            <td>COUNSELLING CLASS</td>
        </tr>
        <tr>
            <th>TUESDAY</th>
            <td class="sub1">SUB1</td>
            <td class="sub2">SUB2</td>
            <td class="sub3">SUB3</td>
            <td>---</td>
            <td class="sub2">SUB2</td>
            <td class="sub2">SUB2</td>
            <td>LIBRARY</td>
        </tr>
        <tr>
            <th>WEDNESDAY</th>
            <td class="sub1">SUB1</td>
            <td class="sub2">SUB2</td>
            <td class="special">SWA</td>
            <td>---</td>
            <th colspan="3">LAB</th>

```

```

    </tr>
    <tr>
        <th>THURSDAY</th>
        <td class="sub1">SUB1</td>
        <td class="sub2">SUB2</td>
        <td class="sub3">SUB3</td>
        <td>---</td>
        <td class="sub2">SUB2</td>
        <td class="sub2">SUB2</td>
        <td>LIBRARY</td>
    </tr>
    <tr>
        <th>FRIDAY</th>
        <td class="sub1">SUB1</td>
        <td class="sub2">SUB2</td>
        <td class="sub3">SUB3</td>
        <td>---</td>
        <td class="sub4">SUB4</td>
        <td class="sub5">SUB5</td>
        <td>LIBRARY</td>
    </tr>
    <tr>
        <th>SATURDAY</th>
        <td class="sub1">SUB1</td>
        <th colspan="3">SEMINAR</th>
        <td class="sub4">SUB4</td>
        <td class="sub5">SUB5</td>
        <td>LIBRARY</td>
    </tr>
</table>

</body>
</html>

```

**OUTPUT:-**

COLLEGE TIME TABLE

--	8:30-9:30	9:30-10:30	10:30-11:30	11:30-12:30	12:30-2:00	2:00-3:00	3:00-4:00	4:00-5:00
MONDAY	---	SUB1	SUB2	SUB3	L U N C H	SUB4	SUB5	COUNSELLING CLASS
TUESDAY	SUB1	SUB2	SUB3	---		SUB2	SUB2	LIBRARY
WNDNESDAY	SUB1	SUB2	SWA	---		LAB		
THURSDAY	SUB1	SUB2	SUB3	---		SUB2	SUB2	LIBRARY
FRIDAY	SUB1	SUB2	SUB3	---		SUB4	SUB5	LIBRARY
SATURDAY	SUB1	SEMINAR				SUB4	SUB5	LIBRARY

Q-3

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Time table</title>
</head>
<body>
  <center>My Time Table</center>
  <table border="2" align="center">
    <tr>
      <th rowspan="2">Day</th>
      <th colspan="2">Session</th>
    </tr>
    <tr>
      <th>Schedule</th>
      <th>Course Name</th>
    </tr>
    <tr>
      <td>Sunday</td>
      <td>16:00-16:50</td>
      <td>Web technology</td>
    </tr>
    <tr>
      <td>Sunday</td>
      <td>17:00-17:50</td>
      <td>Network Management</td>
    </tr>
    <tr>
      <td>Monday</td>
      <td>18:00-18:50</td>
      <td>IT Project Management</td>
    </tr>
  </table>
```

```
</body>
</html>
```

## OUTPUT:-

My Time Table

Day	Session	
	Schedule	Course Name
Sunday	16:00-16:50	Web technology
Sunday	17:00-17:50	Network Management
Monday	18:00-18:50	IT Project Management

## Q-4


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Centered Box with Flexbox</title>
  <style>
    body {
      background-color: aqua;
      margin: 0;
      height: 100vh;
      display: flex;
      justify-content: center;
      align-items: center;
    }
    .box {
      width: 40vh;
      height: 40vh;
      background-color: rgb(107, 217, 120);
      display: flex;
```

```

        justify-content: center;
        align-items: center;
        text-align: center;
    }
</style>
</head>
<body>
    <div class="box">
        <p>Create a Center a Box</p>
    </div>
</body>
</html>

```

## OUTPUT:-



## Q-5

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Responsive Navbar</title>
    <style>
        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #6ac5aa;
        }

        /* Navbar Styles */
    </style>

```



```

    .navbar {
      display: flex;
      align-items: center;
      background-color: #7d5fe1;
      padding: 15px 20px;
      top: 0;
    }

    .navbar a {
      color: rgb(23, 6, 6);
      text-decoration: none;
      padding: 10px 20px;
      transition: background-color 0.3s ease, color 0.3s ease;
    }

    .navbar a:hover {
      background-color: #1742dc;
      color: #37c298;
      border-radius: 5px;
    }

    /* Responsive Design */
    @media (max-width: 768px) {
      .navbar {
        flex-direction: column;
        padding: 10px;
      }

      .navbar a {
        padding: 8px 16px;
      }
    }
  </style>
</head>
<body>


  <div class="navbar">
    <a href="#">Home</a>
    <a href="#">About</a>
    <a href="#">Services</a>
    <a href="#">Portfolio</a>
    <a href="#">Contact</a>
  </div>


  <div style="padding: 20px; text-align: center;">
    <h1>Welcome to My Website!</h1>
    <p>Scroll down to see how the navbar stays at the top.</p>
  </div>

</body>
</html>

```

## OUTPUT:-





Q-6

HTML:--

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Responsive Cards</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="card-container">
    <div class="card">
      
      <h3>Card Title 1</h3>
      <p>The Taj Mahal,a UNESCO World Heritage Site, is a White marble
mausoleum in agra.</p>
    </div>
    <div class="card">
      
      <h3>Card Title 2</h3>
```

```

        <p>The Statue of Unity dedic-ated to sardar vallabhbhai patel,is
the worlds tallesr statue.</p>
    </div>
    <div class="card">
        
        <h3>Card Title 3</h3>
        <p>India is famous for its rich cultural heritage,vibrant
tradition,diverse landscapes,and ancient history.</p>
    </div>
</div>
</body>
</html>

```

## CSS:--

```

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body {
    font-family: Arial, sans-serif;
    background-color: #f4f4f4;
}

.card-container {
    display: flex;
    justify-content: space-between;
    gap: 20px;
    flex-wrap: wrap;
    padding: 20px;
}

.card {
    background-color: #54dfdd;
    border: 1px solid #b365e7;
    border-radius: 8px;
    overflow: hidden;
    width: calc(33.33% - 20px);
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
    transition: transform 0.3s;
    height: 150px;
    width: 100px;
}

.card img {
    width: 100%;
    height: auto;
}

.card h3 {
    text-align: center;
    padding: 10px 0;
}

```

```

background-color: #e474dd;
margin: 0;
}
.card p {
padding: 10px;
text-align: center;
}
.card:hover {
transform: translateY(-10px);
}

```

## OUTPUT:-

