infoway TECHNOLOGIES

Assignment

Mar24/ DBT/ 006
Database Technologies
Diploma in Advance Computing
March 2024

String, Date, Math functions, and Date formats.

USE ***student_phone, student_address, faculty_phone, faculty_address, batch_students, course_batches, student_qualifications, faculty_qualifications, course_modules, modules, faculty, student, course, student_cards*** relation to solve the following queries.

1. Get student *namefirst* with how many characters are there in their *namefirst*.
select namefirst, length(namefirst) from student;
2. Get student details whose *namefirst* is having 4 characters only.
select * from student where Length(namefirst)=4;
3. Get the ASCII value of the 3rd character of *namefirst* column.
select namefirst, ascii(substr(namefirst,3)) AS Ascii from student;
4. Get *namefirst* and *namelast* in lowercase.
select lower(namefirst)F,lower(namelast)L from student;
5. Get (namefirst, namelast, and emailID) all 7 letter emailID.
select namefirst,namelast,substr(emailID,1,7) from student;
6. Get *(namefirst, namelast and first 3 letters of namefirst)* for all students.
select namefirst,namelast,substr(namefirst,1,3) from student;
7. Get*(namefirst, namelast and last 3 letters of namefirst)* for all student.
select namefirst,namelast,substr(namefirst,-3) from student;
8. Get all student *(phonenumber)* whose *phonenumber* starts with 70.
select * from student_phone where left(number,2)=70;
9. Get student details of first 5 student.

select * from student where ID<=5;

10. Get student details of last 5 student.

select * from student order by ID desc limit 5;

11. Get student details in ascending order of *namefirst*.

select * from student order by namefirst;

12. Get student details in descending order of *namelast*.

select * from student order by namelast desc;

13. Get *(student id, namefirst, namelast, dob, and emailID)* for all students whose length of email id is more than 20 characters.

select * from student where length(emailID)>=20;

14. Combine to display student *namefirst* and *namelast*.

select concat(namefirst," ",namelast) FullName from student ;

15. Write a query to display the following output for all student. If (*namefirst*, *namelast or emailID)* is null then replace it with a blank space.

    eg. (Bhoopali Nanadikar and emailIDis bhoopali.nanadikar@gmail.com)

select concat(namefirst," ",namelast," and emailID is ",emailID) from student ;

16. Get student *namefirst* and *namelast* in upper case.

select upper(namefirst),upper(namelast) from student ;

17. Get student firstname and *lastname* in lower case.

select lower(namefirst),lower(namelast) from student;

18. Get student *firstname* and *lastname* in reverse order.

select reverse(namefirst),reverse(namelast) from student;

19. Get first 4 letters of student *namefirst*.

select left(namefirst, 4) from student;

20. Get second letter of student *namefirst* to second last letter of student *namefirst*.

```
select namefirst,substr(namefirst,2,length(namefirst) -2) from student;
```

21. Get ASCII character of student *namefirst*.

```
select namefirst, ascii(substr(namefirst,3)) AS Ascii from student;
```

22. Get first 5 letter of the students' *namefirst*.

```
select left(namefirst,5) from student;
```

23. Print *phone number* of all student in the given format 7032300034*****.

```
select concat(number,"*****") from student_phone;
```

24. Get all student whose DOB is in the month of 'October'.

```
select * from student where month(DOB)=10;
```

25. Get all student whose DOB is in the month of 'January' or 'December'.

```
select * from student where month(DOB)=1 OR month(DOB)=12;
```

26. Get all faculty who were born on 'Sunday'

```
select * from faculty where day(DOB)='Sunday';
```

27. Print current date and time.

```
select now();
```

28. Extract month from the current date.

```
select month(curdate());
```

29. Extract year from the current date.

```
select year(curdate());
```

30. Get all student whose DOB is in the year 1984 in ascending order of *namefirst.*

```
select * from student where year(DOB)=1984 order by namefirst;
```

31. Get all student whose DOB is in the 4 quarter of a year.

SELECT * from student where month(DOB) between 10 and 12;

32. Get all student whose DOB is in the 43rd week of a year.

select * from student where week(DOB)=43;

33. Get all student whose DOB is in between 10 and 19 day.

select * from student where day(DOB) between 10 and 19;

34. Generate the random number between 1 to 100

select floor(1 + rand()* 99 + 1);

35. Display the 5 character of namefirst column from student table.

select left(namefirst,5) from student;

36. Display all student in ascending order of their DOB, the ordering must be done on weekday name starting form 'Monday', 'Tuesday'……

SELECT * FROM student ORDER BY FIELD(DAYNAME(DOB), 'Monday','Tuesday','Wednesday','Thursday','Friday','Saturday','Sunday');

37. Display all student who's DOB comes in the 4th quarter of the year.

select * from student where month(DOB)>=9;

38. Display all student who were born on 'Sunday'.

select * from student where dayname(DOB)='Sunday';

39. Display the DOB in the give format **'12th of June 1984'**

select concat(day(DOB), case when day(DOB) IN (1,21,31) THEN 'st' when day(DOB) IN (2,22) THEN 'nd' when day(DOB) IN (2,23) THEN 'rd' ELSE 'th' END , ' of ', Monthname(DOB),' ', year(DOB)) AS format from student;

40. Display all course_batches who ends on 'Sunday'.

select name from course_batches where dayname(endson)='sunday';

41. Display student_phone number in the following format "7032******" for all students.

select concat(left(number,4),"******") from student_phone;

42. Display student_phone number in the following format "7032****8765" for all students.

select concat(left(number,4),"****",right(number,4))formate from student_phone;