Table descriptions

Column	туре		Nullable		Storage	*	Stats target		
cust_id			not null		plain	i	1	1	
name	character varying(20)			1 1	extended				
address	character varying (30)	1		1 1	extended				
Indexes:									
"customer pkey" PRIMARY KEY, btree (cust id)									
Referenced by:									
TABLE "orders" CONSTRAINT "orders cust id fkey" FOREIGN KEY (cust id) REFERENCES customer(cust id)									
TABLE "payment" CONSTRAINT "payment cust id fkey" FOREIGN KEY (cust id) REFERENCES customer (cust id)									
TABLE PAYMENT CONSTITUTION PAYMENT COST TALL FOR THE COST TO THE PAYMENT COST TO THE P									

Table "public.orders"									
Column	Type	Collation	Nullable	Default	Storage	Compression	n Stats	target Des	scription
	++	+	+	+		+	+		
order_id	integer	1	not null	1	plain		1	1	
qty ordered	integer	1			plain				
cust_id	integer	1		1	plain		T.	1	
item_id	integer	1		1	plain		T.	1	
Indexes:									
"orders_pkey" PRIMARY KEY, btree (order_id)									
Foreign-key constraints:									
"orders cust id fkey" FOREIGN KEY (cust id) REFERENCES customer(cust_id)									
"orders_item_id_fkey" FOREIGN KEY (item_id) REFERENCES shop(item_id)									
Referenced by:									
TABLE "payment" CONSTRAINT "payment order id fkey" FOREIGN KEY (order id) REFERENCES orders(order id)									

Table "public.payment"									
Column	Type	Collation	Nullable	Default	Storage	Compression	Stats target	Description	
+		+	-+	+	+	+	+	+	
payment_id	integer	1	not null		plain		1		
status	character varying(10)	T.	1	1	extended	1	L	To the second second	
mode_of_payment	character varying(10)	T.	1		extended	1	I .	The second second	
cust_id	integer	T.	1	1	plain	1	L	The second second	
order_id	integer	T.	1		plain	1	L	The second second	
Indexes:									
"payment pkey" PRIMARY KEY, btree (payment id)									
Foreign-key constraints:									
"payment cust id fkey" FOREIGN KEY (cust id) REFERENCES customer (cust id)									
"payment_order_id_fkey" FOREIGN KEY (order_id) REFERENCES orders(order_id)									

Column	Type		Nullable		Storage		Stats target			
item_id	integer	İ	not null		plain					
item_name	character varying(20)				extended		l	l		
qty	integer	1			plain					
price	integer	T	l		plain					
Indexes:										
"shop_p	"shop_pkey" PRIMARY KEY, btree (item_id)									
Referenced	Referenced by:									

Referenced by:
TABLE "orders" CONSTRAINT "orders_item_id_fkey" FOREIGN KEY (item_id) REFERENCES shop(item_id)