

AdaptiveSats: Improving Institutional Bitcoin Accumulation Strategies

Arafat B. Bello

Nguyen Nguyen

Raghav Gupta

Shruti Sasi

2026-06-24

1 Executive Summary

In partnership with the Trilemma Foundation, this project evaluates whether public Bitcoin (Nakamoto (2008)) market and on-chain data can improve long-term Bitcoin accumulation compared with uniform Dollar-Cost Averaging (DCA), which serves as our primary baseline strategy. This supports Trilemma’s goal of building an open-source framework for evaluating Bitcoin accumulation strategies.

Unlike uniform DCA, which invests a fixed amount at regular intervals, our adaptive DCA strategy adjusts allocations based on public signals and changing Bitcoin market conditions. The goal is to improve long-term accumulation efficiency by acquiring more Bitcoin with the same fixed budget. We measure this using Sats per Dollar (SPD), which represents the amount of Bitcoin or satoshis (Sats) accumulated per dollar invested. Using the BRK (Bitcoin Research Kit Contributors (2025)) metrics dataset from the StackSats ecosystem, which contains daily market and on-chain metrics from 2009 to 2026, we analyze 41,000+ metrics, apply feature selection, and backtest adaptive allocation strategies against uniform DCA.

2 Introduction

The challenge of investing in Bitcoin is simple to describe but difficult to solve: if you have a fixed amount of money to invest over time, can you consistently buy more Bitcoin by adjusting your purchases based on market conditions, rather than investing the same amount every day?

Long-term Bitcoin accumulation is important for institutions and foundations building Bitcoin exposure. The industry standard approach is Dollar-Cost Averaging (DCA), where a fixed amount is invested regularly. We use uniform DCA as our baseline because it provides significant psychological and operational benefits: it reduces emotional decision-making and minimizes the impact of poor market timing by smoothing out short-term volatility Thangavelu (2023).

However, a strictly passive DCA strategy lacks the capacity for dynamic portfolio management. By ignoring changing market environments, it suffers from severe capital inefficiency when applied to a highly cyclical asset like Bitcoin. Because it deploys capital evenly regardless of asset valuation, it forces an institution to allocate the same fixed dollar amount during periods of severe market overvaluation as it does during prolonged historical drawdowns. Bitcoin frequently experiences severe bear markets where prices drop by more than 70%. While uniform DCA successfully averages out daily volatility, it fails to capitalize on Bitcoin’s massive macroeconomic swings. An

adaptive strategy that accelerates purchases during deep market crashes, and conserves cash during hype bubbles, will achieve a significantly lower average cost than uniform DCA over the long run Thangavelu (2023). For institutions with strictly fixed budgets, using data-driven adaptation to beat this uniform baseline is critical to maximizing long-term accumulation.

This problem is important because Bitcoin’s public and auditable data allows smaller institutions to explore data-driven accumulation strategies without relying on privileged market access.

We evaluate whether public Bitcoin market and on-chain data can support an adaptive DCA strategy that improves SPD relative to uniform DCA while using the same fixed accumulation budget. After initial analysis, we develop and backtest adaptive allocation strategies against uniform DCA. The final product includes a cleaned data pipeline strategy, backtesting logic, and evaluation results comparing adaptive accumulation to uniform DCA for the Trilemma Foundation and the open-source community.

2.1 Objectives

- Identify on-chain/market signals predicting favorable accumulation windows
- Build and validate an adaptive daily allocation model
- Backtest against uniform DCA using Sats per Dollar (SPD), win rate, exponential-decay percentile, and score as the key metrics

3 Data

We used the BRK (Bitcoin Research Kit Contributors (2025)) dataset from the StackSats (Hyper-Trial (2025c)) ecosystem, which contains daily market and on-chain metrics for Bitcoin from 2009 to 2026. The dataset includes over 41,000 features across various categories such as price, market valuation, holder behavior, network activity, and technical indicators.

Table 1: Dataset overview

Property	Value
File size	~1.08 GiB
Total rows	236,259,020
Daily observations	6,274 days
Distinct metric keys	41,407
Date range	2009-01-03 to 2026-03-13

3.1 Identifying Feature Families

Family name ▼	Count of features
UTXO Age Cohorts	18,342
Price	6,050
Address Distribution by Balance	5,250
Age & Halving Cohorts	2,737
Entities	2,368
Address Activity by Tech Type	1,732
Pool-Specific Economics	1,612
Network Activity	1,415
Holder Cohorts	842
Market & Valuation	370
Benchmarks & DCA	369
Supply & Scarcity	130
Profitability & SOPR	117
Block Reward Distributions	27
Technical Indicators	25
Metadata	22
Grand Total	41,408

Figure 1: Feature count by family

4 Data Science Methods

4.1 Baseline Strategy

To evaluate our approach, we used **Uniform Dollar-Cost Averaging (DCA)** strategy as the baseline, where a fixed amount is invested at regular intervals. Our goal is to outperform it by improving accumulation efficiency.

4.2 Train/Test Split

To avoid look-ahead bias and reflect a realistic backtesting setup, we used a chronological train/test split.

- **Training set:** January 2018 to December 2023
- **Test set:** January 2024 to December 2025

The test set was untouched during model development and was only used for final evaluation.

4.3 Feature Selection

With over 41,000 features, we aimed to identify which features capture similar information to make the dataset more manageable for modeling. To achieve this, we followed a structured feature reduction approach.

This process was computationally intensive when run locally with limited resources. Hence, we ***pivoted to Feature Selection*** to identify the most important features for our model, which is more efficient and effective in handling the large feature set.

After our initial EDA and overall dataset understanding, feature selection was guided by the goal of capturing different Bitcoin market conditions rather than using a large number of unrelated indicators. For some models, we used model-based feature importance (e.g. Nelder-Mead optimization) to rank features based on their relevance. And for others, we used engineered features to focus on the most informative features while reducing dimensionality.

4.4 StackSats Framework Constraints

The StackSats framework enforces a fixed budget (daily weights must sum to 1), an allocation span of 90–1460 days, a minimum daily weight of $1e-5$ and maximum of 0.1, and strict causal constraints - strategies may only use current and past data. Built-in strategies provided by the framework include Uniform DCA, Simple Z-Score, Momentum, and MVRV-based strategies (StackSats Framework Documentation (2025)).

4.4.1 Key success metrics

- **Sats per Dollar - SPD:**

We evaluate accumulation efficiency using Sats per Dollar (SPD), defined as the total Bitcoin accumulated per unit of USD invested. A higher SPD indicates better performance, as it reflects a lower average acquisition cost.

- **Win Rate:**

Win Rate is binary, i.e., beating uniform DCA in a window is a win irrespective of the margin. Use the percentage of evaluation windows where the adaptive strategy outperforms uniform DCA in terms of SPD. A win rate above 50% indicates that the adaptive strategy is more effective than uniform DCA in the majority of cases.

- **Exponential-Decay Percentile:**

This metric is a recency-weighted average of the strategy’s percentile scores across all windows. Each window’s percentile shows where the strategy’s SPD falls between the minimum and maximum SPD for that window. Recent windows get higher weight, so the metric tells us how well the strategy performed overall, with more focus on recent performance.

- **Score:**

A composite metric that combines 50% Win Rate and 50% Exponential-Decay Percentile to provide an overall performance score for the adaptive strategy. This score helps to summarize the effectiveness of the strategy in a single value, facilitating easier comparison against the baseline.

4.5 Model Development

We developed the following adaptive strategies, each using different metrics and methods to identify undervaluation and dynamically adjust daily allocation weights to improve SPD over uniform DCA.

4.5.1 Composite Signal Index Strategy

Inspired by the StackSats built-in strategies, the Composite Signal Index strategy was developed to blend multiple on-chain and market signals into a single adaptive allocation signal. The framework uses a weighted combination of 8 key signals, including MVRV, NUPL, SOPR, Crowd sentiment, Reserve risk, Miner revenue, aggregate NUPL, and Sell-Side Risk Ratio. Each signal is assigned a learnable weight that is optimized to maximize Sats per Dollar (SPD) during the training period. The final allocation signal is then transformed using a log-exponential function to ensure it remains within the StackSats constraints (see [Appendix 3](#) for detailed explanation).

The strategy was trained using the Nelder-Mead optimization algorithm, which iteratively adjusts the signal weights to find the combination that yields the highest SPD on the training data. The optimized weights were then applied to the test period to evaluate performance against uniform DCA. See [Table 2](#) for the performance summary.




Figure 2: Optimized Signal Weights




Figure 3: Composite Signal Index Strategy vs Uniform DCA

4.5.2 External Tunable Strategy

The **External Tunable Strategy** was developed to address the limitations of Uniform Dollar Cost Averaging (DCA), which blindly accumulates Bitcoin regardless of market extremes. Operating on the thesis that Bitcoin is a highly sensitive risk asset driven by global liquidity, this strategy integrates external macroeconomic indicators—specifically the 10-Year U.S. Treasury Yield—with short-term price momentum to adapt to changing financial environments.

Utilizing the *Stacksats* baseline MVRV (Market-Value-to-Realized-Value) preference weight as a foundation, the model dynamically modifies this signal using a 4-Tier Decision Matrix. It evaluates the macroeconomic environment daily, identifying “Risk-On” regimes (cheap borrowing) to aggressively boost accumulation, and “Risk-Off” environments (tightening liquidity) to conserve capital. The model also features an absolute priority override to buy aggressively during generational, multi-month price crashes (*For exact features definitions and the complete decision tree logic, see [Appendix 4](#)*).

To prevent human bias, the strategy’s thresholds were rigorously optimized via a grid-search algorithm across the 2018–2023 training period. When applied to the out-of-sample 2024–2025 test period, the External Tunable approach achieved an average Sats-Per-Dollar (SPD) of 1,346.27, representing a **4.19%** improvement over the Uniform DCA baseline (See [Table 2](#) for a performance summary). It secured a highly consistent win rate of 100% and a 65.5% exponential-decay percentile.

While highly effective at capturing global liquidity trends, the strategy has two primary limitations. First, its reliance on traditional finance data renders it blind to unpredictable, crypto-native black swan events (e.g., massive institutional sell-offs). Second, it relies on static hyperparameter thresholds rather than dynamic online learning; therefore, historical parameters may slowly degrade in unprecedented future economic environments. Despite these tradeoffs, integrating external macroe-

conomic data proved to be a statistically significant upgrade to pure on-chain accumulation models.




Figure 4: External Tunable Strategy vs Uniform DCA

4.5.3 HMM-GARCH Adaptive Strategy

The HMM-GARCH strategy was developed to enhance traditional Dollar-Cost Averaging (DCA) by dynamically adjusting Bitcoin purchases according to prevailing market conditions. The framework combines three complementary sources of information:

- market regimes
- valuation
- volatility

A Hidden Markov Model (HMM) was used to identify latent Bitcoin market regimes from observable market features, including returns, volatility, and valuation metrics. Rather than assigning a single regime at each point in time, the model estimated probabilities of being in **accumulation**, **neutral**, or **euphoric** market states. These probabilities were then translated into regime-specific allocation weights, allowing the strategy to increase purchases during accumulation periods and reduce purchases during euphoric periods.

To capture market risk, a GARCH(1,1) model was employed to estimate conditional volatility. This provided a measure of market stress and volatility clustering, where periods of high volatility tend to be followed by further high volatility. Volatility was interpreted in conjunction with valuation signals, allowing the strategy to distinguish between attractive capitulation events and periods of excessive speculation.

Valuation was measured using the Bitcoin MVRV Z-score, which indicates whether Bitcoin is trading above or below its historical valuation range. Lower valuation levels resulted in larger allocation weights, reflecting stronger accumulation opportunities.

The final allocation signal combined regime probabilities, valuation adjustments, volatility adjustments, and trend information into a single bounded portfolio weight. This adaptive framework enabled the strategy to systematically allocate more capital during historically attractive market conditions. See Table 2 for the performance summary and Appendix 6 for a more detailed explanation.




Figure 5: HMM-GARCH Adaptive Strategy vs Uniform DCA

4.5.4 HMM-Bayesian Adaptive Strategy

The HMM-Bayesian strategy is a sister strategy to the HMM-GARCH as the underlying idea is the same, but with a Bayesian layer added to it. The strategy combines three sources of information:

- market regimes
- valuation
- probabilistic evidence

Similar to HMM-GARCH, a Hidden Markov Model (HMM) was used to identify latent Bitcoin market regimes from observable market features, including returns, volatility, and valuation metrics and rather than assigning a single regime at each point in time, the model estimated probabilities of being in **accumulation**, **neutral**, or **euphoric** market states. These probabilities provided a probabilistic view of the market and formed the foundation of the allocation process.

To further refine regime identification, a Bayesian Network was employed to combine multiple pieces of market evidence into a unified probability estimate. The network incorporated key signals including Bitcoin valuation, market trend, and volatility conditions. By modelling the conditional relationships between these variables, the Bayesian framework estimated the probability that current market conditions represented an attractive accumulation opportunity.

Valuation was measured using the Bitcoin MVRV Z-score, which indicates whether Bitcoin is trading above or below its historical valuation range. Lower valuation levels increased the likelihood

of favorable accumulation conditions. Trend information was derived from Bitcoin’s relationship to its long-term moving average, while volatility information helped distinguish between favorable market positions and periods of heightened market uncertainty.

The final allocation signal combined HMM regime probabilities with Bayesian evidence probabilities to produce a single bounded portfolio weight. When both models indicated strong accumulation conditions, the strategy allocated more capital. Conversely, when evidence suggested neutral or euphoric market conditions, allocations were reduced.

This probabilistic framework enabled the strategy to systematically concentrate purchases during historically attractive accumulation periods while maintaining compliance with the StackSats budget and allocation constraints.

See Table 2 for the detailed performance summary and Appendix 7 for a more detailed explanation.




Figure 6: HMM-BAYES Adaptive Strategy vs Uniform DCA

4.5.5 Multi-Strategy Regime-Based Approach

The multi-strategy regime-based approach was developed to make the Bitcoin accumulation strategy more adaptive than a single fixed signal. A single signal, such as momentum, valuation, or a moving-average rule, may work well in some market conditions but poorly in others. Therefore, this method first classified each day into a market regime and then selected the candidate strategy that performed best for that type of regime during training.

The regime classification used both raw and engineered features. Raw features included:

- Bitcoin price
- MVRV
- realized-cap growth rate
- market-cap growth rate

Engineered features included:

- rolling simple moving averages
- price-to-SMA ratios
- lookback returns

These features were used to describe three dimensions of market conditions: Bitcoin trend, valuation, and whether market-cap growth or realized-cap growth was leading. Combining these components created up to 24 possible regimes.

For each regime with sufficient training observations, the strategy compared three candidate strategies: StackSats MVRV, StackSats Momentum, and a custom Simple Moving Average (SMA)-based strategy. The custom SMA-based strategy used the relationship between Bitcoin’s current price and its simple moving average to guide allocation: when price was below its moving average, the strategy treated Bitcoin as relatively cheaper and allocated more; when price was above its moving average, it allocated less. The best strategy for each regime was learned using 2018–2023 training data. Key tuning choices, including momentum lookback, SMA lookback, regime lookback, and fallback strategy, were also selected based only on training-period performance. The fallback strategy was selected from the same candidate strategy set and was used when a regime was rare or not observed during training, so the method could still assign an allocation during testing. For additional details on the regime construction features, candidate strategies, model selection process, and fallback strategy, see [Appendix 5](#).

After the final configuration was fixed, the strategy was applied to the 2024–2025 test period. The multi-strategy regime-based approach outperformed Uniform DCA across the key evaluation metrics. See Table 2 for the performance summary.



Figure 7: Multi-Strategy Regime-Based Approach vs Uniform DCA

4.5.6 Strategy Performance Comparison

Table 2: Strategy performance summary (test period, 2024–2025)

Metric	Multi-Strategy Regime-Based	HMM-GARCH Adaptive	HMM-BAYES Adaptive	Composite Signal Index	External Tunable	Uniform (Base-line)
Win Rate	63.76%	72.75%	76.29%	100%	100%	N/A
Exponential-Decay Percentile Score	38.72%	47.35%	40.63%	60.66%	65.5%	38.0%
Avg SPD	51.24%	60.05%	58.46%	80.33%	82.76%	19.0%
	1370 (+5.99%)	1313 (+1.60%)	1297 (+0.37%)	1423 (+10.13%)	1346 (+4.19%)	1292

4.5.7 Backtesting

The backtesting process followed the StackSats validation and performance comparison framework (HyperTrial (2025c)), including validation checks and performance results.

Validation Checks included integrity checks designed to reduce leakage risk and arithmetic drift. These were evaluated through:

1. **Weight Sum Validation:** Confirms that each window’s daily allocations sum to exactly 100% of the budget within floating-point tolerance, ensuring a fair comparison against the uniform DCA baseline.
2. **Forward-Leakage Test:** Future data is masked and the model weights are recomputed to ensure the results remain consistent.
3. **Win-rate Requirement:** The model must outperform uniform DCA in more than 50% of the evaluation windows.

Performance Results summarized the key SPD and percentile results:

1. **Percentile Statistics:** Measures the minimum, maximum, mean, median, and exponentially weighted percentile (where recent windows receive greater weight) of the winning rate against uniform DCA.
2. **Strategy Validation:** Evaluates whether the model outperforms uniform DCA based on the win-rate threshold (greater than 50%).

The model is then scored by combining the win rate and exponentially weighted percentile into a single benchmark.

5 Ethical Considerations

All data used is publicly available on-chain and market data with no personally identifiable information. The framework is MIT-licensed and fully reproducible, supporting independent audit. Users should note that backtested results can mislead if applied uncritically to live markets; results should always be validated against current market conditions and institutional risk policies. The methodology’s asset-agnostic design does not change this caution.

6 Stakeholders

- **Trilemma Foundation:** Interested in improving long-term Bitcoin accumulation efficiency
- **Open-source community:** Focused on transparency, reproducibility, and practical usability of the strategy

7 Data Product

- **Open-source accumulation strategy framework** github repo consisting of Python notebooks, a feature engineering pipeline, and backtesting logic built on the StackSats engine, all MIT-licensed.
- **Blog post** and **Video** detailing the strategies developed.
 - Access [Blog Post](#)
 - Access Video:
 - * [External Tunable Strategy](#)
 - * [Composite Signal Index Strategy](#)
 - * [Multi-Strategy Regime-Based Strategy](#)
 - * [HMM-GARCH and BAYESIAN Strategy](#)

The Trilemma Foundation and the open-source community can use these to evaluate existing strategies, develop new ones, and extend the methodology to other assets by swapping data inputs.

Strengths: The framework is transparent, modular, and asset-agnostic. All budget and causal constraints are enforced by the StackSats engine, ensuring a fair comparison against uniform DCA.

All strategies passed the full StackSats integrity suite.

7.0.1 Limitations and Future Improvements

Narrow Testing Window

- Test results should be interpreted carefully because of a narrow test window.

Bitcoin Regime Shifts

- Bitcoin market evolves over time, so current features can be unreliable in future.
- If future market cycles change shape, optimized weights may fail.

Strict Budget Constraint

- The 365-day rolling window forces full allocation before the deadline.

Future improvements could include testing additional regime definitions, and exploring ensemble approaches that blend multiple strategies based on regime probabilities.

8 Conclusions and Recommendations

This project set out to answer whether public Bitcoin market and on-chain data can improve long-term accumulation efficiency over uniform DCA. Our results confirm that it can: all adaptive strategies surpassed the 50% win-rate validation threshold.

Limitations: Backtested performance does not guarantee live results; regime shifts can invalidate historically calibrated signals. No strategy was validated beyond December 2025.

Recommendations:

- The most impactful near-term improvement would be a Streamlit dashboard for signal monitoring and strategy comparison, making the product accessible to non-technical allocators.
- Longer-term, building automated ingestion pipelines, creating an ensemble strategy that blends all approaches based on prevailing regime.

9 Appendices Overview

To help navigate the deep technical details, model architectures, and data pipelines, please refer to the following appendices:

- [Appendix 1: On-Chain Metrics for Long Accumulation Identification](#)
- [Appendix 2: Glossary of Terms](#)
- [Appendix 3: Composite Signal Index Strategy Details](#)
- [Appendix 4: External Tunable Strategy Details](#)
- [Appendix 5: Multi-Strategy Regime-Based Approach Details](#)
- [Appendix 6: HMM-GARCH Adaptive Strategy Details](#)
- [Appendix 7: HMM-Bayesian Adaptive Strategy Details](#)

10 Appendix 1: On-Chain Metrics for Long Accumulation Identification

The following table summarises the key on-chain and market metrics and their role in identifying favourable Bitcoin accumulation windows.

Table 3: Key on-chain metrics and their role in long accumulation identification

Metric	Expands to	Definition	Accumulation Signal
mvr	Market Value to Realized Value	Ratio of market capitalisation to realised capitalisation (the aggregate cost basis of all coins).	Values < 1 (market price below aggregate cost basis) historically mark cycle bottoms and prime accumulation zones.
nupl	Net Unrealized Profit/Loss	$\text{NUPL} = \frac{\text{Unrealized Profit} - \text{Unrealized Loss}}{\text{Market Cap}};$ measures the net paper gain/loss of all holders as a fraction of market cap.	Values < 0 indicate the majority of holders are in loss.
sopr	Spent Output Profit Ratio	Ratio of the USD value of coins at the time they are spent (sold) to their USD value when they were created (cost basis). $\text{SOPR} = \frac{P_{\text{sell}}}{P_{\text{buy}}}$	SOPR < 1 means coins are being sold at a loss on aggregate, indicating capitulation.

Metric	Expands to	Definition	Accumulation Signal
adjusted_sopr	Adjusted SOPR	SOPR calculated after excluding very short-term (< 1 hour) spends to remove noise from exchange transfers and re-organisations.	Same interpretation as SOPR but more reliable.
realized_price	Realized Price	Average USD price at which every coin was last moved on-chain; represents the aggregate cost basis per coin. $RP = \frac{\text{Realized Cap}}{\text{Supply}}$	When market price is below Realized Price, most holders are at an unrealized loss, which has historically signaled favorable accumulation opportunities.

11 Appendix 2 : Glossary of Terms

- **Bitcoin (BTC):** A decentralized digital currency that operates on a peer-to-peer network without a central authority. It was created in 2009 by an anonymous person or group using the pseudonym Satoshi Nakamoto (Nakamoto (2008)).
- **On-chain data:** Information recorded on the blockchain, such as transactions, addresses, and balances, which is publicly accessible and can be analyzed to derive insights about market behavior and participant activity.
- **Dollar-Cost Averaging (DCA):** An investment strategy where a fixed amount of money is invested at regular intervals, regardless of the asset's price, to reduce the impact of volatility over time.
- **Uniform DCA:** A simple implementation of DCA where the same amount is invested at each interval without any adjustments based on market conditions or signals.
- **Sats per Dollar (SPD):** A metric that measures the amount of Bitcoin (in satoshis) accumulated per unit of USD invested, used to evaluate the efficiency of an accumulation strategy (1 BTC = 100,000,000 satoshis (Sats)).
- **Simple Moving Average (SMA):** A technical indicator that calculates the average price of an asset over a fixed number of past days. In this project, SMA-based signals are used to compare Bitcoin's current price with its recent trend and adjust allocations when price is above or below that moving average.
- **Halving:** A programmed event in the Bitcoin protocol that occurs approximately every four years, reducing the block reward for miners by half, which historically has had significant impacts on Bitcoin's price and market dynamics.
- **Backtesting:** The process of testing a trading strategy or model on historical data to evaluate its performance and robustness before deploying it in live markets. It includes validation checks to prevent look-ahead bias and ensure that the strategy is evaluated fairly against a baseline.
- **Hidden Markov Models (HMMs):** Hidden Markov models are probabilistic models in which observations, in this case prices or market regimes, are dependent on a latent (hidden) Markov process. They are used to represent systems that transition between hidden states over time, while producing observable outputs.

12 Appendix 3: Composite Signal Index Strategy Details

12.1 The Eight On-Chain Signals

Each signal measures a distinct facet of market health. Together they paint a multidimensional picture of whether Bitcoin is cheap or expensive on any given day.

Table 4: Composite Signal Index On-Chain Signals

Signal	What it measures	Cheap signal when...
mrvv	Market Value to Realized Value ratio	Low = market undervaluation
sopr_7d_ema	Spent Output Profit Ratio (7-day EMA)	$sopr < 1$ = investors selling at loss
reserve_risk	Holder conviction vs. price	Low = strong conviction relative to price, good buy zone
greed_index	Crowd sentiment	0 = extreme fear, potential market bottoms
puell_multiple	Miner revenue relative to annual average	Low = miner stress/capitulation
lth_nupl	Long-Term Holder Net Unrealized P&L	Low = capitulation/undervaluation
sell_side_risk_ratio_7d_ema	Short-term selling pressure	Low = market participants not eager to sell
net_unrealized_pnl_rel_to_market_cap	Aggregate NUPL(Net Unrealized Profit/Loss)	Low = widespread unrealized losses

12.2 Step 1: Causal Rolling Z-Score Standardization

Raw signal values aren't directly comparable - MVRV lives in a different numeric range than the Greed Index. The first preprocessing step standardizes each signal using a causal rolling 365-day z-score:

$$z_t^{(i)} = \frac{x_{t-1}^{(i)} - \mu_{t-1,365}^{(i)}}{\sigma_{t-1,365}^{(i)} + \varepsilon}$$

where $\mu_{t-1,365}$ and $\sigma_{t-1,365}$ are the mean and standard deviation computed over the trailing 365-day window ending at day $t - 1$. A small constant $\varepsilon = 10^{-8}$ prevents division by zero.

Why 365 days? A one-year window captures approximately one full seasonal cycle, giving stable statistics while remaining responsive to changing market regimes. With `min_periods=2`, the

window starts computing as soon as two data points are available.

Sparse signals (like `reserve_risk`, which may have data gaps) are handled with **forward-fill** - the most recent known value is carried forward. Crucially, no backward fill is used; only past data fills gaps.

12.3 Step 2: Building the Composite Cheapness Score

With all signals on a comparable z-scale, the strategy computes a single cheapness score for each day.

Signal Weights via Softmax

The eight signals are combined using a **softmax-weighted** blend. Instead of tuning weights directly (which would require a constrained optimization over the simplex), the model learns an unconstrained **logit vector** $\ell \in \mathbb{R}^8$, and the actual weights are:

$$w_i = \frac{e^{\ell_i}}{\sum_j e^{\ell_j}}$$

This parameterization is unconstrained during optimization (**Nelder-Mead**(Baudin (2010)) works in unconstrained space), but always produces valid weights that sum to 1 and are strictly positive.

Cheapness Score

A positive z-score means a signal is elevated - market is “hot”. Negating the z-scores flips them into cheapness contributions. The composite cheapness for day t is:

$$\text{cheapness}_t = \sum_{i=1}^8 w_i \cdot (-z_t^i)$$

When the composite of all signals points toward undervaluation, this score is high and positive. When the market is overheated across most dimensions, the score goes negative.

Buy Score with Sharpness Exponent

The raw cheapness score is transformed into a buy score via a non-negative exponentiation:

$$\text{buy_score}_t = \max(0, \text{cheapness}_t)^\gamma$$

- **Clamping at zero:** When the market is expensive ($\text{cheapness}_t \leq 0$), the buy score is exactly zero. The strategy doesn’t try to avoid buying on those days - it simply falls back to minimum allocation.
- **Sharpness exponent γ :** This controls how aggressively the strategy concentrates capital on the best days.
 - $\gamma > 1$: Amplifies the peaks. The strategy accumulates capital for deployment on only the cheapest periods.
 - $\gamma < 1$: Smooths contributions. Spreads buying more evenly across moderately cheap days.
 - $\gamma = 1$: Linear relationship between cheapness and allocation weight.

Both the logit vector ℓ and exponent γ are learned from data, giving the optimizer two degrees of freedom: which signals to trust and how sharply to act on the cheapness signal.

12.4 Step 3: Budget Allocation

The strategy operates under a strict budget constraint: **the entire annual budget must be deployed within each 365-day window**, with per-day bounds of $[10^{-5}, 0.1]$.

The allocator must decide, day by day, how much of the remaining budget to spend - without knowing how cheap future days will be.

12.5 Step 4: Nelder-Mead Optimization

The logit vector $\ell \in \mathbb{R}^8$ and log-exponent $\log \gamma$ form a **9-dimensional parameter vector** that is jointly optimized on the training period (2018 - 2023).

12.5.1 Parameter Space

Table 5: Parameters

Parameter	Representation	Count
Signal logits $\ell_1 \dots \ell_8$	Unconstrained reals; signal weights = $\text{softmax}(\ell)$	8
Log-exponent $\log \gamma$	Unconstrained real; $\gamma = e^{\log \gamma}$ clipped to $[e^{-3}, e^3]$	1
Total	-	9

The starting point $\theta_0 = \mathbf{0}$ corresponds to equal signal weights and $\gamma = 1$ - effectively the simplest possible composite index with no learned preferences.

Objective: Maximize Sats Per Dollar (SPD)

The optimizer maximizes **mean sats-per-dollar (SPD) ratio** relative to uniform DCA, averaged across all complete 365-day windows in the training period:

$$\max_{\theta} \frac{1}{K} \sum_{k=1}^K \frac{\text{SPD}_{\text{strategy}}^{(k)}}{\text{SPD}_{\text{DCA}}^{(k)}}$$

where

$$\text{SPD}^{(k)} = \sum_{t \in \text{window } k} \frac{w_t}{P_t}$$

SPD is the natural objective for a Bitcoin accumulation strategy. Higher SPD means more BTC (or sats) acquired per dollar deployed. By expressing it as a ratio to DCA, the objective is dimensionless and comparable across different price environments.

Why Nelder-Mead?

Nelder-Mead(Baudin (2010)) is a derivative-free simplex method - suitable here because:

- The objective function (SPD ratio after budget allocation) is not analytically differentiable with respect to the parameters.
- The parameter space is small (9 dimensions), making gradient-free search computationally tractable.
- The algorithm is robust to mild non-convexity, which is expected in this type of financial optimization.

Optimization runs for up to 5,000 function evaluations with adaptive simplex scaling. Implemented as `minimize(objective,  $\theta$ , method="Nelder-Mead")` (SciPy Developers (2026)).

12.6 Guardrails: Entropy Regularization and a Tighter Sharpness Bound

Two design choices keep the optimizer from collapsing onto a degenerate, single-signal solution:

Entropy penalty on the logits. The objective subtracts a penalty proportional to how far the softmax weight distribution drifts from uniform:

$$\text{penalty}(\ell) = \lambda (\log n - H(\mathbf{w})), \quad H(\mathbf{w}) = - \sum_i w_i \log w_i$$

with $\lambda = 0.05$. This is zero when weights are perfectly uniform and grows as the distribution concentrates onto fewer signals, directly discouraging the optimizer from routing all its weight into one or two dominant signals purely because they happened to fit the training years best.

Tighter exponent bound. $\log \gamma$ is clipped to $[-1.6, 1.6]$ (i.e., $\gamma \in [0.2, 5.0]$). This prevents the sharpness exponent from running away toward values that turn `buy_score` into a near-indicator function dominated by a handful of extreme-outlier days.

13 Appendix 4: External Tunable Strategy Details

13.1 The Original Features

1. **Bitcoin Price (in USD):** The absolute price of Bitcoin, sourced from the Bitcoin Value Research Kit.
2. **10-Year U.S. Treasury Yields:** The interest rate on 10-year government debt, sourced from Yahoo Finance. Acts as the foundational benchmark for global borrowing costs and is the ultimate indicator of whether investors are feeling fearful or confident (Zucchi (2026))

Why the 10-Year U.S. Treasury Yields?

1. **The Global Baseline for Borrowing Costs:** When this yield falls, borrowing costs decrease, stimulating economic activity and increasing the availability of capital in financial markets. When yields rise, borrowing becomes more expensive, constraining liquidity conditions (Zucchi (2026)).
2. **The “Fear vs. Greed” Confidence Indicator:** U.S. Treasuries are considered among the safest investments in the world. When investors anticipate economic contraction, demand for bonds increases, driving yields down. When investor confidence is high, capital rotates out of low-risk government bonds into higher-risk, high-growth assets such as Bitcoin, driving yields up (Zucchi (2026)).

13.2 The Engineered Features

From the Original Features above, we engineered the following features to capture the macroeconomic trends:

1. Treasury_90d_Delta:

The 90-day percentage change in the 10-Year Treasury Yield. This acts as a leading indicator of global liquidity. A rapidly dropping yield signals an influx of cheap money into the economy, while spiking yields signal inflation fears and tightening liquidity.

$$\Delta T_{90} = \frac{Yield_t}{Yield_{t-90}} - 1$$

Mathematically, this calculates the exact percentage change in the 10-Year Treasury Yield over a rolling 90-day window. It takes today's Yield, divides it by the Yield from exactly 90 days ago, and subtracts 1 for the raw percentage difference.

- If the result is *positive* (e.g., 0.15), it means Treasury Yields are spiking and have jumped 15% over the last quarter, signaling tightening liquidity.
- If the result is *negative* (e.g., -0.10), it means Yields are dropping and have fallen 10% over the last quarter, signaling an influx of cheap money.

Why 90 days?:

According to Fernando (2026), a 90-day period perfectly represents one fiscal quarter (a 3-month cycle). The entire corporate and economic world operates on this quarterly rhythm. Public companies release their earnings reports, governments do budget planning, and massive institutional investors rebalance their portfolios every three months. By measuring the Treasury yield over a 90-day window, this strategy tracks exactly one full cycle of global economic data. It is long enough to ignore daily market noise, but short enough to immediately detect when the market is shifting its money for the next quarter.

2. MOM15 (15-Day Momentum):

A short-term trend indicator tracking whether Bitcoin's price is currently accelerating upwards or breaking downwards.

$$MOM15_t = \frac{Price_t}{Price_{t-15}} - 1$$

Mathematically, this calculates the exact percentage change in Bitcoin's price over a rolling 15-day window. It takes today's price, divides it by the price from exactly 15 days ago, and subtracts 1 for the raw percentage difference.

- If the result is *positive* (e.g., 0.10), it means Bitcoin is currently in a short-term uptrend (e.g., short-term 10% uptrend)
- If the result is *negative* (e.g., -0.05), it means Bitcoin's price has lost its value over the last two weeks (e.g., lost 5% value)

Why 15 days?

A roughly 14- to 15-day window is the most common choice for measuring an asset’s short-term trend. This window is based on the Relative Strength Index, a momentum oscillator that measures the speed and change of price movement (Fernando (2025)).

3. 1-Year Price Drop (1YPR):

A comparative metric calculating the percentage difference between today’s Bitcoin price and the price exactly 365 days ago, used to detect catastrophic value crashes.

$$1YPR_t = \frac{Price_t}{Price_{t-365}} - 1$$

Mathematically, this calculates the exact percentage change in Bitcoin’s price over a rolling 365-day window. It takes today’s price, divides it by the price from exactly 365 days ago, and subtracts 1 for the raw percentage difference.

Why 1-year?:

As shown in the graph below, historical bear markets (when Bitcoin’s price drops significantly) typically last about 1 year. Therefore, we engineered this feature to mathematically detect these prolonged crash events, allowing the algorithm to capture the exact moments when Bitcoin is extremely undervalued.




Figure 8: 1-year price drop

13.3 The Baseline Foundation: Base Preference (ρ_t):

The foundational target weight generated by the Stacksats baseline engine. The framework calculates this preference score by analyzing the **MVRV (Market-Value-to-Realized-Value) ratio**, a famous on-chain metric that compares Bitcoin’s current market cap to the price at which coins last moved (HyperTrial (2025c)).

- When MVRV is low, the network is historically undervalued, and Stacksats generates a high preference weight.
- When MVRV is high, the network is historically overvalued, and Stacksats generates a low preference weight.

This Tunable Macro Strategy uses Stacksat’s output as the *preference weight* and dynamically boosts or dampens it based on the broader global economy’s performance.

13.4 The Exact 4-Tier Decision Matrix Logic

Tier 1: The Value Crash (Absolute Priority)

- **Condition:** If today’s Bitcoin price is $\leq 60\%$ lower than it was 1 year ago. When Bitcoin suffers a catastrophic, multi-month crash, it represents an excellent buying opportunity regardless of what the broader macro economy is doing.
- **Action:** Increase allocation aggressively to capitalize on the depressed price environment.
- **Math:** $w_t = \max(2.0 \cdot \rho_t, 0.6)$

Tier 2: The Macro Crash (Risk-Off)

- **Condition:** If $\text{Treasury_90d_Delta} \geq \alpha_{\text{spike}}$ **AND** $\text{MOM15} \leq \beta_{\text{break}}$. This tier detects toxic financial environments. If Treasury yields are spiking (indicating tightening global liquidity) and Bitcoin’s momentum is dying, the model recognizes a “Risk-Off” regime.
- **Action:** Reduce allocation to preserve capital. Avoid increasing exposure during adverse, liquidity-constrained market conditions.
- **Math:** $w_t = 0.5$

Tier 3: The Golden Environment (Risk-On)

- **Condition:** If $\text{Treasury_90d_Delta} \leq 0.0$ **AND** $\text{MOM15} \geq 0.0$. If interest rates are falling, making borrowing cheap and pushing capital out of safe-haven bonds into risk assets, and Bitcoin’s momentum is already confirming the upward trend.
- **Action:** Amplify the baseline MVRV signal to capture the incoming liquidity wave.
- **Math:** $w_t = \max(\gamma_{\text{boost}} \cdot \rho_t, 0.4)$

Tier 4: Normal Market (Default)

- **Condition:** If none of the extreme regimes above are met, then the market is considered to be in a normal, sideways, or ambiguous state.
- **Action:** Dampen the baseline MVRV signal to save cash for future volatile opportunities.
- **Math:** $w_t = \max(\delta_{\text{dampen}} \cdot \rho_t, 0.5)$

13.5 Hyperparameter Tuning Methodology

Rather than hardcoding the thresholds for these economic regimes, the strategy exposes four critical variables to be optimized via a Grid Search algorithm against historical data:

1. **macro_spike (α):** The exact percentage increase in Treasury yields required to trigger a “Macro Crash” alarm.
2. **mom_break (β):** The exact negative momentum threshold required to confirm that a “Macro Crash” is actually dragging Bitcoin’s price down.
3. **boost (γ):** The multiplier applied to the buy signal during a “Golden” Risk-On environment (e.g., $1.5x$ or $2.0x$).

4. **dampen** (δ): The multiplier used to suppress buying during normal, sideways markets (e.g., $0.6x$ or $0.8x$).

By evaluating hundreds of combinations of these parameters across thousands of 365-day rolling windows, we optimized the model to maximize the absolute **Win Rate**, the **Exponential-Decay Percentile**, and the **Average Sats Per Dollar**, proving how adapting to macroeconomic features can improve the algorithm’s overall performance.

- Optimal parameters generated from Grid Search: **macro_spike**: 0.2, **mom_break**: 0.05, **boost**: 1.2, **dampen**: 0.5

14 Appendix 5: Multi-Strategy Regime-Based Approach Details

This appendix provides additional technical details and glossary-style definitions for the Multi-Strategy Regime-Based Approach. The main report summarizes the overall method; this appendix focuses on the feature definitions, regime components, candidate strategies, tuning choices, and fallback logic used to implement the approach.

14.1 Feature Definitions

The regime-based strategy used a focused set of original and engineered Bitcoin market and on-chain features. These features were selected to describe trend, valuation, and the relationship between market-driven growth and realized on-chain value.

14.1.1 Original Features

- **Bitcoin Price:** The daily market price of Bitcoin in U.S. dollars. This was the core feature used to create trend-based signals, including moving averages, price-to-SMA ratios, and lookback returns.
- **MVRV:** MVRV stands for Market Value to Realized Value. It compares Bitcoin’s current market valuation with its realized valuation, which is based on the price at which coins last moved on-chain. In this strategy, MVRV was used as a valuation signal to classify whether Bitcoin appeared relatively undervalued, neutral, or overheated.
- **Market Capitalization:** The total market value of Bitcoin, generally calculated as Bitcoin price multiplied by circulating supply. In this project, market-cap growth was used to capture price-driven expansion or contraction in Bitcoin’s overall market value.
- **Realized Capitalization:** An on-chain valuation measure that values Bitcoin based on the price at which coins last moved, rather than the current market price. Realized capitalization helps approximate the aggregate cost basis of Bitcoin holders.
- **Market-Cap Growth Rate:** The rate of change in Bitcoin’s market capitalization. This feature helped identify periods where price-driven market value was expanding or contracting.
- **Realized-Cap Growth Rate:** The rate of change in realized capitalization. This feature helped capture whether the aggregate on-chain cost basis was increasing or slowing, providing information about underlying realized value growth.

14.1.2 Engineered Features

- **Rolling Simple Moving Average:** The average Bitcoin price over a fixed historical window. Rolling SMAs were used to smooth short-term price fluctuations and provide a trend reference.
- **Price-to-SMA Ratio:** The ratio of Bitcoin’s current price to its simple moving average. A value above 1 indicates that price is above its moving average, while a value below 1 indicates that price is below its moving average. This feature helped identify whether Bitcoin was trading above or below its recent trend.
- **Lookback Return:** The percentage change in Bitcoin price over a fixed past window, such as 30, 90, or 180 days. Lookback returns were used to capture recent price momentum.
- **Momentum Lookback:** The historical window used to calculate recent Bitcoin price momentum. Different momentum lookbacks were tested during model selection.
- **SMA Lookback:** The historical window used to calculate the simple moving average. This controlled how short-term or long-term the moving-average comparison was.
- **Regime Lookback:** The historical window used to construct regime-related features and classify market conditions.

All engineered features were computed using only current and past observations to preserve the causal structure required for backtesting.

14.2 Regime Components

The final regime label combined three components: Bitcoin trend, MVRV valuation, and the relationship between market-cap growth and realized-cap growth.

1. **Bitcoin Trend:** Classified each day as BTC Bull, BTC Bear, BTC Recovery, or BTC Neutral using moving-average ratios and recent returns.
2. **MVRV Valuation:** Classified each day as Low MVRV, Normal MVRV, or High MVRV based on Bitcoin’s relative valuation.
3. **Growth Relationship:** Classified each day as Market Growth Leading or Realized Growth Leading by comparing market-cap growth with realized-cap growth.

The full regime label followed this structure:

[Bitcoin Trend ;|; MVRV Valuation ;|; Growth Relationship]

For example, a day could be classified as **BTC Bull | Normal MVRV | Market Growth Leading** or **BTC Bear | Low MVRV | Realized Growth Leading**. Combining 4 trend states, 3 valuation states, and 2 growth states produced up to 24 possible regimes.

14.3 Candidate Strategy Definitions

For each regime with sufficient training observations, the method compared three candidate allocation strategies: StackSats Momentum, StackSats MVRV, and a custom SMA-based strategy. The best-performing strategy for each regime was selected using only the 2018–2023 training period.

StackSats Momentum Strategy:

The StackSats Momentum strategy is a price-based candidate strategy that uses recent Bitcoin price behavior to generate an accumulation signal. It measures momentum using the percentage change

in Bitcoin price over a recent lookback window. In this implementation, the signal is interpreted in a contrarian way: recent positive price movement reduces the accumulation signal, while recent negative price movement increases the accumulation signal.

This design supports the accumulation objective by encouraging relatively higher purchases after short-term price weakness and relatively lower purchases after short-term price strength. To reduce the effect of extreme short-term price movements, the momentum signal is bounded before being converted into valid allocation weights under the StackSats framework constraints (HyperTrial (2025c); StackSats Framework Documentation (2025)). The strategy was included as one of the candidate strategies in the regime-based framework because it captures recent price behavior, which provides a different signal from valuation-based and moving-average-based approaches. For implementation details, see HyperTrial (2025a).

StackSats MVRV Strategy:

The StackSats MVRV strategy is primarily a valuation-based allocation strategy that assigns a daily preference score for Bitcoin accumulation. It uses MVRV-related signals to estimate whether Bitcoin appears undervalued, fairly valued, or overheated relative to its realized value. When valuation signals suggest that Bitcoin is in a deep-value or undervalued zone, the preference score is increased. When signals indicate overvaluation, elevated valuation risk, or higher volatility, the preference score is reduced. These daily preference scores are then converted into valid allocation weights while respecting the StackSats fixed-budget, minimum/maximum allocation, and causal constraints (HyperTrial (2025c); StackSats Framework Documentation (2025)). For implementation details, see HyperTrial (2025b).

Custom SMA-Based Strategy: The custom SMA-based strategy used the relationship between Bitcoin’s current price and its simple moving average to guide allocation decisions. When the current price was below its moving average, the strategy treated Bitcoin as relatively cheaper compared with its recent trend and assigned a higher accumulation signal. When the current price was above its moving average, the strategy assigned a lower accumulation signal. This provided a simple trend-aware, mean-reversion-style candidate strategy.

14.4 Model Selection Details

The strategy required several tuning choices, including momentum lookback, SMA lookback, regime lookback, and fallback strategy. These settings controlled how features were created and how daily regime labels were assigned.

A grid search was performed to tune the regime-based strategy using only the 2018–2023 training period. The grid was constructed around four tuning choices: momentum lookback, SMA lookback, regime lookback, and fallback strategy. The momentum grid focused on short- to medium-term trend windows, while the SMA and regime grids covered medium- to longer-term windows used for trend smoothing and regime classification.

Tuning parameter	Candidate values tested
Momentum lookback	21, 30, 45, 60, 75, 90, 120, 150, 180 days
SMA lookback	60, 90, 120, 150, 180, 200, 210, 240, 270, 300, 340 days
Regime lookback	60, 90, 120, 150, 180, 200, 210, 240, 270, 300, 340 days
Fallback strategy	Custom SMA, StackSats MVRV, StackSats Momentum

The search evaluated the full Cartesian product of these settings, meaning that each momentum lookback was tested with each SMA lookback, each regime lookback, and each fallback option. For each configuration, the strategy rebuilt the engineered features, assigned daily regime labels, learned the best candidate strategy for each regime, and measured training-period performance against Uniform DCA. The final configuration was selected based on improvement over Uniform DCA, win rate, and lower total lookback as a tie-breaker. Once selected, the configuration was frozen and evaluated on the 2024–2025 test period without additional tuning.

14.5 Fallback Strategy

Some regimes were rare or absent in the training period. To ensure that the model could still produce allocation weights during testing, a fallback strategy was selected from the same candidate strategy set. The fallback was used whenever the current regime did not have enough historical training observations to support a reliable regime-specific strategy choice.

This fallback logic ensured that the approach remained fully defined during the test period while still using only information available from the training period.

15 Appendix 6: HMM-GARCH Adaptive Strategy Details

This appendix provides additional technical details for the HMM-GARCH Adaptive Strategy. The main report summarizes the overall methodology; this appendix describes the features, regime identification process, volatility estimation, valuation adjustment, and allocation logic used by the model.

15.1 Original Features

The HMM-GARCH strategy uses a combination of market and on-chain features to identify latent Bitcoin market regimes and adjust accumulation weights.

15.1.1 Bitcoin Price

The daily Bitcoin price in U.S. dollars. Price data serves as the foundation for return calculations, trend detection, and volatility estimation.

15.1.2 MVRV Z-Score

The MVRV Z-score measures Bitcoin’s market value relative to its realized value and historical distribution.

Higher values indicate potentially overheated market conditions, while lower values suggest under-valuation.

15.1.3 Daily Returns

Bitcoin daily log returns:

$$r_t = \ln \left(\frac{P_t}{P_{t-1}} \right)$$

Returns were used as one of the primary inputs to both the Hidden Markov Model and the GARCH volatility model.

15.2 Hidden Markov Model Regime Detection

Market regimes are not directly observable. Instead, they are inferred from observable market behaviour.

A Hidden Markov Model (HMM) was trained using:

- Bitcoin returns
- MVRV Z-score
- Volatility-related features
- Price_vs_active

The model assumes that Bitcoin transitions between a finite number of hidden market states.

15.2.1 Regime Definitions

The fitted HMM identified three latent regimes:

Regime	Interpretation
Accumulation	Historically attractive buying periods
Neutral	Mixed market conditions
Euphoric	Elevated valuation and speculative activity

Unlike a hard classification model, the HMM produces probabilities for each regime:

$$P(S_t = i)$$

where S_t denotes the hidden state at time t .

For example:

$$P(S_t) = [0.70, 0.20, 0.10]$$

indicates a 70% probability of being in an accumulation regime.

15.3 Regime Allocation Weights

Each regime probability contributes proportionally to the allocation decision.

The strategy assigns regime-specific multipliers:

Regime	Multiplier
Accumulation	1.75
Neutral	1.0
Euphoric	0.5

The expected regime weight is computed as:

$$W_{\text{regime}} = \sum_i P(S_t = i) \times m_i$$

where m_i represents the multiplier assigned to regime i .

This approach allows uncertainty to be incorporated directly into the allocation process.

15.4 GARCH Volatility Estimation

Bitcoin volatility exhibits clustering, meaning periods of high volatility tend to be followed by additional high volatility.

To model this effect, a GARCH(1,1) process was fitted:

$$\sigma_t^2 = \omega + \alpha \epsilon_{t-1}^2 + \beta \sigma_{t-1}^2$$

where:

- σ_t^2 is the conditional variance
- ϵ_{t-1}^2 is the previous return shock
- ω , α , and β are model parameters

The resulting volatility estimates were converted into rolling percentiles to provide a normalized measure of market stress.

15.5 Valuation Adjustment

Valuation was measured using the MVRV Z-score.

The strategy increases allocations when Bitcoin appears undervalued:

$$\text{Valuation Signal} = \max(0, -\text{MVRV Z})$$

and

$$W_{\text{valuation}} = 1 + 0.50 \times \text{Valuation Signal}$$

This ensures that only undervaluation increases position size.

15.6 Volatility Adjustment

Volatility is interpreted differently depending on valuation conditions.

When Bitcoin appears significantly undervalued, elevated volatility is treated as a potential accumulation opportunity. Otherwise, higher volatility is treated as a risk signal.

$$W_{\text{volatility}} = \begin{cases} 1 + 0.40 \times \text{VolPct}_t, & \text{if Valuation Signal} > 0.5 \\ 1 - 0.20 \times \text{VolPct}_t, & \text{otherwise} \end{cases}$$

where $VolPct_t$ denotes the rolling volatility percentile.

This allows the strategy to distinguish between attractive capitulation events and speculative volatility.

15.7 Trend Adjustment

Trend direction was determined using the 200-day Simple Moving Average.

Condition	Multiplier
Price > SMA200	1.05
Price < SMA200	0.95

This allows the strategy to modestly favour bullish long-term trends while remaining primarily valuation-driven.

15.8 Final Allocation Weight

The final allocation weight combines all model components:

$$W_t = W_{\text{regime}} \times W_{\text{valuation}} \times W_{\text{volatility}} \times W_{\text{trend}}$$

The resulting weights are clipped to:

$$0.50 \leq W_t \leq 2.50$$

and smoothed using a 7-day moving average before being passed to the StackSats allocation engine.

This framework combines regime identification, valuation, volatility, and trend information into a single adaptive accumulation signal designed to concentrate purchases during historically favourable Bitcoin accumulation periods.

16 Appendix 7: HMM-Bayesian Adaptive Strategy Details

This appendix provides additional technical details for the HMM-Bayesian Adaptive Strategy. The strategy extends the Hidden Markov Model framework by combining latent market regime estimates with a Bayesian Network that aggregates multiple pieces of market evidence into a single probability of accumulation opportunity.

16.1 Original Features

The HMM-Bayesian strategy uses a combination of market and on-chain features:

- Bitcoin Price
- Daily Returns
- MVRV Z-Score
- Trend Indicators
- Volatility Indicators

These features are transformed into probabilistic evidence describing current Bitcoin market conditions.

16.1.1 Bitcoin Price

The daily Bitcoin price in U.S. dollars.

Price data is used to compute returns, moving averages, and trend-related evidence variables.

16.1.2 MVRV Z-Score

The MVRV Z-score serves as the primary valuation indicator.

Lower values indicate potential undervaluation, while higher values suggest overheated market conditions.

16.1.3 Daily Returns

Bitcoin daily log returns:

$$r_t = \ln \left(\frac{P_t}{P_{t-1}} \right)$$

Returns provide information about market behaviour and contribute to regime identification.

16.2 Hidden Markov Model Regime Detection

As in the HMM-GARCH strategy, market regimes are assumed to be hidden and must be inferred from observable data.

The HMM estimates probabilities for three latent states:

Regime	Interpretation
Accumulation	Historically attractive buying periods
Neutral	Mixed market conditions
Euphoric	Elevated valuation and speculative activity

Rather than selecting a single state, the model outputs a probability distribution:

$$P(S_t = i)$$

where S_t denotes the hidden market state.

16.3 Hidden Markov Model Regime Evidence

The HMM-Bayesian strategy used the Hidden Markov Model differently from the HMM-GARCH strategy. In the HMM-GARCH strategy, regime probabilities were translated directly into allocation multipliers. In the HMM-Bayesian strategy, however, the HMM output was used as **evidence** inside the Bayesian Network rather than as a separate regime multiplier.

The HMM estimated latent Bitcoin market regimes from observable market features and produced regime-related information. This regime information was then discretized into categorical evidence and supplied to the Bayesian Network alongside valuation, volatility, active price, and trend variables.

Therefore, the HMM component did not directly determine the allocation weight. Instead, it helped the Bayesian Network infer whether the current market environment resembled an accumulation opportunity.

16.4 Bayesian Network Overview

While the HMM estimates latent market regimes, the Bayesian Network estimates the probability that current conditions represent a favourable Bitcoin accumulation opportunity.

The Bayesian Network combines multiple sources of evidence:

Evidence Variable	Interpretation
Valuation	Is Bitcoin cheap or expensive?
Trend	Is the long-term trend bullish or bearish?
Volatility	Is volatility supportive or risky?

These variables feed into a latent Opportunity node.

16.4.1 Bayesian Relationship

The network estimates:

$$P(\text{Opportunity} \mid \text{Valuation}, \text{Trend}, \text{Volatility})$$

using conditional probability tables learned from historical observations.

16.5 Valuation Evidence

Valuation evidence is derived from MVRV Z-score.

Condition	State
Low MVRV	Undervalued
Moderate MVRV	Neutral
High MVRV	Overvalued

Undervalued conditions increase the probability of an accumulation opportunity.

16.6 Trend Evidence

Trend information is derived from Bitcoin's relationship to its 200-day moving average.

Condition	State
Price > SMA200	Bullish
Price < SMA200	Bearish

Bullish trend conditions increase the probability of favourable accumulation opportunities.

16.7 Volatility Evidence

Volatility conditions are derived from rolling volatility percentiles.

Condition	State
Low Volatility	Stable
Medium Volatility	Neutral
High Volatility	Stress

These states provide additional information regarding market uncertainty and risk.

16.8 Opportunity Probability

The Bayesian Network combines all evidence variables and produces:

$$P(\text{Opportunity})$$

representing the probability that current market conditions resemble historically favourable accumulation environments.

For example:

$$P(\text{Opportunity}) = 0.78$$

indicates a 78% probability that the current market environment represents an attractive accumulation opportunity.

16.9 Bayesian Allocation Adjustment

The opportunity probability is converted into an allocation multiplier:

$$W_{\text{Bayes}} = 1 + 1.5 \times P(\text{Opportunity})$$

Higher conviction produces larger allocations, while weaker evidence produces more conservative allocations.

16.10 Final Allocation Weight

The final allocation weight was determined directly from the Bayesian accumulation probability:

$$W_t = 1.0 + 1.5 \times P(\text{Accumulation Opportunity})$$

where $P(\text{Accumulation Opportunity})$ is the probability inferred by the Bayesian Network from the observed evidence.

The resulting weight was clipped to the StackSats allocation bounds:

$$0.50 \leq W_t \leq 2.50$$

and smoothed using a 7-day moving average before being passed to the StackSats allocation engine.

This means that the HMM influenced allocation indirectly by acting as one of the evidence variables in the Bayesian Network, while the final buy weight was generated from the Bayesian probability of an accumulation opportunity.

References

- Baudin, Michael. 2010. *Nelder-Mead User's Manual*. Consortium Scilab – Digiteo. <https://www.scilab.org/sites/default/files/neldermead.pdf>.
- Bitcoin Research Kit Contributors. 2025. “Bitcoin Research Kit (BRK).” <https://github.com/bitcoinresearchkit/brk>.
- Fernando, Jason. 2025. “Relative Strength Index (RSI): What It Is, How It Works, and Formula.” <https://www.investopedia.com/terms/r/rsi.asp>.
- . 2026. “Fiscal Quarter: What It Is, How It's Used, and More.” <https://www.investopedia.com/terms/q/quarter.asp>.
- HyperTrial. 2025a. “StackSats Momentum Strategy Implementation.” GitHub source code. <https://github.com/hypertrial/stacksats/blob/9ba73643c4478ddd92650557a90e91e64674f587/stacksats/strategies/stable/signals/momentum.py>.
- . 2025b. “StackSats MVRV Strategy Implementation.” GitHub source code. <https://github.com/hypertrial/stacksats/blob/9ba73643c4478ddd92650557a90e91e64674f587/stacksats/strategies/stable/mvr/core.py>.
- . 2025c. “StackSats: Bitcoin Accumulation Strategy Research Framework.” <https://hypertrial.github.io/stacksats/>.
- Nakamoto, Satoshi. 2008. “Bitcoin: A Peer-to-Peer Electronic Cash System.” <https://bitcoin.org/bitcoin.pdf>.
- SciPy Developers. 2026. “Minimize(method='nelder-Mead').” <https://docs.scipy.org/doc/scipy/reference/optimize.minimize-neldermead.html>.
- StackSats Framework Documentation. 2025. “StackSats Framework Constraints.” <https://hypertrial.github.io/stacksats/framework>.
- Thangavelu, Poonkulali. 2023. “Dollar-Cost Averaging: Pros and Cons.” Investopedia.
- Zucchi, Kristina. 2026. “10-Year Treasury Bond Yield: What It Is and Why It Matters.” <https://www.investopedia.com/articles/investing/100814/why-10-year-us-treasury-rates-matter.asp>.