

AdaptiveSats: Improving Institutional Bitcoin Accumulation Strategies

Arafat B. Bello

Nguyen Nguyen

Raghav Gupta

Shruti Sasi

2026-05-05

1 Introduction

Large banks and hedge funds use sophisticated algorithms, privileged market access, and sometimes non-public information to trade. Smaller institutions and retail investors cannot compete on those terms. This project asks: can publicly available Bitcoin (Nakamoto (2008)) on-chain data be used to build a smarter accumulation strategy - one that beats simple Dollar-Cost Averaging (DCA) without requiring any special access or resources?

Why Bitcoin?

We focus on Bitcoin because it's well-suited for this kind of research. All transaction data is public and available to everyone simultaneously - no information asymmetry. Strategies can be audited in real-time on-chain, and the market has operated long enough (since 2009) to provide meaningful historical data across multiple market cycles.

The simplest accumulation strategy is DCA - invest a fixed amount at regular intervals regardless of price. It works, but it ignores market conditions entirely. Our hypothesis is that on-chain signals can identify when Bitcoin is undervalued, allowing smarter allocation decisions (Leggio and Lien (2001)).

1.0.1 Objectives

- Identify on-chain/market signals predicting favorable accumulation windows
- Build and validate an adaptive daily allocation model
- Deliver as open-source Python library

2 Data & EDA

- **Source:** BRK `brk_metrics.parquet` (Bitcoin Research Kit Contributors (2025) via Hyper-Trial (2025))
- **Schema:** long format - `day_utc`, `metric`, `value`; zero nulls; all values finite

Property	Value
File size	~1.08 GiB
Total rows	236,259,020
Daily observations	6,274 days

Property	Value
Distinct metric keys	41,407
Date range	2009-01-03 to 2026-03-13

The 41,407 metrics span several categories including price, market valuation, holder behaviour, network activity, and technical indicators. The figures below show how metric coverage has grown over time, Bitcoin’s price history across halving epochs, and how key signals are correlated.




Figure 1: Cumulative metric coverageover time



Figure 2: Bitcoin price history with halving epochs annotated




Figure 3: MVRV / NUPL / SOPR distributions across market cycles

- **Limitations:** The dataset requires lazy loading due to its size. Many metrics only begin after 2009, and there is heavy multicollinearity across the 41k features.

3 Data Science Approach

3.0.1 Feature Reduction

With over 41,000 features, we aim to identify which features capture similar information to make the dataset more manageable for modeling. To achieve this, we follow a structured feature reduction approach.

First, we group features based on their names using stemming, which helps create feature families such as price-related features. Next, within each family, we apply hierarchical clustering to group features that behave similarly over time, using dendrograms for visualization. Then, from each cluster, we retain a small set of important features and remove those that are highly similar, reducing the dataset size while preserving key information.

This process is computationally intensive when run locally with limited resources, so we may explore more efficient feature reduction methods in future iterations.

3.0.2 Baseline Strategies

To evaluate our approach, we aim to implement a **naive Dollar-Cost Averaging (DCA)** strategy as the baseline, where a fixed amount is invested at regular intervals regardless of market conditions. This provides a simple benchmark, and our goal is to outperform it by improving accumulation efficiency.

To improve upon this baseline, we are exploring more effective accumulation strategies. In particular, we plan to implement **Value Averaging** as our primary strategy, which adjusts investment based on a target portfolio growth path, allocating more capital during price declines and less during price increases. This aligns well with our objective of maximizing **Sats per Dollar (SPD)**.

In addition, we may also evaluate a **200-day SMA-based strategy**, which adjusts investment based on long-term market trends, providing a simple signal-based benchmark.

3.0.3 Model Development

Our proposed strategy will leverage the reduced feature set to design a data-driven accumulation approach.

The objective is to:

- Identify periods of undervaluation
- Dynamically adjust investment allocation
- Improve accumulation efficiency compared to the defined baseline strategies

3.0.4 Train/Test Split

To avoid look-ahead bias and reflect a realistic backtesting setup, we use a chronological train/test split.

- **Training set:** Data up to December 2023
- **Test set:** January 2024 to March 2026

The test set will remain untouched during model development and will only be used for final evaluation.

3.0.5 Future Work

In future iterations, we may explore additional models and strategies such as LSTM-based models and Hidden Markov Models (HMM). These approaches will be evaluated against the baseline strategies to assess potential improvements in accumulation efficiency.

4 Evaluation & Success Criteria

4.0.1 Metrics

- **Primary Metric (Sats per Dollar - SPD):**
We evaluate accumulation efficiency using Sats per Dollar (SPD), defined as the total Bitcoin accumulated per unit of USD invested. A higher SPD indicates better performance, as it reflects a lower average acquisition cost.
- **Smoothness (Allocation Stability):**
We measure the standard deviation of daily allocation weights. Lower variability indicates a more stable investment schedule with potentially lower market impact.

4.0.2 Success Criteria

A strategy will be considered successful if it achieves:

- Higher SPD compared to the naive DCA baseline
- Lower average acquisition cost
- Reduced allocation volatility (more stable investment behavior)
- Consistent performance over the 2024–2026 test window

4.0.3 Stakeholders

- **Trilemma Foundation:** Interested in improving long-term Bitcoin accumulation efficiency
- **Open-source community:** Focused on transparency, reproducibility, and practical usability of the strategy

5 Timeline

Milestone	Target Date
Train/test split + EDA scripts	May 15, 2026
Feature reduction + baseline DCA	May 22, 2026
ML model + walk-forward CV	May 29, 2026
Backtesting + final evaluation	June 12, 2026
Final report + model	June 23, 2026

References

- Bitcoin Research Kit Contributors. 2025. “Bitcoin Research Kit (BRK).” <https://github.com/bitcoinresearchkit/brk>.
- HyperTrial. 2025. “StackSats: Bitcoin Accumulation Strategy Research Framework.” <https://hypertrial.github.io/stacksats/>.
- Leggio, Karyl B., and Donald Lien. 2001. “Does Loss Aversion Explain Dollar-Cost Averaging?” *Financial Services Review* 10 (1–4): 117–27.
- Nakamoto, Satoshi. 2008. “Bitcoin: A Peer-to-Peer Electronic Cash System.” <https://bitcoin.org/bitcoin.pdf>.