Thyrocare

Tests you can trust

Name : Rishu Bansal(36Y/M)

Date : 11 Aug 2025

Test Asked : Package 3 At Home

Report Status: Complete Report

100% NABL ACCREDITATION

First National Diagnostic Chain to have **100% of its Labs with NABL Accreditation#**

98% Reports released within **06 Hours** of sample reaching the lab+

9 out of 10 Doctors Trust that Thyrocare reports are Accurate & Reliable*

1200+ Tests & Profiles

Temperature-Controlled Sample Logistics

Unique Barcode Tracking

Fully Automated Machines Inspected Daily

Abnormal Values Re-Checked Twice

Reports Verified By Expert MD Pathologists Stationed at Every Lab

Your reports are digitally verifiable

Scan the QR code inside the report to check authenticity of reported values

QR code will remain active for 30 days from report release date

Accredited by

NABL From 2005#

ISO 9001: 2015 - From 2015

CAP From 2007~

PROCESSED AT :
Thyrocare
1st Floor, Chand Mall,
Fatehgarh Churian Road,
Amritsar,Punjab – 143001

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

Report Availability Summary

Note: Please refer to the table below for status of your tests.

13 Ready | **0** Ready with Cancellation | **0** Processing | **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
PACKAGE 3 AT HOME	Ready
ERYTHROCYTE SEDIMENTATION RATE (ESR)	Ready
HEMOGRAM - 6 PART (DIFF)	Ready
CREATININE - SERUM	Ready
HbA1c	Ready
URIC ACID	Ready
SERUM ELECTROLYTES	Ready
LIPID PROFILE	Ready
T3-T4-USTSH	Ready
FASTING BLOOD SUGAR(GLUCOSE)	Ready
ROUTINE URINE ANALYSIS	Ready
ALANINE TRANSAMINASE (SGPT)	Ready
25-OH VITAMIN D (TOTAL)	Ready
ASPARTATE AMINOTRANSFERASE (SGOT)	Ready

PROCESSED AT :

Thyrocare
1st Floor, Chand Mall,
Fatehgarh Churian Road,
Amritsar,Punjab – 143001

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

Summary Report

Tests outside reference range

TEST NAME	OBSERVED VALUE	UNITS	Bio. Ref. Interval.
COMPLETE HEMOGRAM			
BASOPHILS - ABSOLUTE COUNT	0.01	X 10^3 / µL	0.02 - 0.1
ELECTROLYTES			
POTASSIUM	5.4	mmol/L	3.5 - 5.1
LIPID			
HDL / LDL RATIO	0.29	Ratio	> 0.40
LDL CHOLESTEROL - DIRECT	146	mg/dL	< 100
LIVER			
ALANINE TRANSAMINASE (SGPT)	45.43	U/L	< 45
ASPARTATE AMINOTRANSFERASE (SGOT)	38.05	U/L	< 35
VITAMIN			
25-OH VITAMIN D (TOTAL)	7.7	ng/mL	30-100

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.

PROCESSED AT :
Thyrocare
1st Floor, Chand Mall,
Fatehgarh Churian Road,
Amritsar,Punjab – 143001

MC-6410

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c	H.P.L.C	5	%

Bio. Ref. Interval. :

As per ADA Guidelines	Guidance For Known Diabetics
Below 5.7% : Normal	Below 6.5% : Good Control
5.7% - 6.4% : Prediabetic	6.5% - 7% : Fair Control
>=6.5% : Diabetic	7.0% - 8% : Unsatisfactory Control
	>8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	CALCULATED	97	mg/dL

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HBA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 02:09
Report Released on (RRT) : 12 Aug 2025 05:30
Sample Type : EDTA Whole Blood
Labcode : 1108044115/DF543
Barcode : EG542290

Dr Saloni Saini MD (Path)

Scan QR code to verify authenticity of reported results; active for 30 days from release time.

PROCESSED AT :

Thyrocare
1st Floor, Chand Mall,
Fatehgarh Churian Road,
Amritsar,Punjab – 143001

MC-6410

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS
ERYTHROCYTE SEDIMENTATION RATE (ESR)	MODIFIED WESTERGREN	7	mm / hr

Bio. Ref. Interval. :-

Male : 0-15 Female : 0-20

Clinical Significance:
- An erythrocyte sedimentation rate (ESR) is a blood test that can rise if you have inflammation in your body. Its also used as a marker to monitor prognosis of an existing inflammatory/infective condition.
- Inflammation is your immune systems response to injury, infection, and many types of conditions, including immune system disorders, certain cancers and blood disorders.
- A high ESR test result may be from a condition that causes inflammation, such as: Arteritis, Arthritis, Systemic vasculitis, Polymyalgia rheumatica, Inflammatory bowel disease, Kidney disease, Infections like Tuberculosis etc, Rheumatoid arthritis and other autoimmune diseases, Heart disease, Certain cancers and many other Conditions.
- A low ESR test result may be caused by conditions such as: A blood disorder, such as: Polycythemia, Sickle cell disease (SCD), Leukocytosis, Heart failure, Certain kidney and liver problems etc.
- Certain physiological conditions also affect ESR results, these include : Pregnancy, menstrual cycle, ageing, obesity, drinking alcohol regularly, and exercise, Certain medicines and supplements also can affect ESR results.
- Hence Its always suggested to interpret ESR results in conjunction with Clinical History and other findings.

References :
https://medlineplus.gov/lab-tests/erythrocyte-sedimentation-rate-esr/

Please correlate with clinical conditions.
Method:- MODIFIED WESTERGREN

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 02:09
Report Released on (RRT) : 12 Aug 2025 05:30
Sample Type : EDTA Whole Blood
Labcode : 1108044115/DF543
Barcode : EG542290

Dr Saloni Saini MD (Path)

PROCESSED AT :
Thyrocare
1st Floor, Chand Mall,
Fatehgarh Churian Road,
Amritsar,Punjab – 143001

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab
Dhobiana Road

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
HEMOGLOBIN	SLS-Hemoglobin Method	14.9	g/dL	13.0-17.0
Hematocrit (PCV)	CPH Detection	45.1	%	40.0-50.0
Total RBC	HF & EI	4.99	X 10^6/µL	4.5-5.5
Mean Corpuscular Volume (MCV)	Calculated	90.4	fL	83.0-101.0
Mean Corpuscular Hemoglobin (MCH)	Calculated	29.9	pq	27.0-32.0
Mean Corp.Hemo. Conc (MCHC)	Calculated	33	g/dL	31.5-34.5
Red Cell Distribution Width - SD (RDW-SD)	Calculated	43.9	fL	39-46
Red Cell Distribution Width (RDW - CV)	Calculated	13.2	%	11.6-14
RED CELL DISTRIBUTION WIDTH INDEX (RDWI)	Calculated	239.1	-	*Refer Note below
MENTZER INDEX	Calculated	18.1	-	*Refer Note below
TOTAL LEUCOCYTE COUNT (WBC)	HF & FC	5.87	X 10^3 / µL	4.0 - 10.0
DIFFERENTIAL LEUCOCYTE COUNT				
Neutrophils Percentage	Flow Cytometry	57.8	%	40-80
Lymphocytes Percentage	Flow Cytometry	34.9	%	20-40
Monocytes Percentage	Flow Cytometry	3.4	%	2-10
Eosinophils Percentage	Flow Cytometry	3.4	%	1-6
Basophils Percentage	Flow Cytometry	0.2	%	0-2
Immature Granulocyte Percentage (IG%)	Flow Cytometry	0.3	%	0-0.5
Nucleated Red Blood Cells %	Flow Cytometry	0.01	%	0.0-5.0
ABSOLUTE LEUCOCYTE COUNT				
Neutrophils - Absolute Count	Calculated	3.39	X 10^3 / µL	2.0-7.0
Lymphocytes - Absolute Count	Calculated	2.05	X 10^3 / µL	1.0-3.0
Monocytes - Absolute Count	Calculated	0.2	X 10^3 / µL	0.2 - 1.0
Basophils - Absolute Count	**Calculated**	**0.01**	**X 10^3 / µL**	**0.02 - 0.1**
Eosinophils - Absolute Count	Calculated	0.2	X 10^3 / µL	0.02 - 0.5
Immature Granulocytes (IG)	Calculated	0.02	X 10^3 / µL	0-0.3
Nucleated Red Blood Cells	Calculated	0.01	X 10^3 / µL	0.0-0.5
PLATELET COUNT	HF & EI	280	X 10^3 / µL	150-410
Mean Platelet Volume (MPV)	Calculated	10.1	fL	6.5-12
Platelet Distribution Width (PDW)	Calculated	11.7	fL	9.6-15.2
Platelet to Large Cell Ratio (PLCR)	Calculated	26.4	%	19.7-42.4
Plateletcrit (PCT)	Calculated	0.28	%	0.19-0.39

Remarks : Alert!!! Predominantly normocytic normochromic with ovalocytes. Platelets:Appear adequate in smear.

***Note - Mentzer index (MI), RDW-CV and RDWI are hematological indices to differentiate between Iron Deficiency Anemia (IDA) and Beta Thalassemia Trait (BTT). MI >13, RDWI >220 and RDW-CV >14 more likely to be IDA. MI <13, RDWI <220, and RDW-CV <14 more likely to be BTT. Suggested Clinical correlation. BTT to be confirmed with HB electrophoresis if clinically indicated.**

Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, *EI- Electric Impedence, *Hb- hemoglobin, *CPH- Cumulative pulse height**)**

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 02:09
Report Released on (RRT) : 12 Aug 2025 05:30
Sample Type : EDTA Whole Blood
Labcode : 1108044115/DF543
Barcode : EG542290

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS
25-OH VITAMIN D (TOTAL)	**C.M.I.A**	**7.7**	**ng/mL**

Bio. Ref. Interval. :-

DEFICIENCY : <10 ng/ml
INSUFFICIENCY : 10 - 30 ng/ml
SUFFICIENCY : 30 - 100 ng/ml
TOXICITY : >100 ng/ml

Please correlate with clinical conditions.

Method:- Fully Automated Chemi Luminescent Microparticle Immunoassay

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:11
Report Released on (RRT) : 12 Aug 2025 06:06
Sample Type : SERUM
Labcode : 1108120935/DF543
Barcode : EH350145

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL CHOLESTEROL	PHOTOMETRY	192	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	43	mg/dL	40-60
LDL CHOLESTEROL - DIRECT	**PHOTOMETRY**	**146**	**mg/dL**	**< 100**
TRIGLYCERIDES	PHOTOMETRY	64	mg/dL	< 150
TC/ HDL CHOLESTEROL RATIO	CALCULATED	4.5	Ratio	3 - 5
TRIG / HDL RATIO	CALCULATED	1.5	Ratio	< 3.12
LDL / HDL RATIO	CALCULATED	3.4	Ratio	1.5-3.5
HDL / LDL RATIO	**CALCULATED**	**0.29**	**Ratio**	**> 0.40**
NON-HDL CHOLESTEROL	CALCULATED	149.58	mg/dL	< 160
VLDL CHOLESTEROL	CALCULATED	12.84	mg/dL	5 - 40

Please correlate with clinical conditions.

Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase
HCHO - Direct Enzymatic Colorimetric
LDL - Direct Measure
TRIG - Enzymatic, End Point
TC/H - Derived from serum Cholesterol and Hdl values
TRI/H - Derived from TRIG and HDL Values
LDL/ - Derived from serum HDL and LDL Values
HD/LD - Derived from HDL and LDL values.
NHDL - Derived from serum Cholesterol and HDL values
VLDL - Derived from serum Triglyceride values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:11
Report Released on (RRT) : 12 Aug 2025 06:06
Sample Type : SERUM
Labcode : 1108120935/DF543
Barcode : EH350145

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS
SODIUM	I.S.E - INDIRECT	140.51	mmol/L

Bio. Ref. Interval. :
Adults: 136-145 mmol/l
Method : ION SELECTIVE ELECTRODE - INDIRECT

POTASSIUM	**I.S.E - INDIRECT**	**5.4**	**mmol/L**

Bio. Ref. Interval. :
ADULTS: 3.5-5.1 MMOL/L

Clinical Significance :
An abnormal increase in potassium (hyperkalemia)can profoundly affect the nervous system and increase the chance of irregular heartbeats (arrhythmias), which ,when extreme ,can be fatal. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed , icteric or lipemic. The concentration of Potassium in a given specimen may vary due to differences in assay methods, calibration and reagent specificity.
Method : ION SELECTIVE ELECTRODE - INDIRECT

CHLORIDE	I.S.E - INDIRECT	105.71	mmol/L

Bio. Ref. Interval. :
ADULTS: 98-107 MMOL/L

Clinical Significance :
An increased level of blood chloride (called hyperchloremia) usually indicates dehydration, but can also occur with other problems that cause high blood sodium, such as Cushing syndrome or kidney disease. Hyperchloremia also occurs when too much base is lost from the body (producing metabolic acidosis) or when a person hyperventilates (causing respiratory alkalosis). A decreased level of blood chloride (called hypochloremia) occurs with any disorder that causes low blood sodium. Hypochloremia also occurs with congestive heart failure, prolonged vomiting or gastric suction, Addison disease, emphysema or other chronic lung diseases (causing respiratory acidosis), and with loss of acid from the body (called metabolic alkalosis).
Method : ION SELECTIVE ELECTRODE - INDIRECT

Please correlate with clinical conditions.

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:11
Report Released on (RRT) : 12 Aug 2025 06:06
Sample Type : SERUM
Labcode : 1108120935/DF543
Barcode : EH350145

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
SGOT / SGPT RATIO	CALCULATED	0.84	Ratio	< 2
ASPARTATE AMINOTRANSFERASE (SGOT)	**PHOTOMETRY**	**38.05**	**U/L**	**< 35**
ALANINE TRANSAMINASE (SGPT)	**PHOTOMETRY**	**45.43**	**U/L**	**< 45**

Please correlate with clinical conditions.

Method :

OT/PT - Derived from SGOT and SGPT values.
SGOT - IFCC* Without Pyridoxal Phosphate Activation
SGPT - IFCC* Without Pyridoxal Phosphate Activation

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:11
Report Released on (RRT) : 12 Aug 2025 06:06
Sample Type : SERUM
Labcode : 1108120935/DF543
Barcode : EH350145

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS
CREATININE - SERUM	PHOTOMETRY	0.82	mg/dL

Bio. Ref. Interval. :-

Male : 0.72 -1.18 mg/dL
Female: 0.55 - 1.02 mg/dL

Clinical Significance :
The significance of a single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACEI) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed , icteric or lipemic.

Please correlate with clinical conditions.
Method:- Creatinine Enzymatic Method

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:11
Report Released on (RRT) : 12 Aug 2025 06:06
Sample Type : SERUM
Labcode : 1108120935/DF543
Barcode : EH350145

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL TRIIODOTHYRONINE (T3)	C.M.I.A	120	ng/dL	58-159
TOTAL THYROXINE (T4)	C.M.I.A	7.8	µg/dL	4.87-11.72
TSH - ULTRASENSITIVE	C.M.I.A	1.734	µIU/mL	0.35-4.94

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3,T4,USTSH - Fully Automated Chemi Luminescent Microparticle Immunoassay

Disclaimer : Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference. In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:11
Report Released on (RRT) : 12 Aug 2025 06:06
Sample Type : SERUM
Labcode : 1108120935/DF543
Barcode : EH350145

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
URIC ACID	PHOTOMETRY	5.1	mg/dL	4.2 - 7.3

Please correlate with clinical conditions.

Method :

URIC - Uricase / Peroxidase Method

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:11
Report Released on (RRT) : 12 Aug 2025 06:06
Sample Type : SERUM
Labcode : 1108120935/DF543
Barcode : EH350145

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	117	mL/min/1.73 m2

Bio. Ref. Interval. :-

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.
Method:- 2021 CKD EPI Creatinine Equation

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:11
Report Released on (RRT) : 12 Aug 2025 06:06
Sample Type : SERUM
Labcode : 1108120935/DF543
Barcode : EH350145

Dr Saloni Saini MD (Path)

PROCESSED AT :
Thyrocare
1st Floor, Chand Mall,
Fatehgarh Churian Road,
Amritsar,Punjab – 143001

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Complete Urinogram				
Physical Examination				
VOLUME	Visual Determination	3	mL	-
COLOUR	Visual Determination	PALE YELLOW	-	Pale Yellow
APPEARANCE	Visual Determination	CLEAR	-	Clear
SPECIFIC GRAVITY	pKa change	1.025	-	1.003-1.030
PH	pH indicator	5.5	-	5-8
Chemical Examination				
URINARY PROTEIN	PEI	ABSENT	mg/dL	Absent
URINARY GLUCOSE	GOD-POD	ABSENT	mg/dL	Absent
URINE KETONE	Nitroprusside	ABSENT	mg/dL	Absent
URINARY BILIRUBIN	Diazo coupling	ABSENT	mg/dL	Absent
UROBILINOGEN	Diazo coupling	Normal	mg/dL	<=0.2
URINE BLOOD	Peroxidase reaction	ABSENT	-	Absent
NITRITE	Diazo coupling	ABSENT	-	Absent
LEUCOCYTE ESTERASE	Esterase reaction	ABSENT	-	Absent
Microscopic Examination				
URINARY LEUCOCYTES (PUS CELLS)	Microscopy	ABSENT	cells/HPF	0-5

(Reference : *PEI - Protein error of indicator, *GOD-POD - Glucose oxidase-peroxidase**)**

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:56
Report Released on (RRT) : 12 Aug 2025 05:58
Sample Type : URINE
Labcode : 1108123840/DF543
Barcode : DV176979

Dr Saloni Saini MD (Path)

NAME : RISHU BANSAL(36Y/M)
REF. BY : SELF
TEST ASKED : PACKAGE 3 AT HOME

Home Collection
House no 22846, street No 15 st.No.15 preet nagar ,Dhobiana Road,Bathinda, 151001, punjab Dhobiana Road

TEST NAME	TECHNOLOGY	VALUE	UNITS
FASTING BLOOD SUGAR(GLUCOSE)	PHOTOMETRY	90.54	mg/dL

Bio. Ref. Interval. :-

As per ADA Guideline: Fasting Plasma Glucose (FPG)	
Normal	70 to 100 mg/dl
Prediabetes	100 mg/dl to 125 mg/dl
Diabetes	126 mg/dl or higher

Note :
The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed , icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Please correlate with clinical conditions.

Method:- GOD-PAP METHOD

~~ End of report ~~

Sample Collected on (SCT) : 11 Aug 2025 08:31
Sample Received on (SRT) : 12 Aug 2025 01:15
Report Released on (RRT) : 12 Aug 2025 05:26
Sample Type : FLUORIDE PLASMA
Labcode : 1108121262/DF543
Barcode : EI176290

Dr Saloni Saini MD (Path)

Scan QR code to verify authenticity of reported results; active for 30 days from release time.

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints, clinical support or feedback, write to us at **customersupport@thyrocare.com** or call us on **022-3090 0000**



+ *T&C Apply, #As on 5th December 2024 (Applicable for all company owned labs except Bhagalpur & Vijayawada),*
* *As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited*