

MONGO DB

humongous — large

no fixed entity

collection(table) — documents (row) — embedded document

documents are schema less

backend or database ke bich meh intractions ke liye storage engine

database

```
>_MONGOSH
> use cb
< switched to db cb
> show dbs;
< admin   40.00 KiB
  config  12.00 KiB
  local   40.00 KiB
> use db2;
< switched to db db2
> show dbs;
< admin   40.00 KiB
  config  92.00 KiB
  local   40.00 KiB
> db.dropDatabase();
< [Function: dropDatabase] AsyncFunction {
  apiVersions: [ 1, Infinity ],
  returnsPromise: true,
  serverVersions: [ '0.0.0', '999.999.999' ],
  topologies: [ 'ReplSet', 'Sharded', 'LoadBalanced', 'Standalone' ],
  returnType: { type: 'unknown', attributes: {} },
  deprecated: false,
  platforms: [ 'Compass', 'Browser', 'CLI' ],
  isDirectShellCommand: false,
  acceptsRawInput: false,
  shellCommandCompleter: undefined,
  help: [Function (anonymous)] Help
}
> db.dropDatabase();
< { ok: 1, dropped: 'db2' }
db2>
```

collection

```
> show collections;
<
> db.createCollection('students');
< { ok: 1 }
> show collections;
< students
> db.students.drop();
< true
cb> |
```

Insert operations

insertone

```
> db.students.insertOne({name:"shruti",age:"twenty"});
< {
  acknowledged: true,
  insertedId: ObjectId('67108fe5cb2b5bad6703a464')
}
cb> |
```

insertmany

```
}  
> db.students.insertMany([{  
  name:"dhruv",age:18},{name:"shubh",age:13}]);  
< {  
  acknowledged: true,  
  insertedIds: {  
    '0': ObjectId('67109170cb2b5bad6703a465'),  
    '1': ObjectId('67109170cb2b5bad6703a466')  
  }  
}  
cb>
```