

Name: Shruti Sunil Shinde.

Roll no. 65

Batch: S3

Assignment no.4

```
mysql> use shruti;
```

Database changed

```
mysql> select * from Cust_Info;
```

```
+-----+-----+-----+
| C_Id | Cname | City |
+-----+-----+-----+
| 1 | John | City |
| 2 | Seema | Aurangabad |
| 3 | Amita | Nagar |
| 4 | Rakesh | Pune |
| 5 | Samata | Nashik |
| 6 | Ankita | Chandwad |
| 7 | Bhavika | Pune |
| 8 | Deepa | Mumbai |
| 9 | Nitin | Nagpur |
| 10 | Pooja | Pune |
+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> select * from Acc_Info;
```

```
+-----+-----+-----+
| C_Id | Acc_Type | Amount |
+-----+-----+-----+
| 1 | Current | 5000 |
| 2 | Saving | 20000 |
| 3 | Saving | 70000 |
| 4 | Saving | 50000 |
| 6 | Current | 35000 |
| 7 | Loan | 30000 |
| 8 | Saving | 50000 |
| 9 | Saving | 90000 |
| 10 | Loan | 8000 |
| 11 | Current | 45000 |
+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> update Cust_Info set city='Nashik' where C_Id=1;
```

Query OK, 1 row affected (0.04 sec)

Rows matched: 1 Changed: 1 Warnings: 0

```
mysql> select * from Cust_Info;
```

C_Id	Cname	City
1	John	Nashik
2	Seema	Aurangabad
3	Amita	Nagar
4	Rakesh	Pune
5	Samata	Nashik
6	Ankita	Chandwad
7	Bhavika	Pune
8	Deepa	Mumbai
9	Nitin	Nagpur
10	Pooja	Pune

10 rows in set (0.00 sec)

mysql> Q.1: Show the Cname , Acc_Type, amount information of custmer who is having an saving account.

```
mysql> select Cname, Acc_type, Amount from Cust_Info inner join Acc_Info on Cust_Info.C_Id = Acc_Info.C_Id where Acc_Type= 'Saving';
```

Cname	Acc_type	Amount
Seema	Saving	20000
Amita	Saving	70000
Rakesh	Saving	50000
Deepa	Saving	50000
Nitin	Saving	90000

5 rows in set (0.00 sec)

mysql> Q.2 Display the data using natural, left and right join.

-> ^C

```
mysql> select * from Cust_Info natural join Acc_Info;
```

```

+-----+-----+-----+-----+-----+
| C_Id | Cname | City | Acc_Type | Amount |
+-----+-----+-----+-----+
| 1 | John | Nashik | Current | 5000 |
| 2 | Seema | Aurangabad | Saving | 20000 |
| 3 | Amita | Nagar | Saving | 70000 |
| 4 | Rakesh | Pune | Saving | 50000 |

| 6 | Ankita | Chandwad | Current | 35000 |
| 7 | Bhavika | Pune | Loan | 30000 |
| 8 | Deepa | Mumbai | Saving | 50000 |
| 9 | Nitin | Nagpur | Saving | 90000 |
| 10 | Pooja | Pune | Loan | 8000 |
+-----+-----+-----+-----+

```

9 rows in set (0.00 sec)

```
mysql> select * from Cust_Info c left join Acc_Info a on c.C_Id = a.C_Id;
```

```

+-----+-----+-----+-----+-----+-----+
| C_Id | Cname | City | C_Id | Acc_Type | Amount |
+-----+-----+-----+-----+-----+
| 1 | John | Nashik | 1 | Current | 5000 |
| 2 | Seema | Aurangabad | 2 | Saving | 20000 |
| 3 | Amita | Nagar | 3 | Saving | 70000 |
| 4 | Rakesh | Pune | 4 | Saving | 50000 |
| 5 | Samata | Nashik | NULL | NULL | NULL |
| 6 | Ankita | Chandwad | 6 | Current | 35000 |
| 7 | Bhavika | Pune | 7 | Loan | 30000 |
| 8 | Deepa | Mumbai | 8 | Saving | 50000 |
| 9 | Nitin | Nagpur | 9 | Saving | 90000 |
| 10 | Pooja | Pune | 10 | Loan | 8000 |
+-----+-----+-----+-----+-----+

```

10 rows in set (0.00 sec)

```
mysql> select * from Cust_Info c right join Acc_Info a on c.C_Id = a.C_Id;
```

```

+-----+-----+-----+-----+-----+-----+
| C_Id | Cname | City | C_Id | Acc_Type | Amount |
+-----+-----+-----+-----+-----+
| 1 | John | Nashik | 1 | Current | 5000 |
| 2 | Seema | Aurangabad | 2 | Saving | 20000 |
| 3 | Amita | Nagar | 3 | Saving | 70000 |
| 4 | Rakesh | Pune | 4 | Saving | 50000 |
| 6 | Ankita | Chandwad | 6 | Current | 35000 |
| 7 | Bhavika | Pune | 7 | Loan | 30000 |
| 8 | Deepa | Mumbai | 8 | Saving | 50000 |

```

9	Nitin	Nagpur	9	Saving	90000
10	Pooja	Pune	10	Loan	8000
NULL	NULL	NULL	11	Current	45000

10 rows in set (0.00 sec)

mysql> Q.3) Display the information of customers living in the same city as of 'pooja'^C

mysql> select * from Cust_Info where City=(select City from Cust_Info where Cname='Pooja');

C_Id	Cname	City
4	Rakesh	Pune
7	Bhavika	Pune
10	Pooja	Pune

3 rows in set (0.00 sec)

mysql> Q.4) Account Having less amount than average bank account ^C

mysql> select * from Acc_Info where Amount < (select AVG(Amount)from Acc_Info);

C_Id	Acc_Type	Amount
1	Current	5000
2	Saving	20000
6	Current	35000
7	Loan	30000
10	Loan	8000

5 rows in set (0.00 sec)

mysql> Q.5) Display C_Id having maximum amount^C

mysql> select C_Id from Acc_Info where Amount=(select MAX(Amount) from Acc_Info);

C_Id
9

1 row in set (0.00 sec)

mysql> Q.6) Display amount and acc_type whose amount is minimum of that Acc_Type^C

mysql> ^C

mysql> select Acc_Type, Amount from Acc_Info a where Amount=(select MIN(Amount)from Acc_Info where Acc_Type = a.Acc_Type);

```

+-----+-----+
| Acc_Type | Amount |
+-----+-----+
| Current  | 5000   |
| Saving   | 20000  |
| Loan     | 8000   |
+-----+-----+
3 rows in set (0.00 sec)

```

mysql> Q.7) Display Amount From Acc_Info where Amount>ANY(select Amount from Acc_Info where Acc_Type = 'Saving');

mysql> select Amount From Acc_Info where Amount>ANY(select Amount from Acc_Info where Acc_Type = 'Saving');

```

+-----+
| Amount |
+-----+
| 70000  |
| 50000  |
| 35000  |
| 30000  |
| 50000  |
| 90000  |
| 45000  |
+-----+

```

7 rows in set (0.00 sec)

mysql> **Innovation** : Add Primary And Foreign Key (Database Integrity)^C

mysql> alter table Cust_Info add primary key (C_Id);

Query OK, 0 rows affected (0.09 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> select * from Cust_Info;

```

+-----+-----+-----+
| C_Id | Cname  | City    |
+-----+-----+-----+
| 1 | John   | Nashik  |
| 2 | Seema  | Aurangabad |
| 3 | Amita  | Nagar   |
| 4 | Rakesh | Pune    |
| 5 | Samata | Nashik  |
| 6 | Ankita | Chandwad |
| 7 | Bhavika | Pune    |
| 8 | Deepa  | Mumbai  |
| 9 | Nitin  | Nagpur  |
| 10 | Pooja  | Pune    |
+-----+-----+-----+
10 rows in set (0.00 sec)

```

mysql> 2.Create View for saving customers ^C

```

mysql> create view Saving_Customers as select c.Cname, a.Amount from Cust_Info c join
Acc_Info a on c.C_Id = a.C_Id where a.Acc_Type='Saving';
Query OK, 0 rows affected (0.01 sec)

```

mysql> select * from Cust_Info;

```

+-----+-----+-----+
| C_Id | Cname  | City    |
+-----+-----+-----+
| 1 | John   | Nashik  |
| 2 | Seema  | Aurangabad |
| 3 | Amita  | Nagar   |
| 4 | Rakesh | Pune    |
| 5 | Samata | Nashik  |
| 6 | Ankita | Chandwad |
| 7 | Bhavika | Pune    |
| 8 | Deepa  | Mumbai  |
| 9 | Nitin  | Nagpur  |
| 10 | Pooja  | Pune    |
+-----+-----+-----+
10 rows in set (0.00 sec)

```

mysql>