

Question no. 1

```
#include<stdio.h>

main()

{

    printf("HELLO STUDENTS");

}
```

Question no. 2

```
#include<stdio.h>

main()

{

    printf("HELLO\nSTUDENTS");

}
```

Question no. 3

```
#include<stdio.h>

main()

{

    printf("\nMySirG\n");

}
```

Question no. 4

```
#include<stdio.h>

main()

{

    float A,R;

    printf("enter radius of the circle ");

    scanf("%f",&R);

    A=(3.14*R*R);

    printf("Area of the circle is %f having the Radius %f",A,R);

}
```

Question no. 5

```
#include<stdio.h>

#include<string.h>
```

```
int main()
{
char a[100];
int length;
printf("enter a string");
gets(a);
length=strlen(a);
printf("%d",length);
return 0;
}
```

Question no. 6

```
#include<stdio.h>
int main()
{
printf("\nHello , Amit kumar\n");
return 0;
}
```

Question no. 7

```
#include<stdio.h>
int main()
{
printf("\n%d");
return 0;
}
```

Question no. 8

```
#include<stdio.h>
int main()
{
printf("\n\n");
return 0;
}
```

Question no. 9

```
#include<stdio.h>
```

```
int main()
```

```
{
```

```
printf("\\\\");
```

```
return 0;
```

```
}
```

Question no. 10**Question no. 12**

ineuron