Connect the website

HappyHands


Northstar · Demo project

Your website, connected


Paste your website link

Analyze website

Complete page



Phone view



Phone · 390 × 844

Northstar

Demo project

`Connected repository`

`DESIGN.md`

`tokens.css`

`components/`

Confirm local access before analysis.

Start with your website.

Static storyboard concept · No executed outcome claimed

What happens

Enter the page URL, confirm local repository access and supply design sources. Show the complete Northstar page beside the connection form, plus its phone view.

Camera & transition

An enlarged URL control resolves into a full-page object, its source bundle and a phone view. Keep the neutral stage fixed. The page stays fixed as the analysis panel replaces the form.

Voiceover draft


Start with your website. Connect its repository and design sources, then confirm what the local workbench should review.

Analyze the whole page


HappyHands

Northstar · Demo project

Navigation → work → contact



Inspect the contact region



See the whole experience.

Static storyboard concept · No executed outcome claimed

What happens

Show the full-page overview from navigation through contact. Surface desktop and phone capture coverage and the declared enquiry interaction being reviewed.

Camera & transition

Track the scan across the complete page. A source-connected crop expands into the contact region and its evidence note. An analysis candidate anchors the next zoom to the Intro region.

Voiceover draft

Follow the page from top to bottom. Review layout, content hierarchy, spacing and planned interactions, with the checked scope always visible.

Inspect a specific finding


HappyHands

Northstar · Demo project

Keep the full page in view



Candidate 1 / 3



Find what needs attention.

Static storyboard concept · No executed outcome claimed

What happens

Select candidate 1. Highlight the copy-to-action relationship and show its screenshot, component source and design guidance. Keep the full-page navigator visible.

Camera & transition

Move closer to the selected component without losing the page locator. Hold the observed 16 px value next to the proposed rule. Follow the source reference into the design-system view.

Voiceover draft

Open a candidate and see where it occurs, what was observed and which source supports the proposed change. Confirm the intent before treating it as a defect.

Read the design system

HappyHands

Northstar · Demo project

The page



Northstar / Display

Ideas into products.

Digital products, thoughtfully put together.

Instrument Serif + Instrument Sans

#FFFFFF / #303328

Source → observed rule → approval

Space from the source

32 px

--space-8

src/styles/tokens.css

DESIGN.md / Intro spacing

Review & approve constraints

Understand your design system.

Static storyboard concept · No executed outcome claimed

What happens

Show type, colors and spacing alongside the complete page and actual named source paths. Review selected Foundation constraints before approving them.

Camera & transition

Pull type and spacing out of the page into connected specimens. Set 32 px at data scale, then anchor it back to the source. Carry the selected component reference into its anatomy and consumers.

Voiceover draft

Read the design language behind the page. Compare observed styles with DESIGN.md and tokens, then approve the constraints that should guide the work.


Inspect component anatomy

HappyHands

Northstar · Demo project

src/components/ActionLink.tsx

Used in
`Intro.tsx`



Used in
`Studio.tsx`

Source-declared states · Not replay evidence

Keep the shared control. Adjust its parent layout.

Break it down into components.

Static storyboard concept · No executed outcome claimed

What happens

Locate ActionLink inside Intro. Show its label, icon, declared states and two illustrative consumers. Keep the existing shared control and change its parent spacing only.

Camera & transition

Lift the selected control from the page into an exploded-view composition. Separate its label, spacing and icon; reveal states and consumers. Return to the parent layout with the proposed spacing adjustment highlighted.

Voiceover draft

Trace controls to their components, inputs and consumers. Reuse the shared parts where they fit; change only the layout that needs attention.


Preview the exact adjustment


HappyHands

Northstar · Demo project

16 → 32 px

--space-4 → --space-8





See exactly what will change.

Static storyboard concept · No executed outcome claimed

What happens

Display the proposed 32 px spacing on the same Intro, with 16 → 32 px and the token reference. Explicitly retain wording, imagery, navigation and ActionLink. Confirm the candidate and scope.

Camera & transition

Make 16 to 32 px the leading visual. Slide the exact source token into the page crop, keeping one bounded scope confirmation. The approved token change match-cuts into the source diff.

Voiceover draft

Preview the adjustment before code changes. Confirm the spacing, the source token and the boundaries: keep the content, imagery, navigation and shared control.

Apply the confirmed change

HappyHands

Northstar · Demo project


src/components/Intro.tsx — Scoped diff

```
export function Intro() {
  return (
    <section>
      <h1>Ideas into products.</h1>
      <div style={{
        display: 'flex',
        flexDirection: 'column',
-       gap: 'var(--space-4)',
+       gap: 'var(--space-8)',
      }}>
        <ActionLink href="#work"
          label="Explore our work" />
      </div>
    </section>
  );
}
```

No automatic push, merge or deployment.

Run confirmed change

Configured agent · Isolated Git copy



Source-linked preview

Turn the decision into code.

Static storyboard concept · No executed outcome claimed

What happens

Show the configured agent stage, isolated Git copy, Intro.tsx diff and source-linked managed preview. Change --space-4 to --space-8 in the parent layout.

Camera & transition

Follow the source diff across a shallow change of plane into the page result. Preserve the source path and execution boundary. Lock the preview state and split it into matched before and after evidence.


Voiceover draft

Run the confirmed change with the configured coding agent in an isolated copy. Inspect the exact source diff and the matching managed preview.

Compare and keep the record

HappyHands

Northstar · Demo project



Review the difference.

Static storyboard concept · No executed outcome claimed

What happens

Compare the same rendered Intro state at the same scale. Show 16 px before and 32 px after, the planned desktop/phone checks, independent review boundary and pending human decision. Retain the same run record.

Camera & transition

Use equal-scale before/after surfaces and a fixed comparison seam. The evidence condenses into a human-decision strip. End with the real HappyHands logo in the same workflow context, not a separate promotional card.

Voiceover draft

Compare matching page states and inspect independent review. Accept the change or request revision, with source, evidence and decisions kept in the same record.

Brand, type and capability boundaries

Official identity

Use the original HappyHands hand-and-wordmark artwork. The HTML/CSS scene compositions use the repository logo asset without changing its proportions.

Typeface roles

Instrument Sans Regular and Bold: exact loaded files for HappyHands film captions, controls and the review page. Instrument Serif Regular: display only inside the fictional Northstar project. Both use included OFL notices. All UI lettering is deterministically typeset in HTML/CSS with the self-hosted fonts.

Truthful demonstration

The scene imagery, code and pixel labels are illustrative. Before showing executed or verified outcomes in the finished film, replace them with a real scoped sample and its Harness evidence. Model candidates require confirmation; Foundation approval and human acceptance are separate decisions.

Current execution boundary

The public website carries project/task/source paths into the local workbench; it does not execute coding agents in the cloud. Codex CLI and Claude Code CLI are registered adapters. Captures cover declared states and viewports, not every unseen route.

Approval boundary

This deliverable is a static 85-second storyboard and narration draft. No video, sound, target-project edit, acceptance or production deployment is included.