


D05 | Within-county/event weather contrasts | All regimes pooled


All 12 channels x three strictly past bands and -1/0/+1 h; points are design-weighted paired means, lines are 95% CI.



Controls: mean of eligible fixed-clock anchors in the same county-event, more than 12 h from the observed case anchor; no quiet-outcome filter. Intervals: pointwise merged-event bootstrap conditional on anchors/reference; neither fitting uncertainty nor simultaneous confidence bands. Shaded near-0/+1 rows are not strictly-past forecasting information. +1 h accumulated weather/gust retrospectively covers the observation hour. Support varies by feature; N/A is not zero. Full coordinate-level support and all other predeclared features remain in the JSON. The PNG shows the pooled page. This PDF also contains every regime page; no channel or interval was selected by statistical significance.

D05 | Within-county/event weather contrasts | Tropical


All 12 channels x three strictly past bands and -1/0/+1 h; points are design-weighted paired means, lines are 95% CI.



Controls: mean of eligible fixed-clock anchors in the same county-event, more than 12 h from the observed case anchor; no quiet-outcome filter.
Intervals: pointwise merged-event bootstrap conditional on anchors/reference; neither fitting uncertainty nor simultaneous confidence bands.
Shaded near-0/+1 rows are not strictly-past forecasting information. +1 h accumulated weather/gust retrospectively covers the observation hour.
Support varies by feature; N/A is not zero. Full coordinate-level support and all other predeclared features remain in the JSON.
The PNG shows the pooled page. This PDF also contains every regime page; no channel or interval was selected by statistical significance.

D05 | Within-county/event weather contrasts | Winter


All 12 channels x three strictly past bands and -1/0/+1 h; points are design-weighted paired means, lines are 95% CI.



Controls: mean of eligible fixed-clock anchors in the same county-event, more than 12 h from the observed case anchor; no quiet-outcome filter.
Intervals: pointwise merged-event bootstrap conditional on anchors/reference; neither fitting uncertainty nor simultaneous confidence bands.
Shaded near-0/+1 rows are not strictly-past forecasting information. +1 h accumulated weather/gust retrospectively covers the observation hour.
Support varies by feature; N/A is not zero. Full coordinate-level support and all other predeclared features remain in the JSON.
The PNG shows the pooled page. This PDF also contains every regime page; no channel or interval was selected by statistical significance.

D05 | Within-county/event weather contrasts | Synoptic wind


All 12 channels x three strictly past bands and -1/0/+1 h; points are design-weighted paired means, lines are 95% CI.



Controls: mean of eligible fixed-clock anchors in the same county-event, more than 12 h from the observed case anchor; no quiet-outcome filter.
Intervals: pointwise merged-event bootstrap conditional on anchors/reference; neither fitting uncertainty nor simultaneous confidence bands.
Shaded near-0/+1 rows are not strictly-past forecasting information. +1 h accumulated weather/gust retrospectively covers the observation hour.
Support varies by feature; N/A is not zero. Full coordinate-level support and all other predeclared features remain in the JSON.
The PNG shows the pooled page. This PDF also contains every regime page; no channel or interval was selected by statistical significance.

D05 | Within-county/event weather contrasts | Convective

All 12 channels x three strictly past bands and -1/0/+1 h; points are design-weighted paired means, lines are 95% CI.



Controls: mean of eligible fixed-clock anchors in the same county-event, more than 12 h from the observed case anchor; no quiet-outcome filter.
Intervals: pointwise merged-event bootstrap conditional on anchors/reference; neither fitting uncertainty nor simultaneous confidence bands.
Shaded near-0/+1 rows are not strictly-past forecasting information. +1 h accumulated weather/gust retrospectively covers the observation hour.
Support varies by feature; N/A is not zero. Full coordinate-level support and all other predeclared features remain in the JSON.
The PNG shows the pooled page. This PDF also contains every regime page; no channel or interval was selected by statistical significance.

D05 | Within-county/event weather contrasts | Heavy rain

All 12 channels x three strictly past bands and -1/0/+1 h; points are design-weighted paired means, lines are 95% CI.



Controls: mean of eligible fixed-clock anchors in the same county-event, more than 12 h from the observed case anchor; no quiet-outcome filter.
Intervals: pointwise merged-event bootstrap conditional on anchors/reference; neither fitting uncertainty nor simultaneous confidence bands.
Shaded near-0/+1 rows are not strictly-past forecasting information. +1 h accumulated weather/gust retrospectively covers the observation hour.
Support varies by feature; N/A is not zero. Full coordinate-level support and all other predeclared features remain in the JSON.
The PNG shows the pooled page. This PDF also contains every regime page; no channel or interval was selected by statistical significance.