
FitPal — Persistent Fitness Coach With Cross-Session Memory

> **Short description:** A coaching assistant that remembers your goal, equipment, and injuries across **separate** conversations — so a brand-new session already knows your knee is bad before it writes a workout — and lets you wipe everything with `forget_me`. Two memory systems on a LangGraph graph: a per-conversation checkpointer and a per-user long-term store.

Tech: Python · LangGraph (`SqliteSaver` + `InMemoryStore`) · `langchain-openai` · Pydantic · **Type:** Single-agent chat with long-term memory · **Level:** Intermediate

Demo




```
$ python main.py
You: My left knee is bad - avoid deep squats. I only have dumbbells.
FitPal: Got it - I'll keep workouts knee-safe and dumbbell-only.
# ...a brand-new session, same user...
You: Give me a quick leg workout.
FitPal: Sure - dumbbell Romanian deadlifts and glute bridges (no deep squats
for that knee)...
You: forget_me
FitPal: forgotten — removed 3 saved facts.
```

Overview

A coach that forgets your bad knee between sessions is dangerous. FitPal remembers the things that matter, by keeping two kinds of memory straight:

- **Short-term (checkpointer, keyed by `thread_id`)** — this session's messages; a `SqliteSaver` persists a conversation across restarts.
- **Long-term (Store, keyed by `user_id`)** — durable facts about *you* (goal, equipment, injury), read by a brand-new session before it answers.

The hard part is **deciding what's worth saving** (most messages save nothing), saving under **stable keys** so a goal change updates instead of duplicating, and a `forget_me` that deletes **everything** — the privacy promise any health assistant must keep.

Why

Any assistant people come back to is more useful when it remembers them and more trustworthy when it can forget them. The architecture is always the same: two memories kept separate, the judgement of what's worth keeping, and a respectful delete. With health data the stakes are concrete — the memory has to be deletable.

Features

- Two memory systems: `SqliteSaver` checkpointer (per thread) + `InMemoryStore` (per user).
- A `recall_node` that loads your facts into the coaching system prompt.
- A `write_back_node` using a structured `MemoryDecision` to save only durable facts, under stable keys (goal/equipment/injury/schedule).
- A `forget_me` command that deletes **every** stored item for the user.

Architecture

```
START -> recall -> chat -> write_back -> END

recall      : read the Store (by user_id) -> state["recalled"]
chat        : coaching prompt + recalled facts + conversation -> reply
write_back  : decide_memory(last user message) -> save durable facts only

checkpointer (SqliteSaver, by thread_id)  : this session's messages
store (InMemoryStore, by user_id)         : durable facts about the user
```

Project Structure

```
<repo folder>/ (FitPal-Persistent-Fitness-Coach-With-Cross-Session-Memory/)
├── src/
│   ├── memory/                recall_facts/save_fact/forget_user; decide_memory
│   ├── models/llm.py          get_model()
│   ├── prompts/               chat.txt, writer.txt
│   ├── utils/                 logger.py, prompts.py
│   ├── __init__.py
│   ├── config.py
│   ├── exceptions.py
│   ├── graph.py               build_graph(model, store, checkpointer)
│   ├── nodes.py               recall_node, chat_node, write_back_node
│   └── state.py               ChatState
├── tests/
│   ├── integration/test_live_memory.py
│   └── unit/                  test_config, test_store
├── .env.example
├── .gitignore
├── LICENSE
├── main.py
├── README.md
└── requirements.txt
```

Getting Started

Requirements: Python 3.10+ and an OpenAI API key.

```
git clone <this-repo-url>
cd FitPal-Persistent-Fitness-Coach-With-Cross-Session-Memory
python -m venv .venv
source .venv/bin/activate          # Windows: .venv\Scripts\activate
pip install -r requirements.txt
cp .env.example .env               # then put your key in .env
```

Configuration

Variable	Required	Default	Meaning
`OPENAI_API_KEY`	yes	—	Your OpenAI API key
`LOG_LEVEL`	no	`INFO`	Log verbosity

Usage

```
python main.py
# tell it your goal/equipment/injuries; a new session still knows them;
# type forget_me to wipe your memory.
```

Running the Tests

```
# unit — no model, no network
python -m tests.unit.test_config
python -m tests.unit.test_store

# integration — real model: cross-session recall, write-back, forget
python -m tests.integration.test_live_memory
```

Design Decisions

- **Two memory systems, kept separate** — the checkpointer is keyed by thread (this session); the Store is keyed by user (facts about you). A fact's home is decided by which question it answers.
- **Stable keys** — saving `goal` again updates it, so a new goal replaces the old instead of contradicting it.
- **The writer says no most of the time** — a structured `MemoryDecision` keeps the Store to durable facts, not every "felt tired today".
- **Deletable by design** — health facts *must* be wipeable; `forget_me` removes every key.

Limitations and Roadmap

- `SqliteSaver` persists a conversation across restarts; `InMemoryStore` holds user facts for the life of the process. For user memory that survives a restart, swap in a file- or database-backed store with the same `put` / `get` / `search` / `delete` interface — no other code changes.

License

MIT — see `LICENSE`.