

Step 1: Launch Instance and Configure AWS CLI

1. Launch EC2 instance.

2. Connect using MobaXterm:

```
ssh -i key.pem ec2-user@<Public-IP>
```

3. Switch to root: sudo su -

4. Configure CLI:

```
aws configure
```

- Access Key ID

- Secret Access Key

- Default region: ap-south-1

- Default output: table

Step 2: Create Buckets in Mumbai and Ohio

```
aws s3 mb s3://vel-buck-mumbai --region ap-south-1
```

```
aws s3 mb s3://vel-buck-ohio --region us-east-2
```

Step 3: List Buckets and Contents

```
aws s3 ls                # List all buckets
```

```
aws s3 ls s3://vel-buck-mumbai    # List contents of specific bucket
```

Step 4: Upload Object to Bucket

```
vi index.html            # Add: Hello HTML file
```

```
aws s3 cp index.html s3://vel-buck-mumbai
```

Step 5: Upload Multiple Files

```
mkdir velocity && cd velocity
```

```
touch 1 2 3 4 && cd ..
```

```
aws s3 cp velocity s3://vel-buck-mumbai --recursive
```

```
aws s3 cp velocity s3://vel-buck-mumbai/velocity --recursive
```

Step 6: Download Files from S3

Rupali

```
aws s3 cp s3://vel-buck-mumbai/index.html .
```

```
aws s3 cp s3://vel-buck-mumbai/index.html /mnt
```

```
aws s3 cp s3://vel-buck-mumbai/velocity /mnt/velocity --recursive
```

Step 7: Delete File or Bucket

```
aws s3 rm s3://vel-buck-mumbai/index.html      # Delete object
```

```
aws s3 rb s3://vel-buck-mumbai                  # Remove empty bucket
```

```
aws s3 rb s3://vel-buck-mumbai --force          # Remove with all files
```

Step 8: Bucket to Bucket Copy

```
aws s3 cp s3://vel-buck-mumbai/index.html s3://vel-buck-ohio/index.html
```

```
aws s3 cp s3://vel-buck-mumbai/velocity s3://vel-buck-ohio/velocity --recursive
```

Step 9: Rename Object

```
aws s3 cp s3://vel-buck-mumbai/old.txt s3://vel-buck-mumbai/new.txt
```

Step 10: Change Storage Class

```
aws s3 cp index.html s3://vel-buck-mumbai/index.html --storage-class STANDARD_IA
```

```
aws s3 cp s3://vel-buck-mumbai/index.html s3://vel-buck-mumbai/index.html --storage-class ONEZONE_IA
```

Step 11: Use of Sync Command

```
mkdir rupali && cd rupali
```

```
touch 1 2 3 4
```

```
vi 1 -> write 'Rupali file 1'
```

```
vi 2 -> write 'Rupali file 2'
```

```
vi 3 -> write 'Rupali file 3'
```

```
vi 4 -> write 'Rupali file 4'
```

```
cd ..
```

```
aws s3 sync rupali s3://vel-buck-mumbai/rupali
```

```
aws s3 sync s3://vel-buck-mumbai/rupali /mnt/rupali
```

Step 12: CLI Help

aws s3 help

aws s3 cp help

aws s3 sync help