



Non-toxic & non-conductor



No Wall Delamination



No Mechanical Failures



Light Weight & Strong



Wide Range & Compatibility



No Mechanical Failures





#### **uPVC UNDERGROUND DRAINAGE SYSTEM**

Underground Drainage Pipes are mfg. as per IS:16098-1 & Fittings are mfg. as per EN 1401-1

#### FOAM CORE - PUSHFIT TYPE

Single Socket SN 2 (3 Mtr) - HSN CODE: 39172390



Speciality

■Introducing Shortly

	Size (cm)	Size (inch)	Part No.	MRP ` Incl. of all Taxes / Length
	16.0	6	70002145	2465
	20.0	8	70002146	3745
	25.0	10	70002147	6135
31.5	12	70002148	9475	

#### **Doulbe Socket SN 2 (3 Mtr)** - HSN CODE: 39172390



Size (cm)	Size (inch)	Part No.	MRP ` Incl. of all Taxes / Length
16.0	6	70002153	2570
20.0	8	70002154	3915
25.0	10	70002155	6450
31.5	12	70002156	9925

#### Single Socket SN 2 (6 Mtr) - HSN CODE: 39172390

_				
	16.0	6	70002149	4845
	20.0	8	70002150	7365
	25.0	10	70002151	12030
cablive	31.5	12	70002152	18590

#### Double Socket SN 2 (6 Mtr) - HSN CODE: 39172390




16.0	6	70002157	4975
20.0	8	70002158	7575
25.0	10	70002159	12415
31.5	12	70002160	19125

#### Single Socket SN 4 (3 Mtr) - HSN CODE: 39172390


	11.0	4	70002169	1585
1 9	16.0	6	70002170	2975
11	20.0	8	70002171	4695
Policy	25.0	10	70002172	7120
	31.5	12	70002173	10950

#### Double Socket SN 4 (3 Mtr) - HSN CODE: 39172390



le Socket	SN 4 (6 Mtr) - HS	SN CODE : 391	72390	
	11.0	4	70002174	3110
6 9	16.0	6	70002175	5860
	20.0	8	70002176	9265
ashires	25.0	10	70002177	13995
	31.5	12	70002178	21540

#### Double Socket SN 4 (6 Mtr) - HSN CODE: 39172390



# Revised Single Socket SN 8 (3 Mtr) - HSN CODE: 39172390

	11.0	4	70002199	1845
	16.0	6	70002200	3690
drived	20.0	8	70002201	5585
	25.0	10	70002202	8235
đ.	31.5	12	70002203	13015

Double Socket SN 8 (3 Mtr) - HSN CODE: 39172390



11.0	4	70002209	1915
16.0	6	70002210	3810
20.0	8	70002211	5775
25.0	10	70002212	8565
31.5	12	70002213	13500

#### Single Socket SN 8 (6 Mtr) - HSN CODE: 39172390

	11.0	4	70002204	3640
1 3	16.0	6	70002205	7295
	20.0	8	70002206	11040
beyinda	25.0	10	70002207	16220
	31.5	12	70002208	25670

#### Double Socket SN 8 (6 Mtr) - HSN CODE: 39172390



11.0	4	70002214	3725
16.0	6	70002215	7450
20.0	8	70002216	11300
25.0	10	70002217	16650
31.5	12	70002218	26280

#### Without Socket SN 2 (3 Mtr) - HSN CODE: 39172390

	Size (cm)	Size (inch)	Part No.	MRP ` Incl. of all Taxes / Length
	16.0	6	70002161	2345
	20.0	8	70002162	3565
iges ).	25.0	10	70002163	5790
	31.5	12	70002164	8935

#### Without Socket SN 2 (6 Mtr) - HSN CODE: 39172390

	16.0	6	70002165	4690
100	20.0	8	70002166	7125
Lique	25.0	10	70002167	11590
	31.5	12	70002168	17870

#### Without Socket SN 4 (3 Mtr) - HSN CODE: 39172390

	11.0	4	70002189	1515
100	16.0	6	70002190	2845
	20.0	8	70002191	4500
	25.0	10	70002192	6760
	31.5	12	70002193	10380

#### Without Socket SN 4 (6 Mtr) - HSN CODE: 39172390

11.0	4	70002194	3030
16.0	6	70002195	5695
20.0	8	70002196	8995
25.0	10	70002197	13520
31.5	12	70002198	20760

#### Without Socket SN 8 (3 Mtr) - HSN CODE: 39172390


11.0	4	70002219	1775
16.0	6	70002220	3550
20.0	8	70002221	5375
25.0	10	70002222	7855
31.5	12	70002223	12410

#### Without Socket SN 8 (6 Mtr) - HSN CODE: 39172390


	11.0	4	70002224	3550
	16.0	6	70002225	7105
1	20.0	8	70002226	10745
	25.0	10	70002227	15710
	31.5	12	70002228	24815

#### **SOLID CORE - PUSHFIT TYPE**


**Single Socket SN 2 (3 Mtr)** - HSN CODE: 39172390




Single Socket SN 2 (6 Mtr) - HSN CODE: 39172390




Single Socket SN 4 (3Mtr) - HSN CODE: 39172390



#### Single Socket SN 4 (6 Mtr) - HSN CODE: 39172390



#### **Single Socket SN 8 (3 Mtr)** - HSN CODE : 39172390



#### **Single Socket SN 8 (6 Mtr)** - HSN CODE: 39172390

	7.5	21/2	70006135	1765
	9.0	3	70006139	2185
	11.0	4	70006143	2990
	16.0	6	70006155	6385
	20.0	8	70006167	9980
prove	25.0	10	70006179	15590
	31.5	12	70006191	24650







#### Plain Bend / Elbow - HSN CODE: 39172390



Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
11.0	4	70001680	30	325
16.0	6	70001681	10	790
20.0	8	70001682	04	1460
25.0 (T)	10.0	50000168	01	5110
31.5 (T)	12.0	50000169	01	9860

#### Bend 45° / Shoe Bend - HSN CODE: 39172390



11.0	4	70001683	37	270
16.0	6	70001684	12	645
20.0	8	70001685	05	1690
25.0 (T)	10	50000170	01	4155
31.5 (T)	12	50000171	01	7345

#### Adjustable Bend 5°-30° (T) - HSN CODE: 39172390



#### Single Y - HSN CODE: 39172390



11.0	4	70001703	16	555
16.0	6	70001704	04	1365
20.0	8	70001705	02	2590

# Introducing Shortly Single Tee - HSN CODE: 39172390



(cm)	(inch)	No.	Pkg.	Incl. of all Taxes / pc
11.0	4	70001686	24	440
16.0	6	70001687	06	1060
20.0	8	70001688	02	2040

#### Reducing Tee - HSN CODE: 39172390



16.0 x 11.0	6x4	70001695	10	830
20.0 x 11.0	8 x 4	-	-	-
20.0 x 16.0	8x6	-	-	-

#### **Tee Double Socket 870 (T)** - HSN CODE: 39172390

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	20.0 x 11.0	8 x 4	50000177	01	3005
	20.0 x 16.0	8x6	50000178	01	3315
	25.0 x 11.0	10 x 4	50000179	01	5425
	25.0 x 16.0	10 x 6	50000180	01	5685
1	25.0 x 20.0	10 x 8	50000181	01	6215
	25.0 x 25.0	10 x 10	50000172	01	6335
	31.5 x 11.0	12 x 4	50000182	01	8805
	31.5 x 16.0	12 x 6	50000183	01	9035
	31.5 x 20.0	12 x 8	50000184	01	9275
	31.5 x 31.5	12 x 12	50000173	01	12605

#### Tee Triple Socket (T) - HSN CODE: 39172390



16.0 x 16.0	6x6	50000175	01	2380
20.0 x 20.0	8 x 8	50000176	01	4010
20.0 x 11.0	8 x 4	50000187	01	3755
20.0 x 16.0	8x6	50000188	01	3925

#### **Branch Double Socket 45° (T)** – HSN CODE : 39172390



	16.0 x 11.0	6x4	50000199	01	1875
	20.0 x 11.0	8 x 4	50000190	01	2615
	20.0 x 16.0	8x6	50000191	01	3345
	25.0 x 11.0	10 x 4	50000192	01	5800
	25.0 x 16.0	10 x 6	50000193	01	5885
9	25.0 x 20.0	10 x 8	50000194	01	6570
	25.0 x 25.0	10 x 10	50000208	01	8605
	31.5 x 11.0	12 x 4	50000195	01	8520
	31.5 x 16.0	12 x 6	50000196	01	8555
	31.5 x 20.0	12 x 8	50000197	01	10015
	31.5 x 31.5	12 x 12	50000209	01	17630

## **Branch Triple Socket 45° (T)** - HSN CODE: 39172390



	11.0	4	50000210	01	1180
1	16.0	6	50000211	01	2895
	20.0	8	50000213	01	5125
	16.0 x 11.0	6x4	50000202	01	2125
	20.0 x 11.0	8 X 4	50000203	01	4295
	20.0 x 16.0	8x6	50000204	01	4180

#### $\textbf{NRV} \ / \ \textbf{Back Flow Preventer} - \text{HSN CODE} : 39172390$

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	11.0	4	70001725	03	2675
	16.0	6	70001726	01	6129
	20.0 (T)	8	50000214	01	12015
	25.0 (T)	10	50000215	01	21790
	31.5 (T)	12	50000216	01	33855

#### Flap For NRV - HSN CODE: 39172390

11.0	4	70002871	01	35
16.0	6	70002820	01	68

#### Running 'P' Trap / Sewer Trap - HSN CODE: 39172390

11.0	4	50000695	01	3075
16.0	6	50000696	01	6545

#### Easy Clip - HSN CODE: 39172390

16.0	6	50000219	01	12015
20.0	8	50000220	01	16345

New	dechanical Sc	ıddle - HSN (	CODE:39	9172390		
		20.0 x 16.0	8x6	50000223	01	5850
<u>a</u>	25.0 x 16.0	10 x 6	50000224	01	5655	
eciality		31.5 x 16.0	12 x 6	50000225	01	5905
Spe		40.0 x 16.0	14 x 6	50000226	01	6035

#### Swivel (T) - HSN CODE: 39172390

	16.0	6	50000218	01	4310
--	------	---	----------	----	------

# ■Introducing Shortly **Socket Plug (T)** - HSN CODE: 39172390

20.0	8	50000161	01	615
25.0	10	50000162	01	1920
31.5	12	50000163	01	3560

Revised	Coupler - HSN	NCODE:3	9172390			
Ž.		11.0	4	70001675	48	220
		16.0	6	70001676	16	460
		20.0	8	70001677	06	950
		25.0	10	70001678	02	1700
		31.5	12	70001679	02	3055

#### Repair Coupler - HSN CODE: 39172390

	11.0	4	70001670	48	220
	16.0	6	70001671	16	460
	20.0	8	70001672	06	950
	25.0	10	70001673	02	1700
	31.5	12	70001674	02	3055

#### $\textbf{Reducer Offset} \ / \ \textbf{Eccentric Reducer} - \text{HSN CODE} : 39172390$

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP` Incl. of all Taxes / pc
	16.0 x 11.0	6x4	70001664	32	505
	20.0 x 16.0	8x6	70001665	10	765
2	25.0 x 20.0	10 x 8	70001666	06	1485
	25.0 x 16.0	10 x 6	70001667	08	1360
	31.5 x 20.0	12 x 8	70001668	04	2605
	31.5 x 25.0	12 x 10	70001669	02	2835

#### Reducing Y without Door - HSN CODE: 39172390

	16.0 x 11.0	6x4	70001696	07	1160
	20.0 x 11.0	8x4	70005007	01	2680
	20.0 x 16.0	8x6	70005008	01	3430

#### Long Swept Bend - HSN CODE: 39172390

11.0	4	70001689	24	445
16.0	6	70001690	06	840
20.0	8	70001691	03	1735

#### Long Swept Tee - HSN CODE: 39172390

11.0	4	70001692	16	545
16.0	6	70001693	05	1365
20.0	8	70001694	01	2490

#### Cleaning Pipe / Access Pipe - HSN CODE: 39172390

11.0	4	70001697	24	472
16.0	6	70001698	07	1040
20.0 (T)	8	50000205	01	3570

#### **End Cap** - HSN CODE: 39172390

20.0	8	70001659	70	220
25.0	10	70001660	36	345
31.5	12	70001661	17	695

#### Bottle Gully Trap with Jali - Single Side - HSN CODE: 39172390

	11.0	4	70001699	06	830
--	------	---	----------	----	-----








#### **Bottle Gully Trap with Jali - Double Side** - HSN CODE: 39172390

Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP \ Incl. of all Taxes / pc
11.0	4	70001700	06	915

#### Brown Seal 'O' Ring - HSN CODE: 40161000



#### Rubber Lubricant - HSN CODE: 34031900



100	50000653	120	26
250	50000654	48	49
500	50000655	24	98

#### Bottle Gully Trap Inner - HSN CODE: 39172390



16.0	6	70001701	01	360

#### Bottle Gully Trap Jali - HSN CODE: 39172390



16.0	6	70001702	01	135	

# ■Introducing Shortly Bottle Gully Trap Washer - HSN CODE: 40161000



16.0	6	30000183	01	50

# FOAM CORE -SOLFIT TYPE Single Socket SN 2 (3 Mtr) - HSN Single Socket SN 2 (3 Mtr) - HSN CODE: 39172390



16.0	6	70002229	2405
20.0	8	70002230	3655
25.0	10	70002231	5985
31.5	12	70002232	9240

#### Single Socket SN 2 (6 Mtr) - HSN CODE: 39172390



16.0	6	70002233	4725
20.0	8	70002234	7180
25.0	10	70002235	11730
31.5	12	70002236	18125

#### **Single Socket SN 4 (3 Mtr)** - HSN CODE: 39172390

The Underground Revolution



11.0	4	70002237	1540
16.0	6	70002238	2900
20.0	8	70002239	4575
25.0	10	70002240	6940
31.5	12	70002241	10675

#### Single Socket SN 4 (6 Mtr) - HSN CODE: 39172390



Size (cm)	Size (inch)	Part No.	MRP ` Incl. of all Taxes / Length
11.0	4	70002242	3035
16.0	6	70002243	5715
20.0	8	70002244	9030
25.0	10	70002245	13645
31.5	12	70002246	21000

#### Single Socket SN 8 (3 Mtr) - HSN CODE: 39172390

	_	
		4
		ı
		ı
	Į,	

11.0	4	70002247	1800
16.0	6	70002248	3600
20.0	8	70002249	5445
25.0	10	70002250	8030
31.5	12	70002251	12690

#### Single Socket SN 8 (6 Mtr) - HSN CODE: 39172390



	11.0	4	70002252	3550
	16.0	6	70002253	7115
	20.0	8	70002254	10765
	25.0	10	70002255	15815
	31.5	12	70002256	25030

#### **SOLID CORE - SOLFIT TYPE**

#### Single Socket SN 2 (3 Mtr) - HSN CODE: 39172390



16.0	6	70006148	2070
20.0	8	70006160	3155
25.0	10	70006172	4955
31.5	12	70006184	7980

#### Single Socket SN 2 (3 Mtr) - HSN CODE: 3917239




16.0	6	70006149	4140
20.0	8	70006161	6315
25.0	10	70006173	9915
31.5	12	70006185	15955

#### Single Socket SN 4 (3 Mtr) - HSN CODE: 3917239



16.0	6	70006152	2555
20.0	8	70006164	3870
25.0	10	70006176	6245
31.5	12	70006188	9845

#### Single Socket SN 4 (6 Mtr) - HSN CODE: 39172390



#### Single Socket SN 8 (3 Mtr) - HSN CODE: 39172390

■ Revised ■ Introducing Shortly

	6.3	2	70006112	680
_	7.5	21/2	70006136	840
	9.0	3	70006140	1050
	11.0	4	70006144	1400
divos	16.0	6	70006156	2980
1	20.0	8	70006168	4650
	25.0	10	70006180	7300
	31.5	12	70006192	11680

#### Single Socket SN 8 (6 Mtr) - HSN CODE: 39172390

	6.3	2	70006113	1360
	7.5	21/2	70006137	1685
	9.0	3	70006141	2105
	11.0	4	70006145	2795
	16.0	6	70006157	5960
	20.0	8	70006169	9300
	25.0	10	70006181	14600
	31.5	12	70006193	23360

#### $\textbf{Plain Bend} \ / \ \textbf{Elbow} - \text{HSN CODE} : 39172390$

-	11.0	4	70001782	32	280
	16.0	6	70001783	12	680

#### Bend 45° / Shoe Bend - HSN CODE: 39172390

11.0	4	70001786	43	235
16.0	6	70001787	13	520

#### **Single Y** - HSN CODE: 39172390

11.0	4	70001792	18	510
16.0	6	70001793	05	975

#### Single Tee - HSN CODE: 39172390

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP \ Incl. of all Taxes / pc
	11.0	4	70001788	25	380
	16.0	6	70001789	07	900

## Coupler / Socket - HSN CODE: 39172390

	11.0	4	70001774	75	150
	16.0	6	70001775	30	305
	20.0	8	70001776	06	985
	25.0	10	70001777	04	1690
	31.5	12	70001778	02	3500

#### Reducer Offset / Eccentric Reducer - HSN CODE: 39172390

	16.0 x 11.0	6x4	70001773	48	330
--	-------------	-----	----------	----	-----

#### $\textbf{Reducer Coupler} \ / \ \textbf{Concentric Reducer} \ - \ \textbf{HSN CODE} : 39172390$

	20.0 x 16.0	8x6	70001779	10	760
	25.0 x 20.0	10 x 8	70001780	06	1405
	31.5 x 25.0	12 x 10	70001781	02	2715

#### Equal Elbow - HSN CODE: 3917

16.0	6	70001785	12	715
20.0	8	70001784	04	1675

#### Equal Tee - HSN CODE: 39172390



#### Reducing Tee - HSN CODE: 39172390









#### **UNDERGROUND SEWAGE SOLUTIONS**

#### **INSPECTION CHAMBERS**

315 Dia, 6-11.0 cm Connection – HSN CODE : 39229000

*	_
-	

Size (cm)	Part No.	Std. Pkg.	MRP ₹ Incl. of all Taxes / pc
6-315.6-110	50001466	02	1434

#### **315 Dia, 4-11.0 cm Connection** - HSN CODE: 39229000



4-315.4-110	50001473	02	1383

# 315 Dia, 2-11.0 cm Connection 90° Bend L/R - HSN CODE: 39229000



2-315.2-110.L/R-90	50001534	02	1323

#### **315 Dia, 3-11.0 cm Connection 90° Bend L/R** – HSN CODE : 39229000



3-315.3-110.L/R-90	50001535	02	1488

#### **315 Dia, 3-11.0 cm Connection 90° Bend R** – HSN CODE : 39229000



3-315.3-110.R-90 50001514 02 1494

#### **315 Dia, 3-11.0 cm Connection 90° Bend L** - HSN CODE: 39229000



3-315.3-110.L-90	50001515	02	1494

#### **315 Dia, 2-11.0 cm Straight Connection** – HSN CODE: 39229000

	(cm)	No.	Pkg.	Taxes / pc
•	2-315.2-110.S	50001516	02	1393

#### **450 Dia, 4-16.0 cm, 2-11.0 cm Connection** - HSN CODE: 39229000



6-450.4-160.2-110	50001517	01	3488


**MRP**₹

## **450 Dia, 2-20.0 cm, 2-16.0 cm, 2-11.0 cm Connection** – HSN CODE :



6-450.2-200.2-160.2-110	50001518	01	4191

#### Riser - HSN CODE: 39229000



#### Chamber Cover - HSN CODE: 39229000

31.5	50001484	01	1439
45.0	50001485	01	3287

#### Chamber Cover Frame - HSN CODE: 39229000

31.5	50001486	01	608
45.0	50001487	01	806



#### Inspection Chamber Frame & Cover (Assembly) - HSN CODE: 39229000

	•				
		Size (cm)	Part No.	Std. Pkg.	MRP₹ Incl. of all Taxes / pc
New		31.5	50001488	07	2047
Speciality	0	45.0	50001489	03	4092
	/ater Meter C	Chamber (Full S	Set) - HSN CODE:	39229000	
shortly		Size (cm)	Part No.	Std. Pkg.	MRP ₹ Incl. of all Taxes / pc
Revised Introducing Shortly		31.5	70001714	02	3200
Revised		45.0	70001713	02	6830

## Dummy Plug - HSN CODE: 39229000



## $\textbf{Inspection Chamber Washers} - \mathsf{HSN}\,\mathsf{CODE}\,; 39229000$

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ₹ Inc. of all Taxes/pc
	315 Li	d Washer			
	31.5	12	30000188	01	56
	315 Fr	ame Washer			
	31.5	12	30000189	01	56
	315 Ba	ase Washer			
	31.5	12	30001236	01	88
	31.5	12	30000190	01	105
	450 L	id Washer			
	45.0	18	30000184	01	131
	450 F	rame Washer			
	45.0	18	30000185	01	156
	450 R	tiser Washer			
	45.0	18	30000191	01	129




#### **UNDERGROUND SEWAGE SOLUTIONS**

#### INTRODUCING SHORTY INSPECTION

#### **CHAMBERS AND MANHOLES**

#### **5 WAY CHAMBER 500 dia** - HSN CODE: 39229000

			.07227000		
	Size (Dia/mm)	Part No.	Std. Pkg.	MRP ₹ Inc. of all Taxes/pc	
·	500 mm di	a, 500 mm Hei	ght, Inlet/Outle	t - 110 & 160 mm witho	ut lid
	500		01		
)	500 mm di	a, 750 mm Heiç	ght, Inlet/Outle	t - 110 & 160 mm withou	ut lid
	500		01		
	500 mm di	a, 1000 mm He	ight, Inlet/Outl	et - 110 & 160 mm witho	out lid
	500		01		



#### **3 WAY CHAMBER 600 dia** - HSN CODE: 39229000

	600 mm dia, 500 r lid	nm Height, Inlet/Outlet - 160, 200 & 250 mm without
	600	01
	600 mm dia, 750 m lid	nm Height, Inlet/Outlet - 160, 200 & 250 mm without
	600	01
	600 mm dia, 1000 l lid	mm Height, Inlet/Outlet - 160, 200 & 250 mm without
	600	01
	600 mm dia, 1250 without lid	mm Height, Inlet/Outlet - 160, 200 & 250 mm
	600	01

#### **3 WAY CHAMBER 600 dia** – HSN CODE: 39229000


Size (Dia/mm)	Part No.	Std. Pkg.	MRP ₹ Inc. of all Taxes/pc	MRP₹ Incl. of all Taxes for Std. Pkg.
600 mm di without lid	a, 500 mm Hei	ght, Inlet/Outle	et - 160, 200, 250	) & 315 mm
600		01		
600 mm di without lid	a, 750 mm Hei	ght, Inlet/Outle	et - 160, 200, 250	& 315 mm
600		01		
600 mm die without lid	a, 1000 mm He	ight, Inlet/Outle	et - 160, 200, 250	& 315 mm
600		01		
600 mm di without lid	a, 1250 mm He	ight, Inlet/Outle	et - 160, 200, 250	0 & 315 mm
600		01		

#### **3 WAY CHAMBER 800 dia** - HSN CODE: 39229000

	lid	
	800	01
	800 mm dia, 1250 mm He lid	eight, Inlet/Outlet - 200, 250 & 315 mm without
•	800	01
	800 mm dia, 1500 mm He lid	ight, Inlet/Outlet - 200, 250 & 315 mm without
	800	01

800~mm dia, 1000 mm Height, Inlet/Outlet – 200, 250 & 315 mm without

#### **3 WAY CHAMBER 1000 dia** - HSN CODE: 39229000



5 Way Manhol	l <b>e 800 dia</b> - HSN CODE : 39229000					
	800 mm dia, 1000	0 mm Height, Inlet/Outlet - 110 & 160 mm without lid				
	800	01				
	800 mm dia, 1250	0 mm Height, Inlet/Outlet - 110 & 160 mm without lid				
	800	01				
	800 mm dia, 1500	0 mm Height, Inlet/Outlet - 110 & 160 mm without lid				
	800	01				







75

#### **5 Way Manhole 1000 dia** - HSN CODE: 39229000



#### Lid Non Traffic Area - HSN CODE: 39229000

	500	50000701	01	4458
	600	50000687	01	5572

#### 635 dia Manhole FRP Chamber Frame & Cover (Assembly - Round) - HSN CODE: 39229000

	<b>Load</b> capacity	Part No.	Std. Pkg.	MRP ₹ Inc. of all Taxes/pc
Zew	2.5 T	50000827	01	7800
	5T	50000829	01	12000
Speciality	10 T	50000828	01	15666
Spec	25 T	50000830	01	18333
- LICKLOODE		namber Frame (	S Cover (Asser	mbly - Square)
- LICKLOODE			S Cover (Asser	mbly - Square)
Shortly - HSN CODE	: 39229000	)		
- LICKLOODE	2.5 T	50000831	01	9000

Introducing Shortly

2.5 T	50000831	01	9000
5T	50000832	01	12000
10 T	50000833	01	16666
25 T	50000834	01	20000
	5 T	5T 50000832 10 T 50000833	5T 50000832 01 10 T 50000833 01

#### Gully Trap Body - HSN CODE: 39229000

J	<b>Size</b> (Dia/mm)	Part No.	Std. Pkg.	MRP₹ Inc. of all Taxes/pc
	110	50001030	01	2377

#### Water Meter Chamber Body without Lid - HSN CODE: 39229000

	31.5 CM (180 mm HT)	50001028	01	2486
	45.0 CM	50001029	01	3360

#### Rubber Inlet Seal - HSN CODE: 39229000

	110	50000011	01	377
	160	50000012	01	504
$\bigcup$	200	50000013	01	727
	250	50000014	01	813

#### Hole Saw Cutter Fullset - HSN CODE: 39229000

7	110/160	50001616	01	2835
	200/250	50001528	01	4253

### OTHER TRADED PRODUCTS

Grease Interceptors - HSN CODE: 39229000						
	Flow rate	Inlet connection	Part No.	Std. Pkg.	MRP ₹ Incl. of all Taxes / pc	
	0.94	2 inch	50000130	01	32240	
	1.60	3 inch	50000132	01	46108	
	1.60 (LOW)	2 inch	50000133	01	73217	
	3.20	4 inch	50000135	01	98108	

#### Solid Interceptors - HSN CODE: 39229000

3.20 2 inch 50000136 01 3	33511
---------------------------	-------

#### Riser For Grease Interceptors - HSN CODE: 39229000

1.60	50000152	01	32529
3.20	50000153	01	35014

Part

#### Fire Collars - HSN CODE:

(mm & mi)	NO.	PKg.	Taxes / pc
Promastop ·			
2250 mm	50000241	01	28889
Promastop - Sealant			
300 ml	50000242	01	2311

#### Air Admittance Valves - HSN CODE:

30 - 50	50000157	01	4617
---------	----------	----	------

#### Filter Release Valves - HSN CODE: 84212190



MRP ₹



# 4 LAYER **WeatherGuard**

# **WATER STORAGE TANKS**















Price: Available on Request