


















## SILENT / SILENT PLUS SWR DRAINAGE SYSTEM

#### Silent / Silent Plus SWR Pipes and Fittings are Tested as per international standard EN 14366

#### SILENT SWR SYSTEM - PUSHFIT

#### Single Socket (Pushfit) 3 Mtr. - HSN CODE: 39172390



#### Single Socket (Solfit Pipe) 3 Mtr. - HSN CODE: 39172390

4.0	111/4	70002858	701
5.0	11/2	70002859	891
6.3	2	70002860	1137
7.5	21/2	70001906	1490
9.0	3	70001907	1752
11.0	4	70001908	2263
16.0	6	70001909	4055
20.0	8	70001910	6518

# 7.5 2½ 9.0 3 11.0 4 16.0 6 20.0 8 Plain Bend / Elbow - HSN CODE: 39172390 Size (mh) 7.5 2½ 9.0 3 11.0 4 16.0 6 20.0 8

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP` Incl. of all Taxes / pc
- Tin	7.5	21/2	70001514	50	214
	9.0	3	70001515	30	323
	11.0	4	70001516	30	412
	16.0	6	70001517	10	985
	20.0	8	70001518	04	1878

#### Door Bend / Door Elbow - HSN CODE: 39172390

	7.5	21/2	70001519	40	271
	9.0	3	70001520	26	383
	11.0	4	70001521	25	511
	16.0	6	70001522	10	1083
	20.0	8	70001523	04	2085

#### Bend $45^{\circ}$ / Shoe Bend - HSN CODE: 39172390

	7.5	2½	70001530	60	188
	9.0	3	70001531	35	265
	11.0	4	70001532	37	337
	16.0	6	70001533	12	807
	20.0	8	70001534	05	1532


#### Coupler / Socket - HSN CODE: 39172390

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	7.5	21/2	70001509	76	162
	9.0	3	70001510	50	232
	11.0	4	70001511	48	272
	16.0	6	70001512	18	627
	20.0	8	70001513	06	1084

#### Reducer Offset / Eccentric Reducer - HSN CODE: 39172390

	9.0 x 7.5	3 x 2½	70001493	64	195
	11.0 x 7.5	4 x 2½	70001494	60	248
	16.0 x 11.0	6x4	70001495	32	561
	20.0 x16.0	8 x 4	70001496	10	985

#### Repair Coupler - HSN CODE: 39172390



#### Reducing Tee - HSN CODE: 39172390

9.0 x 7.5	3 x 2½	70001551	20	403
11.0 x 7.5	4 x 2½	70001552	14	527
16.0 x 11.0	6x4	70001553	09	1047

#### Reducing Tee with Door - HSN CODE: 39172390

	9.0 x 7.5	3 x 2½	70001554	18	489
	11.0 x 7.5	4 x 2½	70001555	12	627
	16.0 x 11.0	6x4	70001556	08	1159

#### Reducing Y with Door - HSN CODE: 39172390

	11.0 x 7.5	4 x 2½	70001557	17	722
4	16.0 x 11.0	6 x 4	70001558	06	1555

#### Reducing Y without Door - HSN CODE: 39172390

0	11.0 x 7.5	4 x 2½	70001559	19	603
	16.0 x 11.0	6x4	70001560	07	1420

## **Single Y** - HSN CODE : 39172390

	7.5	21/2	70001565	27	367
	9.0	3	70001566	16	533
	11.0	4	70001567	16	703
	16.0	6	70001568	04	1726
	20.0	8	70001569	02	3221







#### Single Y with Door - HSN CODE: 39172390

(c	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	7.5	21/2	70001570	22	431
	9.0	3	70001571	13	608
11.0	11.0	4	70001572	16	804
	16.0	6	70001573	04	1830
_	20.0	8	70001574	02	3430

#### Single Tee - HSN CODE: 39172390

	7.5	21/2	70001535	32	300
	9.0	3	70001536	17	433
	11.0	4	70001537	24	550
	16.0	6	70001538	06	1347
	20.0	8	70001539	02	2490

#### Door Tee / Tee with Door - HSN CODE: 39172390

		7.5	21/2	70001540	25	354
		9.0	3	70001541	16	509
>		11.0	4	70001542	20	659
New		16.0	6	70001543	05	1448
	·	20.0	8	70001544	02	2726
cialit	Long Swept (So	anitaryTee)	- HSN CO	DE: 39172390		
Spe		11.0	4	70001548	16	683
	1	16.0	6	70001549	05	1658
ortly		20.0	8	70001550	01	3136
■Introducing Shortly ■ Speciality	Lona Swept Te	e with Doo	r - HSN CC	DDE: 39172390		
duci		11.0	4	70001545	14	756
ntro		16.0	6	70001546	04	1743
_		20.0	8	70001547	01	3234
Revised	Long Swept Be	end - HSN	CODE: 391	72390		
Re	MA	11.0	4	70001524	24	552
_		16.0	6	70001525	06	1268

11.0	4	70001548	16	683
16.0	6	70001549	05	1658
20.0	8	70001550	01	3136

11.0	4	70001545	14	756
16.0	6	70001546	04	1743
20.0	8	70001547	01	3234

11.0	4	70001524	24	552
16.0	6	70001525	06	1268
20.0	8	70001526	03	2368

#### Long Swept Bend with Door - HSN CODE: 39172390

	11.0	4	70001527	18	646
U.S	16.0	6	70001528	05	1390
	20.0	8	70001529	03	2465

#### **Door Cap** - HSN CODE: 39172390

	5.0	11/2	70001497	1050	21
	6.3	2	70001498	850	32
	7.5	21/2	70001499	510	48
77	9.0	3	70001500	370	67
	11.0	4	70001501	210	87
	16.0	6	70001502	115	204

#### Right Side Single 'Y' with Front Door - HSN CODE : 39172390

ragine olde only	gic i with	i ionic Booi	TION		
	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	11.0	4	70002804	12	895
P Trap with Le	g - HSN CC	DDE: 39172	2390		
	9.0 x 9.0	3x3	70001487	14	538
War.	11.0 x 11.0	4x4	70001488	12	1251
<i>b-p</i>	12.5 x 11.0	4½x4	70001489	10	1276
P Trap without	t Leg - HSN	CODE:39	9172390		
	9.0 x 9.0	3 x 3	70001490	17	485
	11.0 x 11.0	4x4	70001491	13	1182
	12.5 x 11.0	4½ x 4	70001492	12	1203
Cleaning Pipe	/ Access Pi	pe - HSN (	CODE: 391723	390	
	7.5	21/2	70001561	40	286

# 6

3

4

Aerator - Singl	e Stack SV	VR System	- HSN CODE :	39172390	
	11.0	4	70001576	01	3853

70001563

70001562

70001564

26

13

07

484

568

1489

#### Girpi Bracket - HSN CODE: 39172390

9.0

11.0

16.0

	4.0	11/4	70001479	130	116
	5.0	11/2	70001480	100	128
	6.3	2	70001482	65	147
ì	7.5	21/2	70001481	40	161
	9.0	3	70001486	50	229
	11.0	4	70001483	36	263
	16.0	6	70001484	06	745
	20.0	8	70001485	06	1246



#### **SILENT SWR SYSTEM - SOLFIT**

#### Without Socket Pipe - 3 Mtr. - HSN CODE: 39172390

Size	Size	Part	MRP`
(cm)	(inch)	No.	Incl. of all Taxes / length
4.0	11/4	70001901	699
5.0	11/2	70001902	891
6.3	2	70001903	1134
7.5	21/2	70001904	1386
9.0	3	70001905	1766

■ Speciality ■ New

	σ	7.5		Z/2	70001904	1300
rt S	Equal Elbow -	9.0		3	70001905	1766
	Equal Elbow	- HSN CODE	: 3917239	90		
Introducing		Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
ntro		4.0	11/4	70001737	300	67
		5.0	11/2	70001738	170	95
Revised		6.3	2	70001739	90	158
Rev		7.5	21/2	70001740	55	211
		9.0	3	70001741	33	305
		11.0	4	70001742	36	472

#### **Equal Elbow with Door** - HSN CODE: 39172390

6.3	2	70001744	70	197
11.0	4	70001743	30	548


#### Equal Tee - HSN CODE: 39172390

	4.0	11/4	70001757	200	85
	5.0	11/2	70001758	110	133
	6.3	2	70001759	61	208
	7.5	21/2	70001760	36	272
	9.0	3	70001761	40	401
	11.0	4	70001762	26	604

#### **Equal Tee with Door** - HSN CODE: 39172390

Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP` Incl. of all Taxes / pc
11.0	4	70001763	20	662

#### **Equal Bend 45°** - HSN CODE: 39172390



#### **Equal "Y"** - HSN CODE: 39172390

	4.0	11/4	70001727	150	127
	5.0	11/2	70001728	85	188
	6.3	2	70001729	45	286

#### Equal "Y" with Door - HSN CODE: 39172390

5.0	11/2	70001730	78	176
6.3	2	70001731	42	275

#### **Single "Y"** - HSN CODE: 39172390

7.5	21/2	70001767	28	355
9.0	3	70001768	20	462
11.0	4	70001769	20	672

#### Coupler / Socket - HSN CODE: 39172390

	4.0	11/4	70001745	500	42
	5.0	11/2	70001746	280	57
	6.3	2	70001747	160	87
	7.5	21/2	70001748	120	111
	9.0	3	70001749	65	144
	11.0	4	70001750	79	200

#### Reducing Tee - HSN CODE: 39172390










#### Reducing Tee with Door - HSN CODE: 39172390

Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP` Incl. of all Taxes / pc
11.0 x 7.5	4 x 2½	70001766	15	570

#### Multi Trap without Jali (7" ht) - HSN CODE: 39172390



#### Multi Floor Trap with Foul Arrester (7" ht) - HSN CODE: 39172390



#### Nahani Trap without Jali - HSN CODE: 39172390

Bo	11.0 x 7.5	4 x 2½	70001732	48	404
----	------------	--------	----------	----	-----

#### Aerator - Single Stack Silent SWR System - HSN CODE: 39172390



■ Speciality ■ New

**11.0 4** 70001772 01 **3777** 

#### **SILENT PLUS SWR SYSTEM - PUSHFIT**

Single Socket (Pushfit) 3 Mtr. - HSN CODE: 39172390



Size (cm)	Size (inch)	Part No.	MRP ` Incl. of all Taxes / Length
7.5	21/2	70001896	2257
9.0	3	70001897	2746
11.0	4	70001898	3975
16.0	6	70001899	5927
20.0	8	70001900	7530

#### Single Socket (Solfit Pipe) 3 Mtr. – HSN CODE: 39172390




7.5	21/2	70001911	2113
9.0	3	70001912	2509
11.0	4	70001913	3770
16.0	6	70001914	5426
20.0	8	70001915	7248


#### Plain Bend / Elbow - HSN CODE: 39172390

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	7.5	21/2	70001610	50	305
	11.0	4	70001611	30	613
	16.0	6	70001612	10	1297
	20.0	8	70001613	04	1878

#### Door Bend / Door Elbow - HSN CODE: 39172390



#### Bend 45° / Shoe Bend - HSN CODE: 39172390



#### Coupler / Socket - HSN CODE: 39172390

	7.5	21/2	70001606	76	190
and the same of th	11.0	4	70001607	48	302
	16.0	6	70001608	18	694
	20.0	8	70001609	06	1184

#### $\textbf{Reducer Offset} \ / \ \textbf{Eccentric Reducer} - \text{HSN CODE} : 39172390$

	11.0 x 7.5	4 x 2½	70001596	60	385	
		16.0 x 11.0	6x4	70001597	27	689
		20.0 x16.0	8x6	70001598	10	985

#### Repair Coupler - HSN CODE : 39172390

	7.5	21/2	70001602	76	209
ordally to	11.0	4	70001603	48	294
	16.0	6	70001604	18	667
	20.0	8	70001605	06	1159

#### Reducing Tee - HSN CODE: 39172390

11.0 x 7.5	4 x 2½	70001642	14	788
16.0 x 11.0	6×4	70001643	09	1394

#### Reducing Tee with Door - HSN CODE: 39172390

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	11.0 x 7.5	4 x 2½	70001644	12	898
	16.0 x 11.0	6x4	70001645	08	1520

#### **Single Y** - HSN CODE: 39172390

	7.5	2½	70001646	27	485
	11.0	4	70001647	16	1075
	16.0	6	70001648	04	2099
	20.0	8	70001649	02	3221

#### Single Y with Door - HSN CODE: 39172390

7.5	21/2	70001650	22	554
11.0	4	70001651	16	1205
16.0	6	70001652	04	2316
20.0	8	70001653	02	3430

≧Single Tee - H	ISN CODE	: 39172390	)				
Introducing Shortly	7.5	21/2	70001628	32	385		
	11.0	4	70001629	24	823		
	16.0	6	70001630	06	1744		
Revised	20.0	8	70001631	02	2490		
Door Tee / Tee with Door - HSN CODE : 39172390							

## Door Tee / Tee with Door - HSN CODE: 39172390

	7.5	21/2	70001632	25	456
	11.0	4	70001633	20	956
	16.0	6	70001634	05	1870
	20.0	8	70001635	02	2726

#### Long Swept Tee - HSN CODE: 39172390

P	11.0	4	70001639	16	1056
	16.0	6	70001640	05	2240
	20.0	8	70001641	01	3544

#### Long Swept Tee with Door - HSN CODE: 39172390

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	11.0	4	70001636	14	1161
	16.0	6	70001637	04	2362
	20.0	8	70001638	01	3798

#### Long Swept Bend - HSN CODE: 39172390

	11.0	4	70001618	24	746
	16.0	6	70001619	06	1609
	20.0	8	70001620	03	2368

#### Long Swept Bend with Door - HSN CODE: 39172390

11.0	4	70001621	18	859
160	6	70001622	05	1761
20.0	8	70001623	03	2834

#### **Door Cap** - HSN CODE: 39172390

7.5	21/2	70001599	510	59
11.0	4	70001600	210	115
16.0	6	70001601	115	204

#### P Trap with Leg - HSN CODE: 39172390

9.0 x 9.0	3 x 3	70001585	14	538
11.0 x 11.0	4x4	70001586	12	1251
 12.5 x 11.0	4½ x 4	70001587	10	1278

## P Trap without Leg - HSN CODE: 39172390

9.0 x 9.0	3x3	70001588	17	485
11.0 x 11.0	4x4	70001589	13	1182
12.5 x 11.0	4½ x 4	70001590	12	1203

## Girpi Bracket - HSN CODE: 39172390

4.0	11/4	70001577	130	116
5.0	11/2	70001578	100	128
6.3	2	70001580	65	147
7.5	<b>2</b> ½	70001579	40	161
9.0	3	70001584	50	229
11.0	4	70001581	36	263
16.0	6	70001582	06	745
20.0	8	70001583	06	1246
	5.0 6.3 7.5 9.0 11.0	5.0 1½ 6.3 2 7.5 2½ 9.0 3 11.0 4 16.0 6	5.0 1½ 70001578  6.3 2 70001580  7.5 2½ 70001579  9.0 3 70001584  11.0 4 70001581  16.0 6 70001582	5.0     1½     70001578     100       6.3     2     70001580     65       7.5     2½     70001579     40       9.0     3     70001584     50       11.0     4     70001581     36       16.0     6     70001582     06









#### **Common Fittings for both Silent & Silent Plus**

Threaded End Plug / Clean Out Plug - HSN CODE: 39172390

Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
7.5	21/2	70001592	112	131
11.0	4	70001594	43	290
16.0	6	70001595	20	473

Blue Seal 'O' Ring - HSN CODE: 40161000


	7.5	21/2	70001474	600	19
	9.0	3	70001475	400	27
( )	11.0	4	70001476	200	41
	16.0	6	70001477	120	71
	20.0	8	70001478	80	110

(Inch)

Mtr (Ft)

# **SILENT / SILENT PLUS SHORT LENGTH PIPES**






		(OIII)	(mon)	110 (14)	110.	Taxes / Length
	D/S	7.5	21/2	0.6 (2)	70001857	307
	D/S	7.5	21/2	0.9(3)	70001855	445
	D/S	7.5	21/2	1.2 (4)	70001858	584
	D/S	7.5	21/2	1.8 (6)	70001856	862
	D/S	7.5	21/2	3 (10)	70001854	1418
	D/S	9	3	0.6(2)	70001861	401
ı	D/S	9	3	0.9 (3)	70001862	582
ı	D/S	9	3	1.2 (4)	70001863	763
ı	D/S	9	3	1.8 (6)	70001864	1124
	D/S	9	3	3 (10)	70001860	1848
	D/S	11	4	0.6 (2)	70001867	536
	D/S	11	4	0.9 (3)	70001868	772
	D/S	11	4	1.2 (4)	70001869	1008
	D/S	11	4	1.8 (6)	70001870	1482
	D/S	11	4	3 (10)	70001866	2428
	D/S	16	6	1.8 (6)	70001890	3313
	D/S	16	6	3 (10)	70001889	5411

`Incl. of all

## Silent Plus SWR Pipes are Tested as per international standard EN 14366





Socket Type		Size (Inch)	Length Mtr (Ft)	Part No.	MRP `Incl. of all Taxes / Length
D/S	7.5	2½	0.6 (2)	70001873	484
D/S	7.5	21/2	0.9 (3)	70001874	704
D/S	7.5	2½	1.2 (4)	70001875	924
D/S	7.5	2½	1.8 (6)	70001876	1364
D/S	7.5	2½	3 (10)	70001872	2244
D/S	9	3	0.6 (2)	70001879	598
D/S	9	3	0.9 (3)	70001880	866
D/S	9	3	1.2 (4)	70001881	1137
D/S	9	3	1.8 (6)	70001882	1674
D/S	9	3	3 (10)	70001878	2752
D/S	11	4	0.6 (2)	70001885	858
D/S	11	4	0.9 (3)	70001886	1236
D/S	11	4	1.2(4)	70001887	1614
D/S	11	4	1.8 (6)	70001888	2369
D/S	11	4	3 (10)	70001884	3881
D/S	16	6	0.6 (2)	70002886	1329
D/S	16	6	0.9 (3)	70002887	1899
D/S	16	6	1.2 (4)	70002888	2469
D/S	16	6	1.8 (6)	70002889	3606
D/S	16	6	3 (10)	70002890	5993









# **COMMON CLAMPS (TRADING)**

#### Slotted Strips (Zinc) - HSN CODE: 85381090

Size (Length)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
200	50000811	01	45
300	50000812	01	64
400	50000813	01	83
500	50000814	01	103

#### Slotted Base (Zinc) - HSN CODE: 85381090

A <sup>P</sup>	200	50000815	01	68
	300	50000816	01	87
	400	50000817	01	107
8	500	50000818	01	128

#### Slotted Strips (PU) - HSN CODE: 85381090

	200	2252233	01	73
0	300	2252234	01	91
	400	2252235	01	111
	500	2252236	01	132

D	200	2252237	01	97
	300	2252238	01	116
	400	2252239	01	134
	500	2252240	01	159

#### Electro Galvanized Threaded Rod - HSN CODE: 85381090

>		400	2252235	01	111				
New		500	2252236	01	132				
īť									
■ Speciality		200	2252237	01	97				
Sp		300	2252238	01	116				
rt		400	2252239	01	134				
Sho	8	500	2252240	01	159				
rcing	Electro Galvar	nized Threa	ided Rod - HSI	N CODE : 853	81090				
Introducing Shortly		Size (Mtr)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc				
Ē		M6 x 1	50001612	01	45				
Revised		M8 x1	50001613	01	58				
≥.		M10 x 1	50001614	01	85				
R		MIOXI	30001014						
■ Re		M12 x 1	50001615	01	128				

## Electro Galvanized Pipe Hanger - HSN CODE: 85381090

Size (cm)			Std. Pkg.	MRP ` Incl. of all Taxes / pc
2.0	3/4	50001520	01	36
2.5	1	50001521	01	39
3.2	11/4	50001522	01	40
4.0	11/2	50001523	01	44
5.0	2	50001544	01	47
6.5	21/2	50001545	01	55
8.0	3	50001546	01	62
10.0	4	50001547	01	76
15.0	6	50001548	01	105

#### $\textbf{Electro Galvanized Pipe Hanger With EPDM Lining} - HSN \, \texttt{CODE} \, : \, 85381090$

Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
2.0	3/4	50001549	01	38
2.5	1	50001550	01	41
3.2	11/4	50001551	01	43
4.0	1½	50001552	01	44
5.0	2	50001553	01	49
6.5	21/2	50001554	01	60
8.0	3	50001555	01	71
10.0	4	50001556	01	84
15.0	6	5001557	01	105

#### Electro Galvanized Sprinkler Hanger Without Nut-HSN CODE: 85381090

	2.0	3/4	50001558	01	20
	2.5	1	50001559	01	21
and the	3.2	11/4	50001560	01	23
	4.0	11/2	50001561	01	25
U	5.0	2	50001562	01	27
	6.5	21/2	50001563	01	34
	8.0	3	50001564	01	38
	10.0	4	50001565	01	45
	15.0	6	50001566	01	60

# Electro Galvanized Sprinkler Hanger With EDML Lining – $\mbox{HSN\,CODE}: 85381090$

O	2.0	3/4	50001567	01	22
	2.5	1	50001568	01	23
	3.2	11/4	50001569	01	25
	4.0	11/2	50001570	01	27
	5.0	2	5001571	01	30
	6.5	21/2	50001572	01	37
	8.0	3	50001573	01	42
	10.0	4	50001574	01	50
	15.0	6	50001575	01	60

#### Electro Galvanized Clevis Hanger - HSN CODE: 85381090

Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
2.0	3/4	50001576	01	49
2.5	1	50001577	01	52
3.2	11/4	50001578	01	55
4.0	11/2	50001579	01	60
5.0	2	50001580	01	π
6.5	2½	50001581	01	121
8.0	3	50001582	01	159
10.0	4	50001583	01	244
15.0	6	50001584	01	388


#### Electro Galvanized U-Bolt With Lining - HSN CODE:

	Size (cm)	Size (inch)	Part No.	Std. Pkg.	MRP ` Incl. of all Taxes / pc
	2.0	3/4	50001603	01	31
	2.5	1	50001604	01	33
	3.2	11/4	50001605	01	36
	4.0	11/2	50001606	01	38
	5.0	2	50001607	01	41
	6.5	2½	50001608	01	56
	8.0	3	50001609	01	61
	10.0	4	50001610	01	72
	15.0	6	50001611	01	151

	15.0	6	50001584	01	388		
≥ Electro Galva	nized Clevis	Hanger V	Vith EPDM Lin	ing-HSN	N CODE : 85381090		
_	2.0	3/4	50001585	01	55		
■ Speciality	2.5	1	50001586	01	57		
Spe	3.2	11/4	50001587	01	61		
orth	4.0	11/2	50001588	01	66		
Introducing Shortly	5.0	2	50001589	01	86		
oduci oduci	6.5	21/2	50001590	01	136		
<u>=</u>	8.0	3	50001591	01	177		
Revised	10.0	4	50001592	01	272		
Rev	15.0	6	50001593	01	433		
Electro Galvanized U-Bolt With 2 Nut 2 Washer - HSN CODE: 85381090							



# Electro Galvanized U-Bolt With 2 Nut 2 Washer – ${\sf HSN}$ CODE : 85381090














# **Introducing Ashirvad Stack-aerator v2.0**

We at Ashirvad believe in a culture of innovation and continuous improvement. Taking forward this tradition, We introduce Ashirvad Stack-aerator v2.0.

The new Stack-aerator v2.0 has a higher flowrate of 8.0 l/s with additional features and benefits.



## SILENT SWR SOLFIT

#### Stack-Aerator v2.0

	Size (CM)	Size (Inch)	Part No.	Std. Pkg.	MRP ` Inc. of all Taxes/pc
90	11	4	70004170	01	3777
Dummy Cap					
	Size (CM)	Size (Inch)	Part No.	Std. Pkg.	MRP ` Inc. of all Taxes/pc
	11	4	70004171	01	145
Inspection Plug					
	Size (CM)	Size (Inch)	Part No.	Std. Pkg.	MRP ` Inc. of all Taxes/pc
	11	4	70004172	01	211