

YOUR COMMIT RECORD — FULL DETAIL

Topay Platform

shubham-topay · 2 Jun – 26 Aug 2026

OVERVIEW

- Summary
- Your timeline

YOUR COMMITS, BY REPO

- 01 P2M Middleware (47)
- 02 Onboarding Service (44)
- 03 Payment Service (44)
- 04 Notification Service (9)
- 05 API Gateway (4)

CROSS-CUTTING

- Uncommitted, right now
- Flags in your own code

GIT AUTHOR: SHUBHAM-TOPAY / SHUBHAM@TOPAY.LIVE · EVERY COMMIT, READ AGAINST ITS REAL DIFF

What each of your commits actually changed in the code

Not commit messages — code. Every one of your 148 commits was opened with `git show` and read against the real diff: which class, which method, what the bug or gap was, what the fix or addition actually does.

148

Your commits, total

12

Weeks (2 Jun–26 Aug)

5

Repos touched

3

Services you founded

YOUR JOURNEY

From one contributor on the monolith, to founding three services

2 Jun 2026

First commit — Redis-batched export, then Kafka

Joined middleware's webhook pipeline: a Redis batch-processing service for large exports, then Kafka integration for async webhook delivery, the same day.

Jun–Jul 2026

Six weeks rebuilding the webhook & Kafka pipeline

47 commits: moved webhook ingestion itself onto Kafka, wrote ~20 per-type webhook handlers, fixed three separate rounds of consumer lag, built webhook search/export, and shipped an async bulk-upload system with email notifications.

16 Jul 2026

You founded onboarding-service-backend

Wrote the initial commit; 43 commits deep since, covering the full Aadhaar/PAN/VCIP KYC chain, PII encryption, and device binding.

21 Jul 2026

You founded payment-service

Wrote the initial commit; 43 commits deep since — the wallet ledger, UPI/M2P integration, and card system.

4 Aug 2026

You founded notification-service

Wrote the entire founding skeleton — Kafka consumers, DLT retry, SSRF-guarded webhook delivery — in one commit.

20–24 Aug 2026

Joined the gateway build

3 commits: MDR admin permissions, and public routes for the device-binding and video-KYC features you'd just built in onboarding-service.

26 Aug 2026

Shipped the KYC-tier wallet-limit feature end to end

5 commits in one afternoon closed out the feature that was sitting uncommitted: real per-user wallet limits, auto-upgrade on KYC approval, a branded HTML upgrade email, and — new, not previously seen — a manually-recorded merchant settlement tracker.

REPO 01

topay-p2m-middleware-java-backend

P2M Payment Middleware

Legacy monolith, live since Nov 2025 · you joined 2 Jun 2026

47 of your commits

Webhook pipeline & Kafka, entirely

You didn't found this system, but every one of your 47 commits here (2 Jun – 8 Jul) sits in one connected story: moving webhook ingestion from synchronous to Kafka-driven, then spending three separate rounds fixing the consumer-lag problems that caused, then building search/export/logging on top of the stabilized pipeline.

EVERY COMMIT, WITH THE ACTUAL CODE CHANGE

2 Jun c5d2fd9 add redis batch service

Added **RedisConfig** (two **RedisTemplate** beans) and **RedisBatchService.processInBatches()** — stages records into a Redis list, drains once a threshold is hit, deletes the key after (cleans up on exception too). Rewrote **BulkUpdateController.exportSettlementData** to push rows through this instead of building one giant Excel file in memory — now generates multiple **settlement_report_part_N.xlsx** files uploaded to S3, all links emailed. Same treatment for the bulk-upload endpoint: parse the Excel once, then chunk records through Redis so `processBulkUpdate` no longer takes a raw `MultipartFile`.

2 Jun 1dd0aab change version in pom file

Merge conflict resolution in **pom.xml** — kept **spring-kafka** from one branch, dropped a duplicate POI/Redis dependency block that got re-added properly two commits later.

2 Jun 06377d9 kafka integration

Added **spring-kafka**, Redis, and Apache POI to **pom.xml**, then built the first async partner-webhook path: **PartnerWebhookConsumer** with **@RetryableTopic(attempts="5")** and a **@DltHandler**. **PartnerWebhookProcessor** gets a **kafkaEnabled** flag — when true it publishes to Kafka instead of calling the partner synchronously; new consumer-side methods re-implement the original logic but now throw on failure so retry/DLT can actually catch it.

2 Jun 0ac74f6 change hardcoded userEmail and finalFromDate

Reverted two debugging hardcodes from the first commit — **userEmail** back to **jwtUtil.extractUsername(token)**, **finalFromDate** back to the caller's real parameter.

5 Jun 94873a3 implemented kafka to handle the webhook

Moved webhook **ingestion itself** onto Kafka, not just delivery: **WebhookController**'s POST endpoints no longer save-and-process synchronously — they extract a partition key (RRN or timestamp) and publish raw JSON to new **RAW_WEBHOOK_UPI_EVENTS** / **RAW_WEBHOOK_WALLET_EVENTS** topics. New **IncomingWebhookConsumer** has two listener groups per topic: one persists the

dump row and processes it, the other forwards to the partner directly from the raw payload.

5 Jun 9d146a7 Created UPI and Wallet Handler to handle webhooks

Extended `WebhookTransactionType` with ~20 new values (`UPI_COLLECT_REQUEST`, `C2C`, `W2W`, `REFUND`, `ATM`, `NCMC_SPEND`, etc.) and added a matching handler class for each — 21 new handlers implementing `WebhookTypeHandler`. This is the origin of the handler-per-webhook-type pattern that payment-service's `AbstractWebhookHandler` later mirrors exactly.

8 Jun fdfb0e5 / eda91b2 DTO Validation (PR TOP-109)

Added Jakarta Bean Validation annotations (GSTIN/PAN/Aadhaar regex patterns, cascading `@Valid`) across ~15 request DTOs. Reworked `GlobalExceptionHandler` to build a proper `errors: [{field, message}]` list on a caught `ValidationException` instead of stuffing field errors into a generic response body.

8–11 Jun 0b31bdc, 98c5584, 80ae0e7, 46f54c8 Merges reconciling kafka-update with hotfix-1.0.0

Four merges pulling in unrelated hotfix work (IMPS controller, merchant wallet endpoints, S3Config, escrow DTOs, PartnerControllerV2, TracingInterceptor) into your Kafka branch as the team's parallel work landed.

11 Jun 599cf96 new wallet webhook added

Added `WalletUpiP2mCreditHandler`. Since both this and the existing UPI handler register for the same type (`UPI_P2M_CREDIT`), overloaded `WebhookHandlerFactory.get()` with an `isWallet` flag to disambiguate, throwing if neither/both match.

12 Jun 411eb1b change type for partner response for UPI_P2M_CREDIT

Added `UPI_CREDIT_WALLET` to `M2PTransactionType` so `WalletUpiP2mCreditHandler` tags wallet-originated credits distinctly from UPI-originated ones.

13 Jun 360c405 Fix ToPay response status

Removed the branch in `TopayWebhookProcessor.processWalletAsync()` that marked a dump "FAILED" on non-2xx — now every completed call records "SUCCESS" for audit purposes, including exceptions, and the method becomes properly `@Async`.

15 Jun a99c157 filter wallet webhook callbacks for partner

Added a short-circuit that skips partner forwarding for wallet transaction types with no valid partner-payload mapping, while still recording them locally.

15 Jun 0d7407f add transaction type for deserialization

Expanded `M2PTransactionType` from 3 to ~35 values and added a `@JsonCreator` `fromString()` with fallback to UNKNOWN instead of throwing — made Jackson resilient

to M2P sending a transaction type your enum didn't yet know about.

16 Jun `cc2c2a7` **fix: resolve callback delay and consumer lag issues**

Round 1 of consumer-lag fixes. Bumped the `webhookExecutor` thread pool from 5/20/200 to 15/50/1000 (core/max/queue). Made `TopayWebhookProcessor.processTxnAsync()` properly `@Async` — previously only wallet processing was, so txn processing was blocking the Kafka consumer thread directly.

16 Jun `1b286bb` **fix consumer lagging**

Round 2. Scaled the pool further to 50/150/50000, bumped HTTP connection pools to 1000 total/200 per-route, made Kafka listener concurrency configurable (default 32), and moved DB dump-save off the listener thread entirely into the async method.

16 Jun `642f8ce` **fix consumer lagging**

Round 2 correction, same day. Reverted the four `NewTopic` bean definitions added an hour earlier — they were clashing with `@RetryableTopic`'s own auto-create behavior — while keeping the concurrency bump.

16 Jun `34c9b31` **fix upi webhook**

Round 3. Added a synchronous variant wrapping the ToPay call in `CompletableFuture.supplyAsync(...).get(1, TimeUnit.SECONDS)` — a hard 1-second timeout that rethrows on failure — and switched the consumer to it so `@RetryableTopic` could actually detect and retry a failure instead of the async fire-and-forget silently losing it.

17–18 Jun `047cf8d, 8c6f9d9` **UPI_P2M_CREDIT transaction type partner process (PR #282)**

Filled in `UpiP2mCreditHandler.getPartnerPayload()` with real RRN/timezone/merchant/status mapping logic (was a stub echoing the raw payload). Then simplified: webhook endpoints stop double-publishing to raw Kafka topics and call the processor directly; disabled the now-redundant `IncomingWebhookConsumer`; changed a missing-merchant lookup from throwing to logging a warning and continuing.

18 Jun `3faad78` **Merge pull request #282**

18 Jun `d95a9da` **change transaction type for UPI**

Found and fixed a real bug: every check in `PartnerWebhookProcessor` was matching literal string `"UPI_P2M_CREDIT"`, but the actual partner payload sends `"UPI_CREDIT"` — partner UPI credit webhooks had been silently falling into the non-matching else-branch and never forwarding.

18 Jun `49fa425` **change mail**

Reverted a hardcoded email-override left in from testing; removed an unwanted CC on the OTP email.

19 Jun 9cdcc0b **kafka Optimization**

Dropped `@RetryableTopic` / `@DltHandler` from the consumer entirely (caught only parse failures, acked immediately). Slimmed the DB-write path, and moved outbound partner calls into new `@Async` methods that swallow failures into logs — so one slow partner can never block Kafka offset commits for everyone else.

24 Jun 822e7d5 **webhook search system**

Added `merchantId` / `partnerId` columns + indexes on `WebhookTransaction`, and **UpiWebhookSearchService/WalletWebhookSearchService** building JPA `Specification`s with role-based scoping — SUPERADMIN/ADMIN see any merchant/partner, PARTNER is restricted to its own (throws `ACCESS_DENIED` on mismatch).

25 Jun 927eb05, 69a8131 **webhook search export**

Added async Excel export off the search endpoints — kicks off a `CompletableFuture`, batches through the Redis service, uploads to S3, emails the link, returns `202 Accepted` immediately. Second commit fixes the default 24h time-window fallback to not apply when an explicit RRN search is given, and activates polymorphic Jackson typing on the Redis `ObjectMapper` so batched DTO lists deserialize correctly.

25 Jun db67211 **Merge hotfix-1.0.0 into Webhook_Export**

29–30 Jun eed3c6d, 349c541 **LOGGER_Modification**

Added a `@LogContext` annotation + AOP aspect pushing `serviceName` / `subServiceName` into MDC and OpenTelemetry span attributes (restored in a `finally` block). Added a request classifier bucketing every URI into IMPS/SOR/BULK/WEBHOOK/WALLET/NCMC/KYC/etc. for consistent log grouping.

30 Jun 66c7a9a **Merge hotfix-1.0.0 into LOGGER_Modification**

30 Jun bb5e863

WebhookSearch Enhancement: Search by Webhook ID and Mobile Number

Added `id` / `mobileNo` filters to search/export. Changed access-check logic to distinguish "no such merchant" (return empty) from "exists but belongs to someone else" (throw `ACCESS_DENIED`) — previously both cases threw the same error.

30 Jun 177695a **Replace print statements with logging**

Swept `System.out.println` out of every service/controller layer (KYCService, SMSService, EmailService, ImpsService, OtpService, M2PService, AwsS3Service, YapPayService),

replacing with proper SLF4J calls — including fixing places where `logger.error(msg + ex.getMessage())` was silently dropping the stack trace.

1 Jul 35c32e9 **Merge hotfix-1.0.0 into claude/adoring-engelbart-c8ae9a**

1 Jul b83a848 **feat: implement bulk partner notification system with template seeder**

Added **NotificationModuleInitializer** idempotently seeding 6 default HTML email templates. Rewrote the email consumer to drain the whole Redis queue and dispatch in parallel instead of one-at-a-time. Fixed a stored-XSS gap by HTML-escaping template variables, and stripped CR/LF from subjects to prevent header injection.

2 Jul 349c541 **LOGGER Modification**

Added structured start/success/failure log lines around complaint registration and several other service operations — pure instrumentation.

2 Jul cd075fc **SMSService Optimization**

Found **SMSService** instantiating a fresh **ObjectMapper** / **RestTemplate** inside every single SMS-sending method (a dozen+ of them) — switched to autowired singleton fields reused across calls. Same fix applied to **MDRCalculationService**.

2 Jul ff64e1c **Webhook DB Query Optimization**

Added composite DB indexes on OTP and wallet-webhook tables. Replaced "fetch all merchant IDs then `.contains()`" access checks with direct `existsBy...` queries — avoiding full entity hydration just to answer a boolean.

2 Jul 1c43216 **webhook full details endpoints**

Added detail-view endpoints for both search services, mapping every nested sub-object (headType, txn, payer/payee details, raw payload) into detail DTOs, reusing the existing ownership check.

2 Jul f837281 **resolve envPrefix for Alert Mail**

Replaced an injected **EnvironmentResolver** bean that was producing stale/wrong environment labels in alert email subjects with a direct `@Value("${spring.profiles.active}")`. Also fixed the "From" address never being explicitly set.

2 Jul 0156682 **External API Log**

Built **ExternalApiLogger** for consistent `[EXT-API] api=... phase=... url=...` log lines and retrofitted every **M2PService**/**SMSService**/**YapPayService**/**KYCService** method onto it, replacing ad-hoc string-concatenated logging. SMS message content gets masked before logging.

6 Jul **43d3514** **change mail template**

Generalized the export-ready email's hardcoded "Settlement Report" title to a `{{REPORT_NAME}}` placeholder so the same template serves any export type.

6 Jul **0faadac** **webhook export enhancement**

Added a separate, deliberately small (max pool 3) Hikari datasource just for export queries, so a long-running export read can't starve the live-traffic connection pool. Extracted a shared JWT/role-check helper (cut ~330 duplicated lines). Switched export paging from OFFSET-based to keyset/cursor-based so cost stays constant regardless of page depth.

8 Jul **0a09421, 6e4d11c****Fixed the bulk upload process by making it async and implemented email notifications**

The bulk-upload endpoint was running synchronously and risking HTTP timeouts on large files. Wrapped batch processing (not the Excel parsing itself, which needs the temp file to stay alive) in `CompletableFuture.runAsync()`; the endpoint now returns immediately with a "PROCESSING" status, and a completion email (success or failure report) goes out once done. The identical commit landed twice on two diverged branches — same fix, applied independently on a parallel release line. Your last commits on this repo.

REPO 02 — YOU FOUNDED THIS

onboarding-service-backend

Onboarding Service

Founded by you, 16 Jul 2026 · :8081

44 commits are yours

Identity · KYC · RBAC

EVERY COMMIT, WITH THE ACTUAL CODE CHANGE

16 Jul **c777ac8** **Initial commit: onboarding-service**

Scaffolded the whole service: `SecurityConfig` / `JwtFilterConfig` (JWT gate on `/api/v1/kyc/*`), `AuthController` / `KycController`, `UserService` / `KycService` / `SyntizenClient` (Aadhaar Digilocker init/status, PAN OCR, VCIP init/status), and the `User` / `Aadhar` / `Pan` / `OtpSession` / `Vcip` entities.

21 Jul 5eff965 Update README.md

Emptied the README entirely (201 lines removed) — no code change.

21 Jul 16ba89f fix bugs — real security pass

Added **CryptoConverter** (AES-256-GCM, random 12-byte IV per value) applied to every PII column on User/Aadhar/Pan. Since GCM ciphertext isn't deterministic, added **HashUtils.blindIndex** (HMAC-SHA256) with new hash columns for exact-match lookups. Added an IDOR guard pattern across Auth/Device/Kyc controllers — identity must come from the JWT attribute, not the request body, logging "IDOR attempt" on mismatch.

21 Jul a2dd9dd Merge origin/main**23 Jul 5309ac0 Fix Import and logging**

Cleanup: fixed fully-qualified logger calls, simplified `ExternalApiLogger` to rely on logback's `%X{requestId}` pattern instead of its own MDC lookup.

24 Jul 83c68db Fix Aadhaar KYC bug, harden transactions, clean up logging

Found and fixed a real production bug: `Aadhar.uid` was `nullable=false`, but the Aadhaar number isn't known until the Syntizen callback succeeds — **every single Aadhaar KYC init was failing the NOT NULL constraint**. Made it nullable. Removed `@Transactional` from methods making a Syntizen network call, so a slow vendor response doesn't hold a DB connection open. Extracted a shared `OwnershipGuard.requireSameUid`, fixing an inconsistency where `KycController` had been throwing 401 instead of 403 on mismatch. Encrypted remaining plaintext fields (Aadhar photo, zipped XML, PAN OCR image).

28 Jul 845e2a4 Remove JWT auth

Deleted `JwtFilterConfig` / `JwtAuthFilter` / `OwnershipGuard` entirely — every endpoint now reads uid straight from the request body with no verification, on the stated basis that auth would move to the API gateway later.

28 Jul c9b0509 Add partner accounts + validate partnerCode at signup

Added `Partner` / `PartnerKey` / `PartnerWebhook` entities and `PartnerService.findActivePartnerOrThrow`, hooked into registration so a supplied `partnerCode` must resolve to a real active partner instead of being an arbitrary unchecked string.

3 Aug ced4c46 Verify Aadhaar/PAN identity match, hand off wallet registration

Made `verifyPan` actually cross-check PAN OCR name/DOB against the on-file Aadhaar record and **reject on mismatch** — previously the PAN details silently overwrote whatever was there. Added duplicate-Aadhaar protection via a masked-

number + DOB hash, so the full Aadhaar number is only ever held transiently, never persisted or logged. Wired a best-effort call to payment-service to provision the wallet right after consent verification. Added `DobNormalizer` to canonicalize 7 different date formats.

4 Aug `71f680f` **Internal endpoint to resolve a merchant's partner webhook config**

Added `GET /api/v1/partner/webhook/resolve/{uid}` so payment-service can look up a merchant's webhook config in one call before publishing to Kafka, instead of notification-service owning partner data itself.

5 Aug `2958305` **Fill in dev/local property fallbacks**

Replaced bare unset placeholders with real UAT credential fallbacks committed to source (DB, Syntizen, SMS token, JWT/PII keys) — later partially reverted on 17 Aug.

7 Aug `fffe8b2` **Actuator health/info**

10 Aug `2108574` **Rename uid to userId**

Mechanical rename across entities/DTOs/repositories/columns — `User.uid` itself deliberately kept (it's the public identifier, not an FK).

10 Aug `3ebc76c`

Simplify registration, add KYC endpoint auth, redacted request/response logging

Added a narrow `KycAuthFilter` scoped only to `/api/v1/kyc/**` — closing the auth gap left by 845e2a4 on at least the KYC surface. Built `LogRedactionUtil` for deep recursive JSON redaction, wired into a request-logging filter. Found and fixed a real integration bug: the wallet-provisioning call was sending field `uid` but payment-service actually expected `userId` — **every wallet-registration call had silently sent a null userId.**

11 Aug `1d4d848` **Swagger/OpenAPI docs**

11 Aug `09e594c` **Payload Alignment**

Removed the client-supplied PAN mismatch check — OCR became the sole source of truth. Renamed `panImageBase64` → `ocrImage` with a size cap. Added the internal `/verifyOtp` endpoint payment-service calls. Removed a line that was logging the plaintext OTP.

11 Aug `446a712` **Remove Authentication — architectural pivot**

Removed the `KycAuthFilter` added the day before. More significantly: wallet/bank-detail provisioning moved entirely to payment-service's own registration flow — this service's role narrowed to verifying the OTP and persisting `UserInfo`. This is the exact commit where payment-service becomes the owner of wallet registration.

12 Aug 272bc9b **PAN OCR**

Added a dev/local-only hardcoded-OTP short-circuit (skips real SMS to save gateway quota during testing), gated on active profile.

12 Aug 835c678 **PAN OCR**

Discovered and fixed a real Syntizen API quirk: sending `doctype: "PAN"` got rejected with error S-443 "Invalid DocType" — reverted to `"auto-detect"`, matching middleware's proven value.

12 Aug 5546c57 **Flx OTP verification**

Switched OTP send from client-supplied mobile number to server-side lookup by `userId`. Added optional `mpin/password` fields to set login credentials on successful verification.

12 Aug c4b2869 **Flx OTP verification**

Fixed `isDevOrLocal()` / `isProd()` only checking `activeProfiles[0]` — a misconfigured deployment with multiple profiles (Spring doesn't guarantee ordering) could silently fall into the wrong environment behavior. Now iterates all active profiles.

12 Aug 690a835 **Flx OTP verification**

Discovered Syntizen only returns Aadhaar KYC details on the single call where status is "Success" — any re-poll returns nothing, which had been surfacing as a wall of nulls. Now falls back to the previously-saved record. Added the internal endpoint payment-service calls once wallet creation genuinely finishes.

13 Aug e8957ef **Migrate VKYC to new idflow platform**

M2P moved VCIP to a new "idflow" platform with a separate credential pair — added the distinct client ID/secret and pointed the VCIP auth call at it.

13 Aug 72af30f **Migrate VKYC to new idflow platform**

Fixed `initiateVcip` silently reporting success even with no `vcipid` in the response. Fixed a serious fail-open bug: `isDevOrLocal()` defaulted to `true` when zero profiles were active — meaning a **misconfigured production box would hand out the known hardcoded OTP 123456**. Changed default to `false`.

13 Aug a10423c **Expose partnerCode in user status API**

13 Aug 269161f **Fix KYC DOB issue**

Discovered VCIP's `AddCustomer` was being told the user's KYC/PAN data was verified with no actual data attached — started sending the real masked Aadhaar/name/DOB/photo and PAN details.

14 Aug 58b7a6f

Fix VCIP AddCustomer for idflow: dd-MM-yyyy DOB, PAN image, 7MB base64

Empirically probed the UAT API directly and found idflow rejects **both** the compact date format and the old `yyyy-MM-dd` — only `dd-MM-yyyy` works. Also discovered `pandetails.image` is mandatory (silently accepted as empty on the old platform, rejected here) — added PAN OCR image persistence and base64 normalization (strips data-URI prefixes that break Syntizen). Raised the image size cap from 2MB to 7MB and extended log redaction to recurse into nested objects so a request log line could no longer leak an entire base64 photo.

14 Aug 11d7e86 **fix vkyc father name issue**

idflow rejects `AddCustomer` without `kycdetails.fathername` — added it.

14 Aug 4c58fdf **fix vkyc father name issue**

Discovered Aadhaar's "father name" field is actually a care-of line (C/O, S/O, D/O, W/O) and idflow rejects the prefix. Now prefers PAN's father name and strips the care-of prefix from Aadhaar's as fallback.

14 Aug 3fe4d4e **fix vkyc pan ocr image**

Found re-verifying the same PAN (e.g. to backfill the OCR image) was always creating a **new** entity and hitting the unique-constraint on re-insert — changed to upsert (find-or-new, mutate in place).

14 Aug 3c5547d **Expose mobileNumber on internal status API**14 Aug 8796a15 **Middleware-compatible partner endpoints**

Added **MiddlewareCompatController** mirroring the legacy partner API's exact paths, and **PaymentProxyController** — a pure pass-through proxy forwarding 24 wallet/UPI paths verbatim to payment-service, using a 60s-timeout RestTemplate since UPI pay flows can take ~35s.

16 Aug a34b4f4 **Add userType and entityId**

Added the internal endpoint payment-service calls when a UPI profile registers (person→P2P, merchant→P2M) — the single place userType gets set.

17 Aug 30809fc

Harden onboarding: OTP attempt caps, SSRF guard, drop committed secrets

Added OTP attempt capping — after 5 wrong guesses the session is force-burned, returning the same generic error so a locked session can't be distinguished from a wrong guess. Built a real **SSRF guard** for partner webhook URLs: resolves every DNS-returned address (protects against DNS rebinding), blocks loopback/link-local/site-

local/multicast/cloud-metadata IPs. Reverted the committed real secrets from 2958305 back to required env vars.

17 Aug f0037ac **change application pertiees for dev**

Partially reversed the secret-stripping from hours earlier — restored dev fallbacks, added distinct dummy placeholders to local.

18 Aug 687317a **AWS Config**

Wired AWS Secrets Manager for uat/prod, secrets merging in and overriding env-var placeholders via the server's IAM role.

19 Aug 7ac474d **entityId-based partner-webhook resolution**

Added a second webhook-config lookup keyed by entityId instead of userId, since UPI_P2M_CREDIT payloads carry M2P's entityId, not your internal userId.

20 Aug 093db16 **Admin-only PAYMENT_MDR permissions**

20 Aug 49edd51 **Capture vcip qrimage/respcode, source merchantInfo from payment**

Added a whole new response-DTO package to exactly mirror middleware's wire format, and a client calling payment-service's profile-summary endpoint (degrading gracefully to empty on failure) — rewired the customer-lookup endpoint to return this rich merged profile.

21 Aug 4fdc640 **change request payload**

Switched customer-lookup from resolving by mobile number to resolving by userId.

24 Aug e052564 **Device binding (VMN)**

Ported the legacy VMN device-binding flow: random-pool device number allocation, and a device-add flow that deactivates a mobile's prior devices before activating the new one, cross-checking the resolved user against the supplied identifier.

24 Aug 634b757 **rename device-bind merchantId to userId**

24 Aug ff71888 **Public video-KYC event webhook**

Added a deliberately dumb, unauthenticated webhook that persists the raw JSON body verbatim, with no parsing — a landing zone ahead of real processing logic. Explicitly never logs the payload itself, only its length, since it may carry PII.

26 Aug ccb850d

Wire Syntizen VCIP success to bump wallet limits + send KYC email; expose device-bind/video-KYC webhooks in SecurityConfig

Filled in the internal `markVcIpSuccessByEntityId` endpoint added 24 Aug: on success it now also calls the new `PaymentProfileClient.upgradeToFullKyc(userId)` and `EmailDispatcher.sendKycUpgradeEmail()` — before this commit the endpoint updated the VCIP record but never actually triggered the limit bump or email. Also wired this service's own Syntizen-driven VCIP completion path (`fetchVcIpStatus`, separate from the M2P-webhook path payment-service reacts to) through the same two calls, so a user who completes video KYC directly through this service also gets upgraded — not just users whose KYC_UPGRADE arrives via payment-service's M2P webhook. Added guard checks so re-verifying an already-verified Aadhaar/PAN/VCIP now returns a clean 409 (`AADHAAR_ALREADY_VERIFIED` / `PAN_ALREADY_VERIFIED` / `VCIP_ALREADY_VERIFIED`) instead of silently re-running the vendor call. Fixed VCIP init to reuse an already-in-flight session instead of starting a second concurrent one with Syntizen if the user retries before the first resolves. Added `SecurityConfig` entries formally documenting that this service's own filter chain — not just the gateway's routing config — independently permits the device-bind and video-KYC webhook paths, since the two are separate enforcement layers. Added RBAC permission constants for the payment-service user-limit and merchant-settlement features landing the same afternoon.

STILL UNCOMMITTED, RIGHT NOW

SmsService.sendOtp made fire-and-forget. Changed from a synchronous method returning `boolean` (success/failure) to an `@Async void` method — matches the fire-and-forget posture `EmailDispatcher.sendOtpEmail` already had, so a slow or unavailable SMS gateway can no longer add latency to the caller's response. Also 5 Postman collection files under `postman/` are staged for deletion (workspace cleanup, not application code).

REPO 03 — YOU FOUNDED THIS

payment-service

Payment Service

Founded by you, 21 Jul 2026 · :8082

44 commits are yours

Wallets · UPI · Ledger · M2P

THREAD WORTH TRACING

Three same-day "Fix wallet Registration" commits (4002dfd→d715883→0a3b787→6dbf9f6) go from a logging bug, to a profile-detection bug, to distinguishing OTP failure from a mis-configured URL, to closing a cross-service sync gap. The "M2P Req/Res flow" fix (66da706→fb5dbb3) shows the "still processing" error code assumption changing from UPI_115 to UPI_007 based on what M2P actually returned live.

EVERY COMMIT, WITH THE ACTUAL CODE CHANGE

21 Jul 09d1a02 Initial commit

Scaffolded the app: `WalletController`, first-cut Wallet/Card/BankAccount/UpiVpa entities, `OnboardingClient`, and the M2P crypto stack. First `registerVpa` generated VPA suggestions and persisted directly — no M2P integration yet.

22 Jul 8881dc4 create upi entity for upi registration

Ripped out the placeholder VPA registration entirely, preparing for a real M2P-backed flow. Renamed `userId`→`uid` across entities to match middleware's convention. Reshaped `UpiVpa` from a thin row into a flattened account+VPA record.

24 Jul 0272fb8 Add UPI VPA registration and full lifecycle management

Added the real M2P-integrated stack: `UpiVpaService` (477 lines) — `registerVpa/registerMerchant`, `syncProfile` (pulls VPAs/accounts from M2P and upserts locally), `enable/disable/deregister`. Deliberately not `@Transactional` since the M2P HTTP round-trip shouldn't hold a DB connection open. Fixed an N+1 in `syncProfile` by fetching once and matching in memory. Added `M2PErrorMessage` for a clean business-vs-system exception split.

28 Jul 8c394cd Remove JWT auth

Deleted `JwtAuthFilter` / `JwtFilterConfig` / `JwtUtil` outright — endpoints now read uid from the request body. This also silently removed the check that a caller's P2P/P2M account type matched the endpoint they were calling — flagged in a comment as a regression to re-add at the gateway later.

28 Jul 9073139 UPI pay flow and partner balance/ledger

Added `UpiPayService.pay/doPay`: idempotency check on `clientTxnId`, requires ACTIVE profile + primary VPA, hardcoded 100,000 transaction limit, pre-checks payment isn't going into another provider's wallet. Added `PartnerBalanceService` — hold-then-settle pattern so a mid-flight M2P failure never strands money, with a 10,000 minimum-first-topup and a race-condition guard for concurrent first top-ups.

3 Aug 804bb34 Check wallet + FULL_KYC before UPI registration, split M2P timeout

Added server-side FULL_KYC verification via onboarding-service instead of trusting a client-asserted flag. Split the shared `RestTemplate` into a short-timeout one for

onboarding calls and a longer one (30s) for M2P — the shared 5s timeout was producing false timeouts on M2P calls that surfaced as mismatched-settlement transactions. Fixed deregisterVpa to actually update the local row status instead of doing zero local writes after a successful M2P deregister.

4 Aug 330b89c **Inbound partner webhook processing with Kafka hand-off**

Added the whole ingestion pipeline: `WebhookController` hands off async to `WebhookIngestService`, dispatched via `WebhookHandlerFactory` to one of ~40 per-type handlers. Idempotent on `rrn` (duplicate → no-op). Only the two credit handlers resolve a partner webhook config and publish to Kafka for notification-service.

5 Aug 070425b

Wallet ledger, MDR, general ledger, top-up/debit/transfer with real M2P/YapPay

Added `WalletFundingService` (top-up/withdraw/transfer against M2P). Top-up holds against the partner's float, releases on M2P failure, writes a ledger row before crediting the wallet balance so opening-balance captures the pre-credit state correctly. Added double-entry-style bookkeeping and MDR calculation.

7 Aug 770c55c **Actuator health/info**

9 Aug 01501f5 **Fif : UPI Transaction ID**

Changed the generated txn ID prefix from "UPITXN" to "MPF" and truncated the suffix to 32 chars — aligning with a downstream system's fixed-length expectation.

10 Aug a305863 **Rename uid to userId**

48-file mechanical rename across entities/DTOs/repositories.

10 Aug 066ca51 **Simplify registration, KYC auth, redacted logging**

Deleted a duplicate OTP-verification endpoint that always failed with `WALLET_ALREADY_EXISTS`. Added a real internal endpoint to raise limits once VCIP succeeds. Removed a fallback that fabricated a random kit number when inventory was empty — now hard-fails instead. Added `WalletTransactionProcessor` (838 new lines) — a second, parallel wallet-ledger pathway through Escrow→Partner→Wallet, entirely separate from the M2P-calling `WalletFundingService`.

11 Aug cd871ca **Swagger/OpenAPI docs**

Also deleted the now-superseded M2P-direct wallet pathway entirely — the new Escrow-based processor is now the live wallet-mutation path.

11 Aug c18510a **Payload Alignment**

Added the wallet-registration data model (marital status, employment, consent flags, bank fields) at a different endpoint path than the pre-existing one to avoid a Spring

mapping collision. Added **EscrowBalanceService**, idempotent on UTR.

11 Aug `c4928d7` **Remove Authentication**

Removed duplicated registration endpoints; refactored the OTP-verify call to forward the full marital/employment/consent payload so onboarding-service can persist its own copy while payment-service keeps its richer copy.

12 Aug `2199096` **Fix M2P accRef/purpose, async PENDING polling**

Major rework: M2P's outer envelope can legitimately return PENDING for NPCI-backed async calls — built a shared polling helper and paired follow-up methods, plus new dispute/mandate/getTransactions methods rounding out the API surface.

12 Aug `4002dfd` **Fix wallet Registration (round 1)**

`GlobalExceptionHandler` now appends the real root-cause exception when not in prod, instead of an always-generic 500 message.

12 Aug `d715883` **Fix wallet Registration (round 2)**

Fixed the prod-detection from round 1 — it only checked `activeProfiles[0]`, so if "prod" wasn't first, the debug-detail leak stayed enabled in production. Now loops all active profiles.

12 Aug `0a3b787` **Fix wallet Registration (round 3)**

Found the OTP-verify fallback was swallowing every resilience4j failure (network error, timeout, circuit-open) and returning false — **indistinguishable from a genuinely wrong OTP**. Now throws a distinct 503 instead. Root cause: `onboarding.service.url` was left at an unfilled placeholder in dev, breaking every onboarding call.

12 Aug `6dbf9f6` **Fix wallet Registration (round 4)**

Added a best-effort call back to onboarding-service confirming the wallet/card actually exist locally, once registration truly finishes.

13 Aug `04532ca` **checkTxn/dispute/mandate APIs, fix M2P polling**

Fix 1: M2P's "still processing" state was actually coming back as FAILURE with error code UPI_115 buried inside the exception block, not a clean PENDING — now detected and normalized. **Fix 2:** the same activeProfiles[0]-only prod check bug (from d715883) existed independently in the M2P encryption gate — could have silently skipped payload encryption in prod. Fixed the same way.

13 Aug `2d0df5f` **Fix Wallet Ledger**

Added a pessimistic row lock to kit allocation — without it, **two concurrent registrations could issue the same physical card to two different users**. Fixed `GeneralLedger.totalBalance` being initialized to zero and never actually recomputed.

Switched ledger writes to a locked lookup to prevent conflicting closing-balance chains under concurrency. Fixed a duplicate-clientTxnId check that had been permanently blocking retries even when no money had moved.

13 Aug 5cf2d7a **Reports/export, kit-import APIs, resolve own partner on top-up**

Changed wallet creation to make one row per product type (GENERAL/NCMC/FOOD) instead of only GENERAL. Fixed top-ups always debiting the hardcoded default partner float — now resolves the user's own actual partner first.

14 Aug 66da706 **Fix M2P Req/Res flow (round 1)**

"Still processing" marker separated from the literal string "PENDING" (M2P's checkTxn can return a genuinely terminal PENDING meaning something different). Split the pay flow into validate/submit steps so a rejection now correctly persists as FAILURE instead of getting stuck PENDING forever.

14 Aug fb5dbb3 **Fix M2P Req/Res flow (round 2, same day)**

Corrected the still-processing error code from UPI_115 to **UPI_007** — the comment explicitly notes UPI_115 was "the earlier assumption from middleware lore," replaced by what was actually observed live on demo that day. Also fixed a real payload bug: the amount was sent as a bare integer, rejected by M2P with UPI_202 — forced to two decimal places.

14 Aug a906984 **Fix NCMC and FODD Wallet Limit**

Replaced one hardcoded ₹200,000 ceiling applied uniformly to all wallet types with per-product limits (GENERAL 200k / NCMC 3k / FOOD 3k). **Critically fixed: NCMC top-ups had been checked against the 200k GENERAL ceiling instead of the correct 3k NCMC one** — a real limit-bypass bug.

14 Aug e4d31e7 **Publish transactional SMS events after commit**

SMS dispatch is deferred to `afterCommit()` so a rolled-back operation never sends a false "money arrived" text message.

14 Aug cb33669 **KafkaConfig and M2P config**

Fixed a real bug: every UPI profile was pointing at the **same single PPI customer entity** regardless of which user registered — switched from a global entityId to a per-user one built from mobile number.

14 Aug c181d3e **Middleware-compatible partner endpoints, hold/settle top-up**

Collapsed three separate hold/success/failure endpoints into one call internally chaining hold→settle, calling markFailure on any settlement exception.

15 Aug b14641c **Fix M2P createmandate wire shape**

The still-processing code set grew to include both UPI_007 and UPI_115 since both were observed live as M2P's not-ready signal. Reshaped the mandate request to match M2P's actual field names.

15 Aug `6a79ff1` **Enforce partner lien**

The minimum-topup check now applies to every top-up, not just the first.

16 Aug `e9072e6` **Split validateVpa/pay, person-only pay**

Rejects payment attempts unless the user is P2P (merchants can only receive). Client-facing error responses now only ever expose the app's own mapped error code, never M2P's raw code/message — closing a vendor-detail leak.

17 Aug `e854505` **Per-user MDR + zero-charge internal ledger**

Fixed idempotency dump/markFailed logic by extracting it into its own bean so `@Transactional(REQUIRES_NEW)` actually takes effect through Spring's proxy (self-invocation would otherwise silently bypass it). Fixed webhooks duplicate-forwarding — `performDbOperation` now returns a boolean so a redelivered duplicate rrn is skipped.

18 Aug `5a8ba85` **AWS Secret Manager Config**

19 Aug `e54ebeb` **Lean partner-webhook Kafka event — no URL/credentials**

The Kafka event no longer carries webhook URL or credentials at all — replaced with `userId/entityId`, resolved by notification-service at delivery time instead of riding on the broker.

19 Aug `3540fd3` **Return all product wallet balances**

Fixed `/api/v2/wallet/balance` returning only the GENERAL balance — now returns GENERAL/NCMC/FOOD together.

19 Aug `1e86f25` **mdr config**

Added a channel dimension (CARD/UPI) to MDR config, with a duplicate-slab pre-check throwing a clean 400 instead of a raw DB constraint violation.

20 Aug `0fcf18c` **Reusable MDR plans with assignment, CSV export**

Replaced per-user-only MDR config with standalone named plans + a separate assignment layer, blocking edit/delete of a plan still attached to any user.

20 Aug `bae5179` **Persist bank/ifsc, merchantInfo on profile**

Added a raw-webhook audit dump before any parsing, so a parse failure no longer loses the payload entirely.

21 Aug `d9fbb13` **Per-user wallet limits, full M2P error-code map, typed status enum**

Added **WalletLimitService** with row-locked daily/monthly/yearly rolling buckets, sharing the caller's transaction so a failed wallet txn correctly rolls the limit-consumption back too. Mapped the full UPI_001–UPI_272 M2P error catalog. Changed transaction status from a raw String to a typed enum.

21 Aug 877f495 **M2P wallet & card registration APIs**

Added the card system:

addCard/getCardList/setCardPin/cardAction/cardReplace/requestPhysicalCard, all funneled through a shared call helper that env-gates encryption to prod only.

21 Aug 3dde63b **change payload**

Simplified entity resolution from a 3-arg to 2-arg call — dropped merchantId as a distinct identifier entirely in favor of resolving everything off userId.

21 Aug 2e81dd3 **implement ConsentOTP API**

Completed the M2P wallet/card onboarding flow — consent OTP is the step that precedes wallet registration with M2P.

26 Aug d406122

Real card limit set/get, merchant settlement tracking, local-first VPA check, wallet-limit auto-upgrade — 45 files

The big one — this single commit lands four separate pieces:

- 1. Per-user wallet limits, for real.** New `KycLimitTier` enum hardcodes the actual MOBILEPE limit sheet — MIN_KYC capped at ₹10,000 balance/₹10k daily debit/₹1.3L yearly debit; FULL_KYC up to ₹2,00,000 balance and ₹36+ crore yearly. New `UserLimitConfigService`: `seedDefault()` is idempotent (called from wallet registration, never clobbers an existing or admin-customized row), `upgradeToFullKyc()` is called from the KYC_UPGRADE webhook handler and creates a MIN_KYC row first if one somehow never existed, and `update()` supports partial admin overrides — set `kycTier` alone to re-apply that tier's full defaults, or override individual caps. `WalletLimitService` rewritten to read from this table instead of hardcoded config.
- 2. Real card-limit endpoints.** New `CardLimitService` backs the `MiddlewareCompatController.setCardLimit` / `getCardLimit` endpoints that had been stub placeholders — pushes the preference to M2P then persists it on the `Card` entity (12 new columns: domestic/contactless/ATM/ECOM/POS/DCC flag+amount pairs).
- 3. New feature: merchant settlement tracking.** A manually-recorded ledger for real-world bank transfers ops does outside this system — new `MerchantSettlementController` / `Service` / entity, admin-only, keyed by userId, with create/update-status/history endpoints. Explicitly no automated engine — mirrors middleware's `WalletSettlement` shape minus the scheduler-only fields, since there's no scheduler here.
- 4. KYC_UPGRADE webhook wiring.** New `KycUpgradeHandler` extending

`AbstractOtpWebhookHandler` — on `UPGRADE_SUCCESS` calls onboarding-service's `markVcipSuccess`, then `UserLimitConfigService.upgradeToFullKyc()`, then dispatches a KYC-upgrade email over the same Kafka topic OTP emails already use. OTP-family webhook events also formally split onto `AbstractOtpWebhookHandler`/a dedicated `webhook_otp_event` table.

Plus a smaller, separate fix folded into the same commit: VPA/UIP-profile-availability checks now try the local DB first before calling out to M2P, cutting an unnecessary vendor round-trip on the common case where the answer is already known locally.

REPO 04 — YOU FOUNDED THIS

notification-service

Notification Service

Founded by you, 4 Aug 2026 · :8083

9 commits are yours

SMS · Email · Webhook delivery

EVERY COMMIT, WITH THE ACTUAL CODE CHANGE

4 Aug `c373fc0`

Bootstrap — stateless partner webhook delivery

Scaffolded the whole service from scratch. `KafkaConsumerConfig` wired to a proper `DeadLetterPublishingRecoverer` (3 retries, 2s backoff, then DLT) — explicitly closing a gap where middleware had defined a DLT handler but never actually attached it to a listener. `WebhookDeliveryService` validates the target URL via a new SSRF guard (loopback/link-local/multicast/cloud-metadata blocked — a hole middleware's own delivery code never checked) before POSTing, with a 5s/10s timeout so a hanging partner can't starve the consumer pool.

10 Aug `c5d6e18`

Thread one correlation ID across payment and notification services

Added a `withMdc()` helper both consumers route through — puts `correlationId/requestId` into MDC before delivery and clears it in a `finally` block, necessary because Kafka listener threads are pooled and reused (without the cleanup, one message's IDs would leak into the next message on the same thread).

11 Aug `f736c72`

Swagger/OpenAPI docs

Explicitly disabled Swagger UI in prod — full API schema shouldn't be publicly browsable there.

14 Aug 6faca98

SMS delivery pipeline: DLT template registry, Kafka consumer, Qikberry client

Registered 10 telecom-DLT-approved templates. Each throws `IllegalArgumentException` on a variable-count mismatch — registered SMS content must stay byte-exact or the telecom carrier's DLT silently drops the message. Deliberately never logs the rendered message body (can carry balances) — only masked mobile numbers.

14 Aug 7a731c3 **KafkaConfig**

Pre-declared all DLT topics at startup instead of relying on broker auto-create — explicitly to avoid a missing topic silently swallowing the failed event at the exact moment it's needed most.

18 Aug caffbb9 **AWS Secrets Manager config**

19 Aug 89a624a **Resolve webhook URL + credentials from onboarding at delivery time**

Removed `webhookUrl/username/password` entirely from the Kafka event DTO, replaced with just `userId/entityId`. Added **OnboardingClient** to fetch the actual URL+headers fresh at delivery time. The stated motivation, in both the commit and code comments: partner webhook URLs and credentials should never sit on the Kafka broker in transit — a genuinely good security call.

26 Aug 388bd3d **add KYC_UPGRADE template**

Switched email transport from AWS SES to plain SMTP. Swapped the `spring-cloud-aws-starter-ses` dependency for `spring-boot-starter-mail`, and the injected bean from `MailSender` to `JavaMailSender` — matching the same transport middleware's own `EmailService` already used, rather than AWS SES as originally built. Rewrote `EmailDeliveryService.deliver()` to build a MIME message via `MimeMessageHelper(message, true, "UTF-8")` and send HTML (`helper.setText(html, true)`) instead of a plain-text `SimpleMailMessage` — this is what actually lets the branded HTML templates render as HTML in the recipient's inbox instead of showing raw markup. Also changed the failure path to wrap the original exception in a `RuntimeException` rather than rethrowing it directly.

26 Aug 4e5d492 **fix KYC_UPGRADE template**

Found and fixed a real Java gotcha: the HTML bodies were declared as `static final String` `OTP_HTML` / `KYC_HTML` fields positioned *after* the enum constants in the class body — but Java initializes enum constants before any of a class's own static fields, so referencing them from the constant declarations silently passed `null` as the body. Converted both to `static` methods (`otpHtml()` / `kycHtml()`) instead, which are safe to

call regardless of static-initialization order. Your most recent commit anywhere in the portfolio.

REPO 05 — YOU JOINED 3 DAYS AFTER LAUNCH

api-gateway-backend

API Gateway

Founded by a teammate 17 Aug 2026 · you joined 20 Aug · :8084

4 commits are yours

Routing · JWT · RBAC

EVERY COMMIT, WITH THE ACTUAL CODE CHANGE

20 Aug 7c9b122 Admin PAYMENT_MDR permissions

Added two new permission constants and gated a new block of MDR plan-config routes behind them (SUPER_ADMIN/ADMIN only). Added the matching gateway route proxying `/api/v1/mdr/**` to payment-service — exposing those endpoints through the gateway for the first time.

24 Aug b7413db Device binding routes

Added 4 new PUBLIC (unauthenticated) routes for VMN device-binding, ported same-to-same from legacy middleware with no crypto envelope or auth, placed before the broader partner rules so first-match-wins picks these specific PUBLIC rules. Also fixed a route-id numbering collision left from the previous commit.

24 Aug 872a390 Video-KYC webhook route, PUBLIC

Added one more PUBLIC rule for the video-KYC webhook, matching the same-day onboarding-service work — vendor posts arbitrary JSON, dump-only, no auth/crypto by explicit design.

26 Aug c99cc7b

Routes and RBAC permissions for user-limit config and merchant settlement

Added two new routes proxying to payment-service: `/api/v1/user-limits/**` and the new `/api/v1/merchant-settlements/**`. Both gated admin-only via 4 new permission constants, same posture as the existing MDR routes. The `/api/v1/user-limits/internal/**` path is explicitly marked `INTERNAL_BLOCKED` at the gateway — onboarding-service calls that endpoint directly, service-to-service, never through this gateway — a defense-in-

depth documentation choice, same pattern already used for `/api/v1/auth/internal/**`.
Your most recent commit here.

RIGHT NOW, IN YOUR WORKING TREE

What's still uncommitted

The KYC-tier wallet-limit feature that was in progress as of 24 Aug shipped across all four repos on 26 Aug (see the commit log entries above). One small change is still sitting uncommitted:

1. **onboarding-service-backend** — `SmsService.sendOtp` changed from a synchronous method to `@Async void`, so a slow SMS gateway can no longer add latency to the caller. Alongside 5 unrelated Postman collection files staged for deletion.

WORTH A SECOND LOOK — IN CODE YOU WROTE

Flags in your own commits

CRITICAL

You removed inbound auth from payment-service, twice — `8c394cd` and `c4928d7`, both yours. Deliberate (internal-network-only design), but every wallet/UPI/card endpoint is reachable by anyone who can hit port 8082, mitigated only by an IP whitelist added later.

payment-service · your commits `8c394cd`, `c4928d7`

HIGH

The VCIP-success endpoint shipped 26 Aug still has no auth — `POST /api/v1/kyc/internal/vcipSuccess`, reachable by `entityId` alone with no service-to-service secret, under a controller documented as having "no login check... userId just comes from the request body." Now live, not just in-progress — worth locking down.

onboarding-service-backend · your commit `ccb850d`

MEDIUM

The dev/local hardcoded-OTP fail-open you fixed (72af30f) was a real bug that shipped first — worth double-checking no other `activeProfiles[0]`-only pattern survives elsewhere; you found and fixed three separate instances of this exact bug class (onboarding's OTP gate, payment's prod-detection, payment's M2P encryption gate) across three different commits.

onboarding-service-backend · payment-service, your commits c4b2869, 72af30f, d715883, 04532ca

NOTE

Your notification-service webhook-resolution commit (89a624a) and payment-service's matching commit (e54ebeb) are genuinely good security work — removed webhook URLs/credentials from the Kafka event entirely, closing a real credential-exposure path, and you did both halves of it yourself.

notification-service · payment-service, your commits 89a624a, e54ebeb

NOTE

A real Java initialization-order bug shipped then got caught same-day — enum constants (`OTP_VERIFICATION` , `KYC_UPGRADE`) referencing `static final String` fields declared later in the same class silently resolved to `null` , since enum constants initialize before a class's own static fields. Converting to static methods fixed it within an hour of shipping — worth remembering as a Java gotcha, not enum-specific to this codebase.

notification-service · your commits 388bd3d, 4e5d492

Filtered strictly to commits authored by shubham-topay — every one of your 148 commits read against its actual diff, not just its message.

Updated 27 Aug 2026