

// Day 1 of 10

Day 1

10 Spring Boot Mistakes

Developers make these every day.
Don't be one of them.

→ Swipe through all 10



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

1/12

Mistake #01

Field Injection @Autowired

Makes testing hard & hides dependencies

```
// Bad
@Autowired
private UserService userService;

// Good
private final UserService userService;
public UserController(UserService svc){
    this.userService = svc;
}
```



Constructor injection = testable & immutable



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

Mistake #02

Returning Entities Directly

Exposes DB structure & risks data leaks

// Bad

```
public User getUser(Long id){  
    return userRepo.findById(id).get();  
}
```

// Good

```
public UserDTO getUser(Long id){  
    User u = userRepo.findById(id).get();  
    return new UserDTO(u.getName(),u.getEmail());  
}
```



Always use DTOs for API responses



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

Mistake #03

No Exception Handling

Unhandled errors crash your API

```
// Bad
public User getUser(Long id){
    return repo.findById(id).get(); // throws!
}
```

```
// Good
@ExceptionHandler(UserNotFoundException.class)
public ResponseEntity handle(Exception e){
    return ResponseEntity.status(404)
}
```



Use @ControllerAdvice globally



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

4/12

Mistake #04

N+1 Query Problem

Kills performance with hundreds of queries

```
// Bad
orders.forEach(o → {
  o.getUser().getName(); // 1 query per row!
});
```

```
// Good
@Query("SELECT o FROM Order o
      JOIN FETCH o.user")
List findAllWithUser();
```



Always check SQL logs in development



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

Mistake #05

Hardcoding Config Values

Makes app impossible to configure safely

```
// Bad
```

```
String key = "supersecret123";  
String url = "http://localhost/db";
```

```
// Good
```

```
@Value("${jwt.secret}")  
private String jwtSecret;  
// Set via environment variable
```



Never commit secrets to Git



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

Mistake #06

Business Logic in Controller

Breaks separation of concerns

// Bad

```
@PostMapping("/order")
public Order place(@RequestBody Order o){
    o.setTotal(o.getQty() * o.getPrice());
    return repo.save(o); // wrong layer!
}
```

// Good

```
@PostMapping("/order")
```



Controller → Service → Repository always



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

Mistake #07

No Logging Strategy

Debugging becomes a nightmare

```
// Bad
```

```
System.out.println("User: " + user);
```

```
// Good
```

```
private static final Logger log =  
    LoggerFactory.getLogger(UserService.class);  
log.info("User created: {}", user.getId());
```



Use SLF4J — never `System.out.println`



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

8/12

Mistake #08

Skipping Input Validation

Opens API to bad data & crashes

```
// Bad
public User create(@RequestBody User u){
    return repo.save(u); // no validation!
}
```

```
// Good
public class UserDTO {
    @NotBlank @Email
    private String email;
```



Add @Valid on controller params always



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

9/12

Mistake #09

No Pagination

Loading all records = server crash

```
// Bad  
repo.findAll(); // loads ALL records!
```

```
// Good  
repo.findAll(PageRequest.of(0, 20));  
// Returns 20 records at a time
```



Default page size should be 20 or less



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

10/12

Mistake #10

No API Versioning

Breaking changes break your clients

```
// Bad
@GetMapping("/users")
// No version – any change breaks clients

// Good
@GetMapping("/api/v1/users")
// Old clients still work
// New clients use /api/v2/users
```



Always version your API from day 1



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

11/12

done = true

Follow for more tips!

Like · Comment · Repost

Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)



Shubham Bhati

[linkedin.com/in/bhatishubham](https://www.linkedin.com/in/bhatishubham)

12/12