

MAINCRAFTS TECHNOLOGY
Cybersecurity & Ethical Hacking Internship Program

Threat Intelligence Report

Cybersecurity Task — 1

Prepared By: Shubh Das

E-mail: shubhdas.17.w@gmail.com

Institution: MIT Academy of Engineering, Pune

Program: Cybersecurity Analyst Intern Simulation — Maincrafts Technology

Task: Task-1 — Threat Report (Awareness & Research Project)

Date: June 2026

Table of Contents

1. Introduction to Cybersecurity
2. Five Major Modern Cyber Threats (2024–2025)
3. Impact Analysis
4. Real-World Case Studies
5. Preventive Measures
6. Conclusion & Future Scope
7. References

1. Introduction to Cybersecurity

What is Cybersecurity?

Cybersecurity is the practice of protecting computer systems, networks, programs, and data from unauthorized access, damage, theft, or disruption. It spans a wide range of disciplines — from securing individual devices and personal accounts to defending enterprise networks and national critical infrastructure. At its foundation, cybersecurity enforces the three core principles of information security, known as the CIA Triad: Confidentiality (ensuring that information is accessible only to those authorized), Integrity (maintaining accuracy and trustworthiness of data), and Availability (ensuring that systems and data are accessible when needed).

Why It Matters — For Individuals and Businesses

In today's digitally connected world, nearly every aspect of personal and professional life involves some form of online activity. Individuals store financial records, health information, and private communications on platforms that are continuously targeted by malicious actors. For organizations, the consequences of a breach are far more severe — regulatory penalties, loss of intellectual property, prolonged downtime, and lasting reputational damage.

According to IBM's Cost of a Data Breach Report 2024, the average global cost of a data breach reached \$4.88 million — the highest figure ever recorded. This statistic alone underlines the critical financial and operational importance of investing in strong cybersecurity practices.

Current Relevance

Several converging factors make cybersecurity more urgent in 2024–2025 than at any previous point:

- Cybercrime is projected to cost the global economy over \$10.5 trillion annually by 2025, according to Cybersecurity Ventures.
- The rapid adoption of cloud services, remote work infrastructure, and mobile-first platforms has dramatically expanded the attack surface for organizations of all sizes.
- AI-driven threats have lowered the technical barrier for attackers, enabling more targeted, automated, and convincing attacks at unprecedented scale.
- Nation-state threat actors and organized cybercriminal groups are actively targeting critical infrastructure — including hospitals, energy grids, and financial systems.

2. Five Major Modern Cyber Threats (2024–2025)

The following five threats represent the most significant and actively exploited categories in the current cybersecurity landscape. Each has evolved substantially in sophistication and continues to cause measurable harm to individuals and organizations worldwide.

Threat 1 — AI-Powered Phishing Attacks

Traditional phishing relied on generic, poorly worded emails sent indiscriminately to large numbers of recipients. Artificial intelligence has fundamentally transformed this attack vector. Using large language models, attackers now generate highly personalized, grammatically flawless phishing messages that closely mimic the tone and writing style of colleagues, managers, or trusted institutions.

Beyond email, AI enables deepfake audio and video calls that convincingly impersonate executives or family members in Business Email Compromise (BEC) and vishing schemes. Attackers scrape public profiles from LinkedIn, company websites, and social media to build detailed target personas, making it nearly impossible for victims to distinguish fraudulent communication from legitimate ones.

Threat 2 — Ransomware-as-a-Service (RaaS)

Ransomware has evolved from a tool wielded by skilled individual hackers into a full commercial criminal ecosystem. Ransomware-as-a-Service platforms allow non-technical criminals to subscribe to professionally built ransomware kits, pay a commission from ransom proceeds, and launch devastating attacks without any coding knowledge.

Groups such as LockBit, BlackCat (ALPHV), and Cl0p operate like structured businesses — complete with affiliate dashboards, customer support, and profit-sharing agreements. This model has resulted in a dramatic increase in ransomware incidents targeting hospitals, municipalities, schools, and large enterprises, with ransom demands regularly exceeding millions of dollars.

Threat 3 — Cloud Security Misconfigurations

As organizations migrate critical workloads to cloud platforms — AWS, Microsoft Azure, Google Cloud — security misconfiguration has emerged as one of the most common and preventable causes of large-scale data breaches. A misconfigured S3 storage bucket, an overly permissive IAM role, or an exposed API endpoint can silently expose millions of sensitive records.

Unlike active attacks, misconfigurations often remain undetected for months while data is quietly accessible to anyone who knows where to look. OWASP consistently lists Security Misconfiguration among the top web application risks, and CISA regularly identifies it as a leading cause of cloud environment breaches.

Threat 4 — IoT Vulnerabilities

The rapid proliferation of Internet of Things devices — smart cameras, industrial sensors, medical devices, home routers, and wearables — has introduced billions of new endpoints into

networks, most of which lack adequate security controls. IoT devices commonly ship with default or hardcoded credentials, rarely receive firmware updates, and often transmit data without encryption.

Attackers exploit these weaknesses to gain persistent footholds in networks, build large-scale botnets capable of launching Distributed Denial-of-Service (DDoS) attacks, or pivot from a compromised IoT device into more sensitive internal systems.

Threat 5 — Zero-Day Exploits

A zero-day vulnerability is a software flaw that is unknown to the vendor — and therefore has no available patch at the time of discovery. When found by threat actors before developers are even aware, these vulnerabilities can be weaponized against fully patched, up-to-date systems with devastating effect.

Zero-days are among the most valuable assets in the cybercriminal and nation-state arsenal. They are actively traded on dark web marketplaces, and state-sponsored groups invest heavily in their discovery and stockpiling. The window between discovery and exploitation can be a matter of hours, leaving defenders with virtually no time to respond.

3. Impact Analysis

Each of the five threats carries distinct consequences depending on whether the target is an individual or an organization. Understanding these impacts helps prioritize defensive investment and communicate risk to non-technical stakeholders.

AI-Powered Phishing

Individuals: Individuals risk identity theft, financial fraud, unauthorized account access, and psychological harm from deepfake-based manipulation of personal relationships.

Organizations: Organizations face Business Email Compromise losses — the FBI reported BEC caused over \$2.9 billion in losses in 2023 alone — along with unauthorized wire transfers, credential theft leading to broader network compromise, and serious reputational damage.

Ransomware-as-a-Service

Individuals: Individuals may permanently lose personal files, face extortion demands, or have private data published publicly if they refuse to pay.

Organizations: Organizations experience prolonged operational downtime, ransom payments averaging \$2.73 million in 2024, regulatory fines for failure to protect customer data, and lasting brand damage — especially severe in healthcare and financial sectors.

Cloud Misconfigurations

Individuals: Individuals suffer exposure of Social Security numbers, health records, financial data, and private communications — often without any awareness that a breach has occurred.

Organizations: Organizations face mass data breach liability, violations of GDPR, HIPAA, and other compliance frameworks, multi-million dollar regulatory fines, civil lawsuits, and loss of customer trust that may take years to rebuild.

IoT Vulnerabilities

Individuals: Individuals risk home network compromise, unauthorized access to smart home devices, live surveillance through hijacked cameras, and loss of control over connected personal devices.

Organizations: Organizations — particularly those in manufacturing, healthcare, and critical infrastructure — face network infiltration through OT/IT boundary breaches, industrial sabotage, and the use of compromised IoT devices as DDoS launch points.

Zero-Day Exploits

Individuals: Individuals may have devices silently compromised with no visible symptoms, resulting in prolonged data exfiltration affecting banking, personal communications, and stored credentials.

Organizations: Organizations face critical system compromise, supply chain attacks that propagate across thousands of downstream customers, corporate espionage, and a complete

absence of available patches at the time of attack — leaving security teams with few immediate mitigation options.

4. Real-World Case Studies

The following incidents demonstrate how each threat category translates into real-world harm. These cases were selected because they are widely documented, significant in scale, and directly relevant to the five threats covered in this report.

Case Study 1 — MGM Resorts Social Engineering Attack (2023)

Category: AI-Powered Phishing / Vishing

In September 2023, the threat actor group known as Scattered Spider targeted MGM Resorts International through a vishing attack. Attackers phoned the IT help desk, impersonated a legitimate employee using details gathered from LinkedIn, and convinced staff to reset multi-factor authentication credentials — effectively handing over access to critical systems. The breach caused an estimated \$100 million in losses, knocked MGM hotel and casino operations offline for several days, and compromised the personal data of millions of guests. This incident is a defining example of how AI-enhanced social engineering can defeat even well-resourced enterprise security programs.

Case Study 2 — Change Healthcare Ransomware Attack (2024)

Category: Ransomware-as-a-Service (ALPHV/BlackCat)

In February 2024, the ALPHV/BlackCat ransomware group — operating under the RaaS model — attacked Change Healthcare, a subsidiary of UnitedHealth Group that processes approximately 15 billion healthcare transactions annually in the United States. Attackers encrypted critical systems and exfiltrated approximately 4TB of sensitive patient data. The incident disrupted payment processing across pharmacies, hospitals, and healthcare providers nationwide for weeks. UnitedHealth Group paid a ransom of approximately \$22 million and later disclosed that total losses from the incident exceeded \$870 million. This remains the most impactful cyberattack on the U.S. healthcare sector on record.

Case Study 3 — Capital One Data Breach (2019)

Category: Cloud Security Misconfiguration

A former AWS employee exploited a misconfigured Web Application Firewall in Capital One's cloud environment to access more than 100 million customer records across the United States and Canada. Exposed data included names, addresses, credit scores, bank account numbers, and approximately 140,000 Social Security numbers. Capital One was subsequently fined \$80 million by the Office of the Comptroller of the Currency. This case became one of the most cited examples of how a single misconfiguration — not a sophisticated exploit — can result in one of the largest financial sector breaches on record.

Case Study 4 — Mirai Botnet DDoS Attack (2016, Ongoing Variants)

Category: IoT Vulnerabilities

The Mirai botnet was built by compromising hundreds of thousands of IoT devices — primarily home routers, IP cameras, and digital video recorders — by scanning for devices still using

factory-default login credentials. The resulting botnet was used to launch a 1.2 Tbps DDoS attack against Dyn, a major DNS infrastructure provider, effectively taking down services including Twitter, Netflix, GitHub, Reddit, and PayPal for hours. Mirai's source code was publicly released shortly after the attack, spawning dozens of derivative botnets that continue to actively infect IoT devices globally as of 2024–2025.

Case Study 5 — MOVEit Transfer Zero-Day Attack (2023–2024)

Category: Zero-Day Exploit (CI0p Ransomware Group)

In May 2023, the CI0p ransomware group exploited a previously unknown SQL injection vulnerability in MOVEit Transfer, a widely deployed managed file transfer application used by thousands of enterprises and government agencies. Before Progress Software could release a patch, attackers had silently exfiltrated data from over 2,500 organizations globally — including the BBC, British Airways, Shell, the U.S. Department of Energy, and several state government agencies. Total estimated damages exceeded \$10 billion. This attack illustrates the catastrophic scale of destruction that becomes possible when a zero-day in widely used enterprise software is exploited before any patch exists.

5. Preventive Measures

Effective cybersecurity defense is inherently layered — no single control provides complete protection. The measures below are mapped to each threat category and reflect current best practices as recommended by CISA, NIST, and leading security frameworks.

Against AI-Powered Phishing

- Deploy AI-based email security gateways — such as Microsoft Defender for Office 365 or Proofpoint — that analyze behavioral patterns and contextual signals rather than relying solely on known threat signatures.
- Enforce Multi-Factor Authentication (MFA) on all accounts so that stolen credentials alone are insufficient for account takeover.
- Conduct regular Security Awareness Training that specifically covers AI-generated phishing, deepfake voice calls, and targeted vishing tactics.
- Implement DMARC, DKIM, and SPF email authentication protocols to prevent domain spoofing and impersonation at the protocol level.

Against Ransomware-as-a-Service

- Maintain a 3-2-1 backup strategy: three copies of data, stored on two different media types, with one copy offsite and air-gapped from the production network.
- Apply the Zero Trust Security Model — assume no user, device, or network segment is inherently trusted and verify all access requests continuously.
- Perform regular patch management and vulnerability assessments to eliminate known entry points before they can be exploited.
- Segment the network so that a ransomware infection within one environment cannot propagate laterally to critical systems or backup infrastructure.

Against Cloud Misconfigurations

- Implement Cloud Security Posture Management (CSPM) tools that continuously audit cloud account configurations and flag deviations from security baselines.
- Apply the Principle of Least Privilege — IAM roles and service accounts should be granted only the minimum permissions required to perform their function.
- Enable cloud-native logging and monitoring — such as AWS CloudTrail and Azure Monitor — with automated alerts for anomalous API activity or unusual access patterns.
- Conduct regular cloud security audits, including configuration reviews before and after major infrastructure changes or deployments.

Against IoT Vulnerabilities

- Change default credentials on all IoT devices immediately upon deployment and enforce unique, strong passwords across the device inventory.
- Isolate IoT devices on dedicated network segments (VLANs) to prevent lateral movement from a compromised device into core business systems.

- Establish a formal firmware update and patch management process for all connected devices, including operational technology environments.
- Deploy network-level IDS/IPS monitoring capable of detecting anomalous device behavior, such as unexpected outbound connections or unusual traffic volume.

Against Zero-Day Exploits

- Treat patch management as a continuous, prioritized process — critical patches should be evaluated and deployed within 24 to 72 hours of release.
- Deploy Endpoint Detection and Response (EDR) solutions that identify exploitation-indicative behavioral anomalies, even when no signature exists for the vulnerability.
- Enable application whitelisting on critical systems to restrict unauthorized code execution and limit the impact of exploitation attempts.
- Subscribe to threat intelligence feeds from CISA, MITRE CVE, and vendor security advisories to receive early warning of actively exploited vulnerabilities.

6. Conclusion & Future Scope

The cybersecurity threat landscape in 2024–2025 is more complex, more consequential, and more rapidly evolving than at any previous point in the history of the discipline. The five threats examined in this report — AI-powered phishing, Ransomware-as-a-Service, cloud security misconfigurations, IoT vulnerabilities, and zero-day exploits — represent a convergence of technological capability and criminal opportunity that no individual, organization, or government can afford to underestimate.

What makes the current environment uniquely challenging is the democratization of offensive capability. Artificial intelligence has not only enhanced attacker precision — it has removed the need for technical expertise. RaaS platforms have turned ransomware into a subscription service. Cloud complexity has created new classes of vulnerability that are entirely self-inflicted. IoT devices continue to proliferate without adequate security standards. And zero-day vulnerabilities are stockpiled and weaponized at scale by well-funded state actors. The appropriate response to this environment is not reactive — it is proactive. Organizations and individuals alike must adopt a posture of continuous vigilance, built on threat intelligence, regular training, layered technical controls, and a zero-trust mindset. Security cannot be treated as a compliance checkbox or a one-time deployment. It must be a living practice, embedded in culture and operations.

Looking Ahead

The following developments will shape the threat landscape over the next three to five years and represent areas where continuous learning will be essential:

- **AI vs. AI:** Defensive AI systems are increasingly being pitted against offensive AI — a capability arms race that will define the next generation of security tooling and require security professionals to deeply understand both sides.
- **Quantum Computing:** As quantum computers mature, current public-key encryption standards such as RSA and ECC will become vulnerable. Post-quantum cryptography migration has already begun in critical sectors, and organizations must plan for this transition.
- **Regulatory Evolution:** Frameworks including the EU's NIS2 Directive, India's Digital Personal Data Protection Act, and the updated NIST Cybersecurity Framework 2.0 will impose stricter obligations on organizations globally.
- **Securing AI Systems:** As AI is integrated into critical business processes, securing AI pipelines, protecting model integrity, and ensuring the trustworthiness of training data will emerge as a distinct and important sub-discipline.
- **Cybersecurity Workforce Gap:** The global shortage of trained security professionals — estimated at over four million unfilled roles — means that entering the field today represents both a significant professional opportunity and a responsibility to contribute to collective defense.

Continuous learning is not optional in cybersecurity — it is the fundamental and non-negotiable requirement of the profession. Threat actors are constantly learning, adapting, and innovating. The professionals who defend against them must do the same.

7. References

- [1] IBM Security. (2024). Cost of a Data Breach Report 2024. <https://www.ibm.com/reports/data-breach>
- [2] CISA. (2024). Cybersecurity Alerts & Advisories. <https://www.cisa.gov/news-events/cybersecurity-advisories>
- [3] OWASP. (2021). OWASP Top 10 Web Application Security Risks. <https://owasp.org/www-project-top-ten/>
- [4] KrebsOnSecurity. (2024). Cybercrime news and incident reporting. <https://krebsonsecurity.com>
- [5] Cybersecurity Ventures. (2024). Cybercrime Report 2024–2025. <https://cybersecurityventures.com>
- [6] Verizon. (2024). Data Breach Investigations Report (DBIR). <https://www.verizon.com/business/resources/reports/dbir/>
- [7] ENISA. (2024). ENISA Threat Landscape 2024. <https://www.enisa.europa.eu/publications/enisa-threat-landscape-2024>
- [8] Progress Software. (2023). MOVEit Transfer Security Advisory (CVE-2023-34362). <https://www.progress.com/security>
- [9] U.S. Department of Health and Human Services. (2024). Change Healthcare Cyberattack Impact Advisory.
- [10] NIST. (2024). Cybersecurity Framework (CSF) 2.0. <https://www.nist.gov/cyberframework>
- [11] MITRE Corporation. MITRE ATT&CK Framework. <https://attack.mitre.org>
- [12] FBI. (2023). Internet Crime Report 2023 — Business Email Compromise Statistics. <https://www.ic3.gov>
- [13] Microsoft Security Blog. (2023–2024). Scattered Spider Threat Actor Analysis and Incident Coverage.