



System architecture

One React frontend, one modular Spring Boot backend, and one MySQL database. Agreed scope: F01-F12.



Customer booking workflow

Discovery can be public; booking requires a customer account. Displayed availability is not a reservation.



AVAILABILITY INPUTS

Salon hours + barber hours + qualifications - breaks - days off - occupied intervals. Each slot must fit the entire selected duration.

POLICIES STILL OPEN

Slot-start interval, booking horizon, minimum notice, and cancellation timing are not finalized. No money is collected in this workflow.

Booking consistency workflow

Proposed MySQL transaction design: every availability-affecting writer follows the same lock order.




ALL WRITERS PARTICIPATE
Bookings, cancellations, service edits, schedule changes, and staff deactivation use this protocol. Reject changes that invalidate future confirmed appointments. Preserve existing booking snapshots.

TRADEOFF + RETRY BEHAVIOR
The conservative salon lock limits write concurrency but simplifies correctness. If a committed response is lost, retry with the same key to retrieve the original booking.


Role workflows and booking lifecycle

One account may combine CUSTOMER, BARBER, and SALON_OWNER. Role checks always include ownership or assignment.



Barber onboarding and account relationships

Finalized: self-registration + salon-owner approval. This replaces the earlier owner-invitation proposal.



FINALIZED CARDINALITIES

