ARCHITECTURAL PORTFOLIO

UNDERGRADUATE SELECTED WORKS

SHANKAR SHILPA ABHIJIT WAGH

SHANKAR SHILPA ABHIJIT WAGH

I view architecture as a dialogue between people and space — where creativity meets purpose. As a learner, I design with curiosity, precision, and empathy, aiming to create spaces that evoke emotion and lasting memories. My goal is to shape meaningful, human-centered designs that inspire and endure.

LANGUAGES

- English
- Marathi
- Hindi

SOFTSKILLS

- Public Relations
- Teamwork
- Time Management
- Leadership
- Effective Communication
- Critical Thinking
- Creativity

CONTACT

7588799481
/ 9175580715

shankar.abhijit.wagh14
@gmail.com

Ahmednagar

Shankar Wagh

EDUCATION

Batchelor of Architecture
Sir J.J College of Architecture,Mumbai
Fourth year Student. (Expected Graduation year : 2027)
CGPI - 7.19

Higher Secondary Education
New Arts, Commerce & Science College, Ahmednagar.
90.83%

Secondary Education
Bhausaheb Firodiya Highschool, Ahmednagar.
92.20%

WORKSHOPS AND ELECTIVES

- **Rammed Earth and CSEB Workshop (Sankalan-Hunarshala)**
- **Architectural Styles & History**
- **Mural Painting**
- **Visual Merchandising & Event Design**
- **Rhino & Grasshopper**
- **Photoshop & Lumion**
- **Disaster Management**

SOFTWARE SKILLS

AUTOCAD · SKETCHUP · RHINO · LUMION · ENSCAPE · PHOTOSHOP · M.S OFFICE

EXTRA-CURRICULAR ACTIVITIES

- **Technical Head- Students Council -2024-25**
- **Coordinator for Placements of BO'25 | July 25**

COMPETETION PARTICIPATED

- **IRSHALPADA REHABILITATION**
- **NAVBHARAT DHARAVI REDEVELOPEMENT COMPETETION**

CONTENTS

1.MASS HOUSING

2.SCHOOL DESIGN

3.RESORT DESIGN

4.WORKING DRAWING

5.MUNICIPAL DRAWING

6.IRSHALPADA REHABILITATION

7.INTERIOR DESIGN OF SALES OFFICE

8.DHARAVI REROOTED (COMPETETION WORK)



A.D SEM 7

MASS HOUSING



2273_SHANKAR SHILPA ABHIJIT WAGH

SITE ANALYSIS

LOCATION:BYCULLA ,MUMBAI

SITE CONTEXT ;

AS SITE IS LOCATED NEAR ONE OF THE BUSIEST ROAD IN SOUTH MUMBAI WHICH MEETS SAAT RASTA.
SO PROJECT CAN HAVE A GOOD SCOPE FOR RETAIL SHOPS.

CLIMATE OF MUMBAI

MUMBAI HAS A TROPICAL, WET AND DRY CLIMATE, CHARACTERIZED BY HIGH HUMIDITY YEAR-ROUND AND DISTINCT WET (MONSOON) AND DRY SEASONS. THE WEATHER IS GENERALLY WARM TO HOT, WITH HEAVY RAINFALL FROM JUNE TO SEPTEMBER.

WIND PATH: SOUTH WEST TO NORTH EAST



SUN PATH AND WIND DIRECTION

CONCEPT:

AS SITE HAS DIFFERENT VIEW FROM ALL DIRECTION SO UTILISING VIEW WAS ONE OF THE PRIORITY WHILE DEIGNING. INSTEAD OF HAVING A LARGE PODIUM TWO PODIUMS ARE PROVIDED SO BUILT-FOOTPRINT IS MINIMIZED TO UTILISE MAXIMUM MOTHER EARTH. A CENTRAL RECREATIONAL SPACE IS DESIGNED IN SUCH WAY THAT IT HAS GOOD AIRFLOW AND PRIVACY BY DESIGNING STRUCTURES AROUND IT . WING D,E&F ARE PHYSICALLY CONNECTED TO EACH OTHER TO GET THE DESIRED FORM ITS INSPIRATION IS TAKEN FROM FUTURE TOWERS , AMANORA TOWNSHIP, PUNE.

VIEW OF KIDS PLAYING AREA

VIEW OF CENTRAL POND



EAST SIDE VIEW

VIEW OF AMPHITHEATRE

DESIGN PROGRESSION

STAGE 1

AS MAIN IDEA WAS TO HAVE A CENTRAL SPACE ON MOTHER EARTH, IT HAS 8 TOWERS

STAGE 2

INSTEAD OF HAVING HUGE PODIUM IT IS DIVIDED TO HAVE ACCESS AND MAKE CENTRAL SPACE MORE OPEN AND TOWERS ARE ALSO SLIGHTLY CHANGED



STAGE 3

AT THIS STAGE MORE OPEN LAYOUT IS FORMED.



FINAL STAGE:

NO OF TOWERS IS MINIMIZED AND A LARGE CENTRAL OPEN SPACE IS DESIGNED WITH MINIMUM FOOTPRINT.

PARKING AND AREA STATEMENTS :

AREA CALCULATIONS

TOTAL PLOT AREA SQM	25785.7
TOTAL PERMISSIBLE BUILTUP AREA SQM	104432.09
AREA FOR RETAIL (SQM)	3000
AREA FOR RETAIL PROPOSED (SQM)	2625.495
GOV. AMINITIES 5% (SQM)	2078
LOS	5926.925
TOTAL BUILTABLE AREA FOR RESIDENTIAL SECTOR IN SQM	101806.595
RECREATIONAL SPACE	2088.6418
TOTAL BUILTUP AREA	104143.32
TOTAL REFUGE AREA	2782.1712
TOTAL BUA CALCULATED IN FSI	101361.1488
BUA LEFT	445.4462

UNITS AREA AND PARKING REQUIREMENTS

UNIT	BUA	CARPET AREA	NO.OF UNITS	PARKING REQUIRED
2BHK	89.42	70	560	560
3BHK (A)	113	100.21	312	624
3BHK (B)	226	97.21		
4BHK	148	127	160	480
TOTAL			1032	1664
VISITORS PARKING 1%				166.4
TOTAL REQUIRED				1830.4

PARKING SUMMERY

LEVEL	LARGE CARS	SMALL CARS	TOTAL
GROUND	88	49	137
1ST PODIUM	98	52	150
2ND PODIUM	134	54	188
3rd PODIUM	134	54	188
4th PODIUM	134	54	188
5th PODIUM	134	54	188
6th PODIUM	134	54	188
1ST BASE	158	69	227
2ND BASE	158	69	227
3RD BASE	158	67	225
TOTAL	1330	576	1906



GROUND FLOOR PLAN (1:500)

ROOF PLAN (1:250)

SECTION YY'(1:500)



SECTIONXX' (1:250)

2273_SHANKAR SHILPA ABHIJIT WAGH

1ST & 2ND BASEMENT PLAN(1:500)

3RD BASEMENT PLAN(1:500)

PARKING STATEMENT			
LEVEL	LARGE CARS	SMALL CARS	TOTAL
1ST BASEMENT	158	69	227
2ND BASEMENT	158	69	227
3RD BASEMENT	158	67	225



1ST PODIUM PLAN (1:500)



TYPICAL PODIUM PLAN (1:500)

PARKING STATEMENT			
LEVEL	LARGE CARS	SMALL CARS	TOTAL
GROUND	88	49	137
1ST PODIUM	98	52	150
2ND PODIUM	134	54	188
3rd PODIUM	134	54	188
4th PODIUM	134	54	188
5th PODIUM	134	54	188
6th PODIUM	134	54	188



PODIUM TOP PLAN (1:500)

VIEW OF SEATING ON GROUND FLOOR

VIEW OF AMPHITHEATRE

VIEW OF CENTRAL OPEN SPACE FROM BRIDGE

RETAIL VIEW

TYPICAL FLOOR PLAN (1:500)

REFUGE FLOOR PLAN (1:500)

UNIT CALCULATION

UNIT	UNITS PER FLOOR	NO OF UNITS
2BHK	16	560
3BHK	8	312
4BHK	4	160
TOTAL		1032

N

N

2273_SHANKAR SHILPA ABHIJIT WAGH

NORTH ELEVATION (1:250)

D,E&F WING PLAN (1:250)

D,E&F WING VIEW



2BHK UNIT PLAN (1:100)

AREA CALCULATION

UNIT	BUA	CARPET AREA	BALCONY	UTILITY
2BHK	80.42	69.49	5.4	2.49



SECTION XX'(1:250)



WING D,E&F PLAN (1:250)



SECTIONAA' (1:250)

NORTH ELEVATION (1:250)

B WING PLAN (1:250)

3BHK (A)

3BHK (B)

UNIT PLANS (1:100)

VIEW OF 'B' WING

NORTH-WEST SIDE VIEW

AREA CALCULATIONS

UNIT	BUA	CARPET AREA	BALCONY	UTILITY
3BHK(A)	113	97.21	5.4	2.99
3BHK(B)	109.37	97.21	5.4	2.99



SECTION XX'



NORTH ELEVATION

A&C WING

4BHK

3BHK(B)

UNIT PLANS (1:100)

AREA CALCULATION

UNIT	BUA	CARPET AR	BALCONY	UTILITY
4BHK	148	127	8.5	2.99
3BHK(B)	109.37	97.21	5.4	2.99

A.D PORTFOLIO

RESIDENTIAL SCHOOL

SEM VI

2273_SHANKAR SHILPA ABHIJIT WAGH

CONCEPT

SITE CONTEXT

SITE IS LOCATED IN KANOI VILLAGE WHICH IS 35KM FROM JAISALMER CITY. THERE IS A LAKE IN SITE WHICH IS A MAJOR SOURCE OF WATER FOR PEOPLE ALSO THE SPACE IS A GATHERING SPACE FOR VILLAGERS AS THEIR MELA HAPPENS THERE.

SITE IMAGES

CLIMATE AND TOPOGRAPHY

SWOT ANALYSIS

STRENGTH

RICH CULTURE, UNIQUE LOCAL ARCHITECTURE, POTENTIAL FOR COMMUNITY INVOLVEMENT,LOCALLY AVAILABLE MATERIAL.

WEAKNESS

HARSH CLIMATE, WATER SCARCITY, LIMITED INFRASTRUCTURE, SOCIO-ECONOMIC CHALLENGES.

OPPORTUNITIES

SUSTAINABLE DESIGN, EDUCATIONAL EMPOWERMENT, CULTURAL PRESERVATION, TOURISM RELATED EDUCATIONAL OPPORTUNITIES.

THREAT

CLIMATE CHANGE, ENVIRONMENTAL DEGRADATION, SOCIO-ECONOMIC DISPARITY, DIFFICULTY MAINTAINING QUALIFIED

ABOUT DESIGN



FORMATION OF COURTYARDS

USE OF JALIS

USE OF YELLOW SANDSTONE



DESIGN ALONG CONTOURS

AS SITE IS IN KANOI IT IS A VILLAGE WHERE THERE IS WATER SCARCITY AND LAKE IS VERY IMPORTANT FOR VILLAGERS SO IT IS DESIGNED IN SUCH WAY THAT LAKE WILL AFFECT MINIMUM OR WILL NOT GET POLLUTED DUE TO SCHOOL CONSTRUCTION.
TO AVOID FLATTENING OF A LARGE AREA AND TO MAKE USE OF NATURAL CONTOURS, DIFFERENT LEVELS ARE USED IN STRUCTURES WITHOUT BREAKING THE FLOW OF SPACE.
RAMPS AND LIFTS ARE PROVIDED TO MAKE IT UNIVERSALLY ACCESSIBLE.
STRUCTURES ARE DESIGNED BY MAKING THE BEST USE OF WIND DIRECTION AND SUN PATH SO THAT THEY WILL BE WELL-LIT AND NATURALLY VENTILATED.
COURTYARDS ARE DESIGNED TO HAVE GOOD VENTILATION, AND JALIS ARE ALSO USED FOR IT.
A CONSIDERABLE SPACE IS LEFT BETWEEN THE STRUCTURE WHICH WILL ALLOW WATER TO FLOW TO THE LAKE DURING RAIN. ACADEMIC BLOCK IS DESIGNED CONSIDERING FUTURE EXPANSIONS. YELLOW SANDSTONE IS USED AS IT LOCALLY AVAILABLE AND IT IS VERY GOOD FOR SUCH CLIMATES. SPACES ARE WELL CONNECTED BY PATHWAYS AND ARE DESIGNED IN SUCH WAY THAT NO DARK OR UNSAFE CORNERS ARE FORMED. ALSO TO HAVE GOOD VIEW AND ALSO TO INCREASE WATER RETENTION LAKE IS SLIGHTLY INCREASED.

2273_SHANKAR SHILPA ABHIJIT WAGH

SECTION X-X'

ROOFPLAN

MASTERPLAN

LEGENDS

1 - SECURITY CABIN
2 - AUDITORIUM
3 - ENTRANCE & ADMIN BLOCK
4 - MULTIPURPOSE HALL
5 - ACADEMIC BLOCK
6 - LIBRARY & LABORATORIES
7 - INDOOR GAMES BLOCK
8 - PLAYGROUND
9 - MESS
10 - BOYS' HOSTEL
11 - FACULTY ACCOMODATION
12 - GIRLS' HOSTEL
13 - DIRECTOR'S ACCOMODATION
14 - DEPUTY-DIRECTOR'S ACCOMODATION
15 - AMPHITHEATRE
16 - PARKING
17 - LAKE

ADMIN BLOCK



SECTION X-X' (1:200)

FRONT ELEVATION (1:200)



UPPER LEVEL GROUND FLOOR PLAN (1:200)

MIDDLE LEVEL GROUND FLOOR PLAN

VIEWS

LOWER LEVEL GROUND FLOOR PLAN (1:200)

KEYPLAN

IT IS A GROUND STOREY STRUCTURES WHICH IS IN THREE LEVELS. IT DESIGN ALSO REPRESENT HIERARCHY OF SPACES AS AT THE TOP THERE IS PRINCIPAL'S OFFICE AT MIDDLE THERE IS ADMIN OFFICE AND AT BOTTOM MOST LEVEL THERE IS ENTRANCE ZONE.ENTRANCE ZONE INCLUDES DISPLAY AREA AND CAFETARIA

N

ACADEMIC BLOCK



SECTION X-X' (1:200)

FRONT ELEVATION (1:200)

1ST FLOOR PLAN (1:200)

GROUND FLOOR PLAN (1:200)

VIEWS

KEYPLAN

IT IS A GROUND + 1 STOREY STRUCTURE.IT IS CONSTRUCTED ON DIFFERENT LEVELS BY MAKING USE OF SITE CONTOURS.ITS INSPIRATION IS TAKEN FROM SMRITIVAN EARTHQUAKE MUSEUM BHUJ. ITS FIRST GROUND FLOOR IS AT 161M AND THE LAST GROUND FLOOR LEVEL OS 167M . ALTHOUGH IT IS IN DIFFERENT LEVELS IT IS UNIVERSALLY ACCESSIBLE AS RAMPS AND ELEVATOR IS PROVIDED. IT IS DESIGNED IN RAJASTHANI STYLE WHICH GIVES IT A LOOK LIKE A FORT.

SECTION X-X' (1:200)

FRONT ELEVATION (1:200)

1ST FLOOR PLAN (1:200)

VIEWS

GROUND FLOOR PLAN (1:200)

IT IS A GROUND+1 STOREY STRUCTURE . IT IS PLACED IN FRONT OF ACADEMIC BLOCK TO HAVE GOOD CONNECTIVITY. IT IS ALSO DESIGNED IN DIFFERENT LEVELS FROM 159M TO 157M . IT IS ALSO UNIVERSALLY ACCESSIBLE AS IT HAS RAMP AS ITS MAIN FEATURE. IT IS DESIGNED AS TO HAVE A FEEL OF BASEMENT.

LIBRARY & LABORATORIES

SECTION X-X' (1:200)

FRONT ELEVATION (1:200)



1ST FLOOR PLAN (1:200)

VIEWS



GROUND FLOOR PLAN (1:200)

IT IS A GROUND + 1 STOREY STRUCTURE.IT IS DESIGNED AT CENTRE OF SITE SO IT IS ACCESSIBLE TO BOTH ACADEMIC BLOCK AND HOSTEL BLOCK. IT HAS A COURTYARD WHICH HAS A BATMINTON COURT IN IT. IT ALSO HAS STEPPED SEATING TOWARDS PLAYGROUND WHICH CAN ALSO BE USED AS AMPHITHEATRE. IT ALSO HAS STUDIOS FOR DANCE, DRAMA, PAINTING ETC WHICH MAKES IT A CREATIVE INFORMAL SPACE.

KEYPLAN

INDOOR SPORTS BLOCK

2273_SHANKAR SHILPA ABHIJIT WAGH

MESS



SECTION X-X' (1:100)

FRONT ELEVATION (1:100)



GROUND FLOOR PLAN (1:100)

VIEWS

KEYPLAN

IT IS GROUND STOREY STRUCTURE IT IS IN MIXED RAJASTHANI AND MODERN STYLE.IT IS ON LEVEL 156M BUT FOR EASE IN UNDERSTANDING I56M LEVEL IS CONSIDERED AS OM . IT IS DESIGNED ACCORDING TO STUDENTS DAILY ROUTINE.IT IS CONNECTED TO A DRIVEWAY FOR SERVICE.



A.D PORTFOLIO

SUKOON RESORT

SEMESTER V

SIR J.J COLLEGE OF ARCHITECTURE

2273_SHANKAR SHILPA ABHIJIT WAGH

SITE CONTEXT

SITE IS LOCATED IN MAWAL,KAMSHET, MAHARASHTRA



INSPIRATIONS FOR STEPPED GARDEN NEAR WATERFRONT

INSPIRATION FOR AMPHITHEATRE NEAR WATERFRONT

CREATING VOID THROUGH SPACES



CREATING VOIDS IN BETWEEN TWO STRUCTURES TO ACHIEVE VISUAL CONNECTIVITY TO OUTER SURROUNDINGS

PLAY OF LIGHT AND SHADOW THROUGH MATERIALS

PLAY OF LIGHT AND SHADOW AND CONNECTION OF INNER SPACE TO OUTER SPACE USING TERRACOTTA JALIS.
USE OF TERRACOTTA JALI
TO MAINTAIN PRIVACY BETWEEN TWO SPACES.
TO CREATE A BARRIER BETWEEN TWO SPACES.
CONNECT VISUALLY.

FORMATION OF COURTYARD



COURTYARDS ADD A DESIGN ELEMENT THAT CREATES CONNECTIVITY BETWEEN INTERIOR AND EXTERIOR SPACE. CREATING VOIDS IN TWO SPACE TO ACHIEVE VISUAL CONNECTIVITY TO SURROUNDING LANDSCAPE. USING COURTYARD PLANNING WE CAN TAKE NATURAL LIGHT AND KEEP INTERNAL SPACE COOL.

MY DREAM IS TO SPEND MY VACATION WHERE MY STAY WILL BE IN VILLAGE. I LIKE THE EARLY MORNING SUNLIGHT. I LIKE TO WALK IN VILLAGE . I LOVE TO TALK TO PEOPLE AND TO DO GROUP ACTIVITIES .
I HAVE TRIED TO INCORPORATE ALL MY DREAMS IN MY RESORT.
I HAVE TRIED TO DESIGN COMMON SPACES SUCH AS GARDENS ,SIT OUTS, AMPHITHEATRE ETC. ALSO HAVE CREATED MANY COMMON OPEN SPACES BETWEEN TWO OR MORE ACCOMODATION STRUCTURES.
I HAVE CREATED TWO RESIDENTIAL ZONES ONE OF THEM IS MORE EXPOSED TO INTERACTIVE PUBLIC SPACES, ANOTHER IS LITTLE BIT QUIETER AND PRIVATE ZONE WHICH HAS VILLAS IN IT.
I HAVE TRIED TO DESIGN OPEN STRUCTURES WITHOUT DISTURBING THEIR PRIVACY.
STRUCTURES HAVE BREATHABLE SPACE BETWEEN THEM. TO DESIGN COMMON SPACES I HAVE TRIED TO CLUB SIMILAR STRUCTURES TOGETHER .
I HAVE TRIED TO GIVE THE FEEL TO USER WHICH I WILL BE HAVING IN THIS RESORT THAT IS THE FEEL OF **SUKOON.**

CONCEPT SHEET

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273

LEGEND

1 PARKING
2. RECEPTION
3. MULTIPURPOSE AREA
4.CAFE
5.RESTAURANT
6. GUEST VILLAS
7. DORMITORIES
8.ARCHERY
9.GUEST ROOMS
10.GUEST SUITES
11. BADMINTON COURT
12.SITOUT SPACE
13. TENNIS COURT
14 MULTIPURPOSE GARDEN
15.SERVICE BLOCK
16. RESTAURANT
17 AMPHITHEATRE
18. STEPPED GARDEN
19.DECK
20 GYM AND INDOOR GAMES
21. SPA
22. CHANGING AREA
23. COMMON SWIMMING POOL
24. AMPHITHEATRE (KUND)

MASTER PLAN
SCALE - 1:750

SECTION AA'
SCALE - 1:500

SECTION BB'
SCALE - 1:500

MASTER PLAN

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273

FRONT ELEVATION

3D VIEW

IT IS A 4BHK VILLA. WHICH IS ALONG THE EDGE OF SITE.IT IS A G+1 STRUCTURE.IT HAS ITS PRIVATE POOL HAVING THE VIEW OF DAM.
IT IS DESIGNED TO HAVE GOOD LIGHT AND AIR VENTILATION.



SECTION - AA
SCALE - 1:100



VILLA GROUND FLOOR PLAN
SCALE - 1:100



VILLA FIRST FLOOR PLAN
SCALE - 1:100

KEY PLAN

VILLA LAYOUT

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273

3D VIEWS

FRONT ELEVATION



SECTION - AA
SCALE - 1:100

SPA :
IT IS LOCATED IN FRONT OF SWIMMING POOL . ITS PLINTH IS KEPT HIGH TO MAINTAIN THE PRIVACY OF USER . IT HAS A COURTYARD . THE OVERALL DESIGN SOOTHES THE MIND



SPA PLAN
SCALE - 1:100

ISOMETRIC VIEW

FRONT ELEVATION

CAFE:
IT IS A OPEN CAFE WHICH HAS ITS VIEW OF ENTIRE SITE AS WELL AS LAKE.THE PARTITIONS IN IT ARE MADE BY USING BUSHES. IT HAS PERGOLA AS ROOF COVERED BY TRANSPARENT ACRYLIC SHEET.



PLAN
SCALE - 1:100

KEY PLAN

SPA AREA AND CAFE AREA LAYOUT

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273

FRONT SIDE ELEVATION

BACK SIDE ELEVATION



SECTION - AA
SCALE - 1:100

THERE ARE TOTAL 48 GUEST ROOMS IN RESORT.
SIX ROOMS ARE DESIGNED TOGETHER TO FORM CLUSTER.
ROOMS HAVE VIEW FROM BOTH FRONT AND BACK SIDE , SO COMMON SPACES ARE PROVIDED ACCORDING TO IT.

PLAN
SCALE - 1:100

ISOMETRIC VIEW

KEY PLAN

GUEST ROOM

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273

ELEVATION

DORMITORIES :
IT IS DESIGNED FOR 10 PEOPLE AND THERE ARE 2 DORMITORIES CLUSTERED TOGETHER . THE SEATING IS GIVEN AT ENTRY WHICH HAS VIEW OF GARDEN

SECTION - AA
SCALE - 1:100



DORMITORIES PLAN
SCALE - 1:100

3D VIEW

SUIT ROOM :
IT HAS COMMON SPACE WHICH ACT AS COURTYARD. FROM THIS COMMON SPACE IT HAS VIEW OF GARDEN.

ISOMETRIC VIEW

KEY PLAN

ELEVATION



SECTION - AA
SCALE - 1:100



PLAN
SCALE - 1:100

DORMITORIES AND SUIT ROOM LAYOUT

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273



KEY PLAN

ROOF TOP VIEW

ISOMETRIC VIEW



IT IS A OPEN RECEPTION INSPIRED FROM ANCHAVIYO RESORT. IT'S OPEN DESIGN GIVES GRANDNESS TO RESORT

PLAN
SCALE - 1:100

FRONT ELEVATION

RECEPTION AREA LAYOUT

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273



IT IS A MULTIPURPOSE HALL HAVING A STAGE IN IT. ITS OCTAGONAL SHAPE GIVES A HUGE AREA FOR VARIOUS ACTIVITIES .DUE TO CAVITY IN ITS ROOF IT WILL BE COOL DURING HOT SUMMERS.

ISOMETRIC VIEW

FRONT ELEVATION



PLAN
SCALE - 1:100

ROOF TOP VIEW

KEY PLAN

MULTIPURPOSE HALL LAYOUT

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273



IT IS ALSO A MULTI CUISINE RESTAURANT WHICH IS NEAR LAKE FRONT . IT HAS A DECK WHICH ALSO HAVE DINING FACILITY. IT HAS A CENTRAL COURTYARD WHICH WILL KEEP STRUCTURE COOL. ALL SERVICES ARE MANAGED FROM BACK SIDE OF STRUCTURE



PLAN
SCALE - 1:100

FRONT ELEVATION



ISOMETRIC VIEW

KEY PLAN

RESTAURANT LAYOUT

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273



IT IS A MULTI-CUISINE RESTAURANT WHICH IS LOCATED ON EAST SIDE OD SITE. IT HAS VIEW OF RIVER AND DAM SO DINNING IS PROVIDED ON DECK TO HAVE VIEW.



PLAN
SCALE - 1:100

FRONT ELEVATION

ISOMETRIC VIEW

KEY PLAN

RESTAURANT LAYOUT

SHANKAR SHILPA ABHIJIT WAGH
ROLL NO - 2273

WORKING
DRAWING
SEM 6

GENERAL NOTES

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. CHECK ALL DIMENSIONS AFTER EXECUTION.



NAME- SHANKAR SHILPA ABHIJIT WAGH

SUBJECT - WORKING DRAWING

T.Y. B.ARCH (SEM-VI) ROLL NO -2273

SIR J.J. COLLEGE OF ARCHITECTURE

PROJECT : **HOTEL**

DATE: 25/04/2025 | SCALE: 1:100

SETTING OUT PLAN

SIGNATURE AND STAMP

NORTH



GENERAL NOTES

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN M15 GRADE CONCRETE.
3. ALL R.C.C. WORK IN M35 GRADE CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA
   OR ANY LIGHT WEIGHT FILLING MATERIALS.

ALL COLUMNS ARE OF SIZE 600X400MM

NAME- SHANKAR SHILPA ABHIJIT WAGH

SUBJECT - WORKING DRAWING

T.Y. B.ARCH (SEM-VI) ROLL NO -2273

SIR J.J. COLLEGE OF ARCHITECTURE

PROJECT : **HOTEL**

DATE: 25/04/2025 | SCALE: 1:100

CENTERLINE PLAN

SIGNATURE AND STAMP

NORTH



GENERAL NOTES

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN 1:3:6 CONCRETE.
3. ALL R.C.C. WORK IN 1:2:4 CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA OR ANY LIGHT WEIGHT FILLING MATERIALS.

DOOR SCHEDULE		
SR.NO	SYMBOL	SIZE
1	D1	1000X2100
2	D2	800X2100
3	D3	1200X2100
4	D4	3082X2000
5	D5	1200X2100

WINDOW SCHEDULE		
SR.NO	SYMBOL	SIZE
1	W1	2000X1400
2	W2	1500X2000
3	W3	1200X2000
4	W4	2000X2000
5	W5	900X1400
6	W6	1500X2000
7	W7	2000X600

FLOOR FINISH	DIMENSIONS (MM)	DESCRIPTION
FF1	1200X1200X12	
FF2	800X800X12	

WALL FINISH	DESCRIPTION
WF1	
WF2	

CEILING FINISH	DESCRIPTION
CF1	
CF2	

NAME- SHANKAR SHILPA ABHIJIT WAGH

SUBJECT - WORKING DRAWING

T.Y. B.ARCH (SEM-VI) ROLL NO -2273

SIR J.J. COLLEGE OF ARCHITECTURE

PROJECT : **HOTEL**

DATE: 25/04/2025 SCALE: 1:100

LOWER BASEMENT PLAN

SIGNATURE AND STAMP

NORTH



GENERAL NOTES
1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN 1:3:6 CONCRETE.
3. ALL R.C.C. WORK IN 1:2:4 CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA OR ANY LIGHT WEIGHT FILLING MATERIALS.

DOOR SCHEDULE

SR.NO	SYMBOL	SIZE
1	D1	1000X2100
2	D2	800X2100
3	D3	1200X2100
4	D4	3000X3000
5	D5	1200X2100

WINDOW SCHEDULE

SR.NO	SYMBOL	SIZE
1	W1	2000X6450
2	W2	1500X2000
3	W3	1200X2000
4	W4	2000X2000
5	W5	600X1400
6	W6	1000X2000
7	V1	2000X450

FLOOR FINISH	DIMENSIONS (MM)	DESCRIPTION
FF1	1200X1200X12	VITRIFIED TILES MATT FINISH
FF2	300X300X12	ANTI SKID MOSAIC TILES

WALL FINISH	DESCRIPTION
WF1	WALL LINED WITH 12MM INTERNAL PLASTER
WF2	WALL LINED WITH 150MM THICK CERAMIC TILES

CEILING FINISH	DESCRIPTION
CF1	EMULSION PAINT ON INTERNAL PLASTER 12MM
CF2	GYPSUM BOARD FALSE CEILING

NAME- SHANKAR SHILPA ABHIJIT WAGH
SUBJECT - WORKING DRAWING
T.Y. B.ARCH (SEM-VI) ROLL NO -2273
SIR J.J. COLLEGE OF ARCHITECTURE

DATE: 21/03/2025 SCALE: 1:100

GROUND FLOOR PLAN

SIGNATURE AND STAMP

NORTH



FIRST FLOOR PLAN (1:100)

GENERAL NOTES
1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN 1:3:6 CONCRETE.
3. ALL R.C.C. WORK IN 1:2:4 CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA OR ANY LIGHT WEIGHT FILLING MATERIALS.

DOOR SCHEDULE

SR.NO	SYMBOL	SIZE
1	D1	1000X2100
2	D2	800X2100
3	D3	1200X2100
4	D4	3000X3000
5	D5	1200X2100

WINDOW SCHEDULE

SR.NO	SYMBOL	SIZE
1	W1	2000X6450
2	W2	1500X2000
3	W3	1200X2000
4	W4	2000X2000
5	W5	600X1400
6	W6	1000X2000
7	V1	2000X450

FLOOR FINISH	DIMENSIONS (MM)	DESCRIPTION
FF1	1200X1200X12	VITRIFIED TILES MATT FINISH
FF2	300X300X12	ANTI SKID MOSAIC TILES

WALL FINISH	DESCRIPTION
WF1	WALL LINED WITH 12MM INTERNAL PLASTER
WF2	WALL LINED WITH 150MM THICK CERAMIC TILES

CEILING FINISH	DESCRIPTION
CF1	EMULSION PAINT ON INTERNAL PLASTER 12MM
CF2	GYPSUM BOARD FALSE CEILING

KEY PLAN

NAME- SHANKAR SHILPA ABHIJIT WAGH
SUBJECT - WORKING DRAWING
T.Y. B.ARCH (SEM-VI) ROLL NO -2273
SIR J.J. COLLEGE OF ARCHITECTURE

DATE: 25/04/2025 SCALE: 1:100

FIRST FLOOR PLAN

SIGNATURE AND STAMP

NORTH



GENERAL NOTES
1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN 1:3:6 CONCRETE.
3. ALL R.C.C. WORK IN 1:2:4 CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA OR ANY LIGHT WEIGHT FILLING MATERIALS.

DOOR SCHEDULE

SR.NO	SYMBOL	SIZE
1	D1	1000X2100
2	D2	800X2100
3	D3	1200X2100
4	D4	3000X3000
5	D5	1200X2100

WINDOW SCHEDULE

SR.NO	SYMBOL	SIZE
1	W1	2000X6450
2	W2	1500X2000
3	W3	1200X2000
4	W4	2000X2000
5	W5	600X1400
6	W6	1000X2000
7	V1	2000X450

FLOOR FINISH	DIMENSIONS (MM)	DESCRIPTION
FF1	1200X1200X12	VITRIFIED TILES MATT FINISH
FF2	300X300X12	ANTI SKID MOSAIC TILES

WALL FINISH	DESCRIPTION
WF1	WALL LINED WITH 12MM INTERNAL PLASTER
WF2	WALL LINED WITH 150MM THICK CERAMIC TILES

CEILING FINISH	DESCRIPTION
CF1	EMULSION PAINT ON INTERNAL PLASTER 12MM
CF2	GYPSUM BOARD FALSE CEILING

NAME- SHANKAR SHILPA ABHIJIT WAGH
SUBJECT - WORKING DRAWING
T.Y. B.ARCH (SEM-VI) ROLL NO -2273
SIR J.J. COLLEGE OF ARCHITECTURE

DATE: 25/04/2025 SCALE: 1:100

TYPICAL FLOOR PLAN

SIGNATURE AND STAMP

NORTH



GENERAL NOTES
1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN 1:3:6 CONCRETE.
3. ALL R.C.C. WORK IN 1:2:4 CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA OR ANY LIGHT WEIGHT FILLING MATERIALS.

DOOR SCHEDULE

SR.NO	SYMBOL	SIZE
1	D1	1000X2100
2	D2	800X2100
3	D3	1200X2100
4	D4	3000X3000
5	D5	1200X2100

WINDOW SCHEDULE

SR.NO	SYMBOL	SIZE
1	W1	2000X6450
2	W2	1500X2000
3	W3	1200X2000
4	W4	2000X2000
5	W5	600X1400
6	W6	1000X2000
7	V1	2000X450

FLOOR FINISH	DIMENSIONS (MM)	DESCRIPTION
FF1	1200X1200X12	VITRIFIED TILES MATT FINISH
FF2	300X300X12	ANTI SKID MOSAIC TILES

WALL FINISH	DESCRIPTION
WF1	WALL LINED WITH 12MM INTERNAL PLASTER
WF2	WALL LINED WITH 150MM THICK CERAMIC TILES

CEILING FINISH	DESCRIPTION
CF1	EMULSION PAINT ON INTERNAL PLASTER 12MM
CF2	GYPSUM BOARD FALSE CEILING

NAME- SHANKAR SHILPA ABHIJIT WAGH
SUBJECT - WORKING DRAWING
T.Y. B.ARCH (SEM-VI) ROLL NO -2273
SIR J.J. COLLEGE OF ARCHITECTURE

DATE: 25/04/2025 SCALE: 1:100

FLOOR PLAN AT LVL +11.3M

SIGNATURE AND STAMP

NORTH



FRONT ELEVATION



STRIP SECTION



STRIP PLAN @+1.5M

GENERAL NOTES

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN 1:3:6 CONCRETE.
3. ALL R.C.C. WORK IN 1:2:4 CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA
   OR ANY LIGHT WEIGHT FILLING MATERIALS.

DOOR SCHEDULE		
SR.NO	SYMBOL	SIZE
1	D1	1000X2100
2	D2	800X2100
3	D3	1200X2100
4	D4	3000X3000
5	D5	1200X2100

WINDOW SCHEDULE		
SR.NO	SYMBOL	SIZE
1	W1	2000X6450
2	W2	1500X2000
3	W3	1200X2000
4	W4	2000X2000
5	W5	600X1400
6	W6	1000X2000
7	V1	2000X450

FLOOR FINISH	DIMENSIONS (MM)	DESCRIPTION
FF1	1200X1200X12	VITRIFIED TILES MATT FINISH
FF2	300X300X12	ANTI SKID MOSAIC TILES

WALL FINISH	DESCRIPTION
WF1	WALL LINED WITH 12MM INTERNAL PLASTER
WF2	WALL LINED WITH 10MM THICK CERAMIC TILES

CEILING FINISH	DESCRIPTION
CF1	EMULSION PAINT ON INTERNAL PLASTER 12MM
CF2	GYPSUM BOARD FALSE CEILING



NAME- SHANKAR SHILPA ABHIJIT WAGH

SUBJECT - WORKING DRAWING

T.Y. B.ARCH (SEM-VI) ROLL NO -2273

SIR J.J. COLLEGE OF ARCHITECTURE

PROJECT : **HOTEL**

DATE: 25/04/2025 SCALE: 1:100

FRONT ELEVATION

SIGNATURE AND STAMP

NORTH



SECTION A-A'

GENERAL NOTES

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN 1:3:6 CONCRETE.
3. ALL R.C.C. WORK IN 1:2:4 CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA
   OR ANY LIGHT WEIGHT FILLING MATERIALS.

DOOR SCHEDULE		
SR.NO	SYMBOL	SIZE
1	D1	1000X2100
2	D2	800X2100
3	D3	1200X2100
4	D4	3000X3000
5	D5	1200X2100

WINDOW SCHEDULE		
SR.NO	SYMBOL	SIZE
1	W1	2000X6450
2	W2	1500X2000
3	W3	1200X2000
4	W4	2000X2000
5	W5	600X1400
6	W6	1000X2000
7	V1	2000X450

FLOOR FINISH	DIMENSIONS (MM)	DESCRIPTION
FF1	1200X1200X12	VITRIFIED TILES MATT FINISH
FF2	300X300X12	ANTI SKID MOSAIC TILES

WALL FINISH	DESCRIPTION
WF1	WALL LINED WITH 12MM INTERNAL PLASTER
WF2	WALL LINED WITH 10MM THICK CERAMIC TILES

CEILING FINISH	DESCRIPTION
CF1	EMULSION PAINT ON INTERNAL PLASTER 12MM
CF2	GYPSUM BOARD FALSE CEILING



KEY PLAN

NAME- SHANKAR SHILPA ABHIJIT WAGH

SUBJECT - WORKING DRAWING

T.Y. B.ARCH (SEM-VI) ROLL NO -2273

SIR J.J. COLLEGE OF ARCHITECTURE

PROJECT : **HOTEL**

DATE: 25/04/2025 SCALE: 1:100

SECTION A-A'

SIGNATURE AND STAMP

NORTH



SECTION X-X' (SC 1:100)



STAIRCASE PLAN AT TYPICAL FLOOR LEVEL SC- 1:50



STAIRCASE PLAN AT GROUND LEVEL SC-1:50



STAIRCASE PLAN AT BASEMENT LEVEL SC-1:50



DETAIL NEAR LANDING SC-1:5



DETAIL AT B SC-1:5



DETAIL AT A
DETAIL OF BALUSTER JOINERY SC-1:5

SECTION Z-Z' OF FLOOR SPRING (1:2)



SECTION Y-Y' OF FLOOR SPRING (1:2)



PLAN OF FLOOR SPRING (1:2)



STRIP SECTION OF REVOLVING WINDOW
(1:20)



DETAIL AT E (1:5)



DETAIL AT D (1:5)



STRIP SECTION OF BRICK CLADDING (1:20)

GENERAL NOTES

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE SPECIFIED.
2. ALL P.C.C. WORK IN 1:3:6 CONCRETE.
3. ALL R.C.C. WORK IN 1:2:4 CONCRETE.
5. CHECK ALL DIMENSIONS AFTER EXECUTION.
6. TOILET SLAB IS 200 MM SUNK WITH REGULAR R.C.C. BEAM, FILLED WITH BRICK BAT COBA
   OR ANY LIGHT WEIGHT FILLING MATERIALS.

DOOR SCHEDULE		
SR.NO	SYMBOL	SIZE
1	D1	1000X2100
2	D2	800X2100
3	D3	1200X2100
4	D4	3000X3000
5	D5	1200X2100

WINDOW SCHEDULE		
SR.NO	SYMBOL	SIZE
1	W1	2000X6450
2	W2	1500X2000
3	W3	1200X2000
4	W4	2000X2000
5	W5	600X1400
6	W6	1000X2000
7	V1	2000X450

FLOOR FINISH	DIMENSIONS (MM)	DESCRIPTION
FF1	1200X1200X12	VITRIFIED TILES MATT FINISH
FF2	300X300X12	ANTI SKID MOSAIC TILES

WALL FINISH	DESCRIPTION
WF1	WALL LINED WITH 12MM INTERNAL PLASTER
WF2	WALL LINED WITH 10MM THICK CERAMIC TILES

CEILING FINISH	DESCRIPTION
CF1	EMULSION PAINT ON INTERNAL PLASTER 12MM
CF2	GYPSUM BOARD FALSE CEILING

NAME- SHANKAR SHILPA ABHIJIT WAGH

SUBJECT - WORKING DRAWING

T.Y. B.ARCH (SEM-VI) ROLL NO -2273

SIR J.J. COLLEGE OF ARCHITECTURE

PROJECT: HOTEL

DATE: 25/04/2025 SCALE: 1:100

STAIRCASE AND DETAILS

SIGNATURE AND STAMP

NORTH

MUNICIPAL DRAWING

SEM 7

GROUND FLOOR PLAN (1:100)

LOCATION PLAN (1:1000)

L.O.S AREA DIAGRAM (1:250)

SETBACK AREA DIAGRAM (1:250)

LOS AREA CALCULATIONS

TRIANGULATION FOR LOS			
SR NO	HEIGHT	BASE	TOTAL
1	7.26	44.21	160.4823
3	7.3	44.21	161.156
3	3.447	9.49	16.39693
4	3.132	9.49	14.86134
		PROPOSED LOS	356.5551
		REQUIRED LOS	310.5

SETBACK AREA CALCULATIONS

TRIANGULATION FOR SETBACK AREA			
SR NO	HEIGHT	BASE	TOTAL
A	5.59	17.87	85.68665
B	12.488	1.975	12.33159
C	26.517	1.975	36.18054
D	20.580	2.197	24.11197
ARC	3.634	18.783	45.47622
SETBACK AREA		=	107.8569
PLOT AREA		-	3116.853
NET PLOT AREA		=	2008.97

PARKING STATEMENT AND SUMMERY

PARKING STATEMENT			
CARPET AREA IN SQM	NO OF FLATS	PARKING PERMISSIBLE	PARKING REQUIRED
BELOW 45.00	12	1 PARKING FOR 4 FLATS	3
45.00-60.00	90	1 PARKING FOR 2 FLATS	45
TOTAL PARKING			48
10% VISITORS PARKING			4.8
TOTAL PARKING REQUIRED			53
TOTAL PARKING PROPOSED			62

PARKING SUMMERY			
FLOOR	BIG CARS	SMALL CAR	TOTAL
STILT	54	2	56
UPPER BASEMENT	20	4	24
LOWER BASEMENT	18	4	22
TOTAL PARKING	52	10	62

BUILT UP AREA STATEMENT

BUILT UP AREA STATEMENT			
FLOOR	TOTAL BUA	STAIRCASE AND LIFT AREA EXEMPTION	BUA CALCULATION FOR FSI
Stilt Floor			
1st	626.295	126.75	501.545
2nd	626.295	126.75	501.545
3rd	626.295	126.75	501.545
4th	626.295	126.75	501.545
5th	626.295	126.75	501.545
6th	626.295	126.75	501.545
7th	626.295	126.75	501.545
8th (Refuge)	626.295	126.75	393.12
9th	626.295	126.75	501.545
10th	626.295	126.75	501.545
11th	626.295	126.75	501.545
12th	626.295	126.75	501.545
13th	650.5005	126.75	523.6405
PROPOSED BUA			6433.967
PERMISSIBLE BUA			6430
FSI REMAINING			2.033

PROFORMA - B

CONTENT OF SHEET
LOCATION PLAN (SC- 1:1000)
GROUND FLOOR PLAN(SC-1:100)
AREA LINE DIAGRAM AND CALCULATION (SC-1:250)
BUILT UP AREA CALCULATIONS
CAR PARKING STATEMENT
LOS CALCULATION
FITNESS CENTER AREA DIAGRAM AND CALCULATION

SIGN OF JUROR ARCHITECT

SIGN OF THE INCHARGE

DESCRIPTION OF PROPOSAL AND PROPERTY.

PROPOSED DEVELOPMENT OF RESIDENTIAL BUILDINGS ON PLOT FINAL PLOT NO 1176 AND 1177 OF BANDRA, MUMBAI

COLLEGE STAMP AND DATE

DATE: 10/10/2025
ROLL NO: 2273
SHANKAR SHILPA ABHIJIT WAGH
SEM 7
SCALE: AS MENTIONED
SIR J.J. COLLEGE OF ARCHITECTURE
ALL DIMENSIONS ARE IN METER

NORTH

SHEET NO 1

PLOT AREA CALCULATION

TRIANGULATION FOR PLOT AREA			
SR NO	HEIGHT	BASE	TOTAL
A	21.34	49.1885	524.8466
B	38.373	49.1885	566.4417
C	21.966	49.251	522.036
D	21.943	49.251	530.4525
PLOT AREA		=	2176.807



PLOT AREA DIAGRAM (1:500)



FITNESS CENTER AREA DIAGRAM (1:100)

FITNESS CENTER AREA CALCULATIONS

TRIANGULATION FOR FITNESS CENTER			
SR NO	HEIGHT	BASE	TOTAL
1	2.65	0.6	0.795
2	0.6	2.65	0.795
3	7.959	4.675	18.60416
4	7.959	4.675	18.60416
5	8.16	10.501	42.84408
6	8.16	10.501	42.84408
NET PLOT AREA		=	124.4985

BLOCK PLAN (1:500)



COMPOUND WALL DETAIL (1:100)

UPPER BASEMENT PLAN (1:100)

PARKING SUMMERY			
FLOOR	BIG CARS	SMALL CARS	TOTAL
UPPER BASEMENT	20	4	24

PROFORMA - B

CONTENT OF SHEET
UPPER BASEMENT PLAN (1:100)

SIGN OF JUROR ARCHITECT

SIGN OF THE INCHARGE

DESCRIPTION OF PROPOSAL AND PROPERTY:

PROPOSED DEVELOPMENT OF RESIDENTIAL BUILDINGS ON PLOT FINAL PLOT NO 1176 AND 1177 OF BANDRA, MUMBAI

COLLEGE STAMP AND DATE

DATE: 10/10/2025

ROLL NO: 2273

SHANKAR SHILPA ABHIJIT WAGH

SEM 7

SCALE: AS MENTIONED

SIR J.J. COLLEGE OF ARCHITECTURE

ALL DIMENSIONS ARE IN METER

NORTH

SHEET NO

2



LOWER BASEMENT PLAN (1:100)

PARKING SUMMERY			
LOWER BASEMENT	18	4	22

PROFORMA - B

CONTENT OF SHEET
LOWER BASEMENT PLAN (1:100)

SIGN OF JUROR
ARCHITECT

SIGN OF THE INCHARGE

DESCRIPTION OF PROPOSAL AND PROPERTY:

PROPOSED DEVELOPMENT OF RESIDENTIAL BUILDINGS ON PLOT FINAL PLOT NO 1176 AND 1177 OF BANDRA, MUMBAI

COLLEGE STAMP AND DATE

DATE: 10/10/2025

ROLL NO: 2273

SHANKAR SHILPA ABHIJIT WAGH

SEM 7

SCALE: AS MENTIONED

SIR J.J. COLLEGE OF ARCHITECTURE

ALL DIMENSIONS ARE IN METER

NORTH

SHEET NO

3

TYPICAL FLOOR PLAN (1:100)



TYPICAL FLOOR AREA DIAGRAM (1:100)

BUA CALCULATION FOR TYPICAL FLOOR

A	28	31.6	1	821.6

DEDUCTION

SR.NO	X	Y	NOS	AREA
1	1.88	1	1	1.88
2	2.08	0.8	2	3.328
3	1.07	1.65	2	3.531
4	1.07	1.85	2	3.959
5	1.7	5.93	4	40.324
6	1.57	1.3	4	8.164
7	1.35	1.93	4	10.422
8	2.03	0.6	1	1.218
9	1.88	0.4	1	0.752
10	1.35	1.6	3	6.48
11	6.15	1.6	2	19.68
12	3.15	4.15	1	13.073
13	4.2	1.6	1	6.72
14	2.57	0.62	1	1.9934
15	1.2	8.58	4	41.184
16	2.52	6.15	2	30.996
TOTAL DEDUCTION =				193.3

STAIRCASE AND LIFT CALCULATION

	X	Y	NOS	AREA
S1	3.3	4.27	2	28.182
S2	3.15	2.03	2	12.789
SL	2.5	2.4	2	12
L1	3.1	4.07	2	25.234
L2	2.6	2.03	2	11.356
LL1	2.5	6.7	2	33.5
LL2	2.3	0.8	2	3.68
TOTAL STAIRCASE & LIFT AREA=				126.75
PROPOSED BUA FOR TYPICAL FLOOR		=		501.54

B.U.A CALCULATIONS FOR TYPICAL FLOOR

AREA LINE DIAGRAM OF FLATS 1,2,6



AREA LINE DIAGRAM OF FLATS 1,2,6

FLAT NO 1,2,6 ON ALL FLOORS		
1	3.15 X 4.75 X 1NO	14.963
2	8.275 X 4.0 X 1NO	33.1
3	1.35 X 2.4 X 1NO	3.24
4	2.925 X 1.5 X 1NO	4.3875
5	1.2X1.2 X1NO	1.44
6	3.15 X 0.85 X 1NO	2.6775
RERA CARPET		59.129

RERA CARPET CALCULATION FLAT NO 1,2,6 ON ALL FLOOR

FLAT NO 5 ON EACH FLOOR (1BHK)

SPACE	X	Y	NOS	AREA
1	6.475	2.4	1	15.54
2	1.725	1.2	1	2.07
3	1.2	2.35	1	2.82
4	2.275	0.984	1	2.2386
5	3.15	5.034	1	15.8571
6	3	0.85	1	2.55
RERA CARPET				41.0757

RERA CARPET CALCULATION FLAT NO 5 ON ALL FLOOR



AREA LINE DIAGRAM OF FLAT 5



AREA LINE DIAGRAM OF FLATS 5

PROFORMA - II

CONTENT OF SHEET
TYPICAL FLOOR PLAN AND AREA LINE DIAGRAM WITH RERA CALCULATIONS (1:100)
PLAN AND AREA LINE DIAGRAM WITH CALCULATION OF FLAT NO 1,2,6 ON TYPICAL FLOOR (1:100)
PLAN AND AREA LINE DIAGRAM WITH CALCULATION OF FLAT NO 5 ON TYPICAL FLOOR (1:100)

SIGN OF JUROR ARCHITECT | SIGN OF THE INCHARGE

DESCRIPTION OF PROPOSAL AND PROPERTY:
PROPOSED DEVELOPMENT OF RESIDENTIAL BUILDINGS ON PLOT FINAL PLOT NO 1176 AND 1177 OF BANDRA, MUMBAI

COLLEGE STAMP AND DATE

DATE: 10/10/2025
ROLL NO: 2273
SHANKAR SHILPA ABHIJIT WAGH
SEM 7
SCALE: AS MENTIONED
SIR J.J. COLLEGE OF ARCHITECTURE
ALL DIMENSIONS ARE IN METER

NORTH

SHEET NO 4

13TH FLOOR PLAN (1:100)



13TH FLOOR AREA DIAGRAM (1:100)

BUA CALCULATION FOR TOP FLOOR				
A	26	31.6	1	821.6
DEDUCTION				
SR NO	X	Y	NOS	AREA
1	1.88	1	1	1.88
2	2.08	0.8	2	3.328
3	1.07	1.65	2	3.531
4	1.07	1.85	2	3.959
5	1.7	5.93	4	40.324
6	1.57	1.3	4	8.164
7	1.35	1.93	4	10.422
8	2.03	0.6	1	1.218
9	1.88	0.4	1	0.752
10	1.35	1.6	3	6.48
11	6.15	1.6	1	9.84
12	3.15	4.15	1	13.073
13	4.2	1.6	1	6.72
14	8.725	0.616	1	5.3746
15	1.2	8.56	4	41.184
16	1.2	8.15	2	14.76
TOTAL DEDUCTION =				171.01

STAIRCASE AND LIFT CALCULATION				
	X	Y	NOS	AREA
S1	3.3	4.27	2	28.182
S2	3.15	2.03	2	12.789
SL	2.5	2.4	2	12
L1	3.1	4.07	2	25.234
L2	2.8	2.03	2	11.368
LL1	2.5	6.7	2	33.5
LL2	2.3	0.8	2	3.68
TOTAL STAIRCASE & LIFT AREA=				126.75
PROPOSED BUA FOR 13th FLOOR =				523.84

B.U.A CALCULATIONS FOR 13TH FLOOR



AREA LINE DIAGRAM OF FLAT NO 3,4,7,8 ON TYPICAL FLOOR

FLAT NO 3,4,7,8 ON EACH FLOOR				
SPACE	X	Y	NOS	AREA
1	1.8	3	1	5.4
2	4	3.15	1	12.6
3	5.35	2.35	1	12.5725
4	5.4	1.5	1	8.1
5	4.025	2.225	1	8.955625
6	5.35	2.2	1	11.77
RERA CARPET				59.39813

RERA CARPET CALCULATION FLAT NO 3,4,7,8 ON TYPICAL FLOOR

FLAT NO 3,4,7,8 ON 13TH FLOOR				
SPACE	X	Y	NOS	AREA
1	1.8	3	1	5.4
2	4	3.15	1	12.6
3	5.35	2.35	1	12.5725
4	5.4	1.5	1	8.1
5	4.025	2.225	1	8.955625
6	5.35	2.2	1	11.77
RERA CARPET				59.39813

RERA CARPET CALCULATION FLAT NO 3,4,7,8 ON 13TH FLOOR



AREA LINE DIAGRAM OF FLAT NO 3,4,7,8 ON 13TH FLOOR

PROFORMA - 8

CONTENT OF SHEET
13TH FLOOR PLAN AND AREA LINE DIAGRAM WITH AREA CALCULATIONS (1:100)
PLAN AND AREA LINE DIAGRAM WITH CALCULATION OF FLAT NO 3,4,7,8 ON 13TH AND TYPICAL FLOOR (1:100)

SIGN OF JUROR ARCHITECT

SIGN OF THE INCHARGE

DESCRIPTION OF PROPOSAL AND PROPERTY:

PROPOSED DEVELOPMENT OF RESIDENTIAL BUILDINGS ON PLOT FINAL PLOT NO 1176 AND 1177 OF BANDRA, MUMBAI

COLLEGE STAMP AND DATE

DATE: 10/10/2025
ROLL NO: 2273
SHANKAR SHILPA ABHIJIT WAGH
SEM 7
SCALE: AS MENTIONED
SIR J.J. COLLEGE OF ARCHITECTURE
ALL DIMENSIONS ARE IN METER

NORTH

SHEET NO

5



8TH (REFUGE) FLOOR PLAN (1:100)



8TH (REFUGE) FLOOR AREA LINE DIAGRAM (1:100)

BUA CALCULATION FOR REFUGE FLOOR

A	26	31.6	1	821.6

DEDUCTION				
SR NO	X	Y	NOS	AREA
1	1.88	1	1	1.88
2	2.06	0.8	2	3.328
3	1.07	1.65	2	3.531
4	1.07	1.85	2	3.959
5	1.7	5.93	4	40.324
6	1.57	1.3	4	8.164
7	1.35	1.93	4	10.422
8	2.03	0.6	1	1.218
9	1.88	0.4	1	0.752
10	1.35	1.6	3	6.48
11	6.15	1.6	1	9.84
12	3.15	4.15	1	13.0725
13	1.2	8.59	4	41.2272
14	2.7	6.15	2	33.21
TOTAL DEDUCTION =				177.4077

STAIRCASE AND LIFT CALCULATION				
	X	Y	NOS	AREA
S1	3.3	4.27	2	28.182
S2	3.15	2.03	2	12.789
SL	2.5	2.4	2	12
L1	3.1	4.07	2	25.234
L2	2.8	2.03	2	11.368
LL1	2.5	6.7	2	33.5
LL2	2.3	0.8	2	3.68
TAL STAIRCASE & LIFT ARE				126.753

REFUGE FLOOR CALCULATION				
	X	Y	NOS	AREA
15	6.75	0.85	1	5.7375
16	9.15	1.3	1	11.895
17	12.3	1.21	1	14.883
18	21.5	4.15	1	89.225
19	1.35	2.54	1	3.4236
TOTAL REFUGE AREA				125.1641
REQUIRED REFUGE AREA				124.32
CALCULATED IN FSI				0.8441
BUA OF REFUGE FLOOR				393.1159

8TH (REFUGE) FLOOR AREA CALCULATIONS

REFUGE AREA STATEMENT

REFUGE AREA REQ. AT 1ST & 11TH FLOOR

	BUILTUP AREA/ FLOOR	X	NOOF FLOORS	TOTAL
BUILTUP AREA OF TYPICAL FLOORS	501.55	X	4	2006.18
BUILTUP AREA OF TOP FLOORS	517.76	X	1	517.76
REFUGE FLOOR	401.23	X	1	401.23
TOTAL BUILTUP AREA (A)				2925.20
REQ. REFUGE AREA (A X 4%)				117.01
PERMISSIBLE REFUGE AREA (B = A X 4.25%)				124.32
PROPOSED REFUGE AREA (C)				125.16
EXCESS REFUGE AREA COUNTED IN FSI (C-B)				0.84

PROPOSAL - 8 (REG NO. - 60)

CONTENT OF SHEET
REFUGE FLOOR PLAN AND AREA LINE DIAGRAM (1:100)

SIGN OF JUNIOR ARCHITECT

SIGN OF THE INCHARGE

DESCRIPTION OF PROPOSAL AND PROPERTY:
PROPOSED DEVELOPMENT OF RESIDENTIAL BUILDINGS ON PLOT FINAL PLOT NO 1176 AND 1177 OF BANDRA, MUMBAI

COLLEGE STAMP AND DATE

DATE: 10/10/2025
ROLL NO: 2273
SHANKAR SHILPA ABHIJIT WAGH
SEM 7
SCALE: AS MENTIONED
SIR J.J. COLLEGE OF ARCHITECTURE
ALL DIMENSIONS ARE IN METER

NORTH

SHEET NO
6



TERRACE FLOOR PLAN SHOWING OHT AND LMR @45M (1:100)


LMR
OVERHEAD TANK
KITCHEN
TOILET
KITCHEN
TOILET
KITCHEN
TOILET

IRSHALPADA

REHABILITATION

SEM 3 / COMPETETION

About Site

On July 19, 2023, there was a massive landslide in Irshalwadi village , Raigad.
Hottest months in Irshalwadi are April and March.
Maximum rainfall can be seen in moth of july, which slows down till mid september.
Maximum wind flow is fro South west Direction.





Analysis

We tried to go and contact with the survivors, before starting the design. We tried to know what exactly are their requirements and thier lifestyle.

Analysis of their life style and traditional houses:
- Their houses were mostly made up of bricks, wattle and daub, mangalore tile roofs and stone plinth.
- Toilets were mostly in the front yard or backyard area of houses which were provided by government, they do not like toilets to be part of house.
- These people are extremely social, they like to talk with their neighbours, spend time together, strengthening the bond between them.
- These people are also very connected to nature.

Children playing in the comfort of their villages, in the surroundings they know since childhood.



Considering their needs and happiness we shall try to design for them, with humility towards thier loss. Understanding them, was ecential part of design.





About Design

For the survivors of the tragedy, we try to build a "**HOME**". Home where they feel comfortable, just like they felt before the landslide.
We have tried to design a structure which will not hinder their ways of living, rather enhance it.

Clusters of 4 houses have been provided. these cluster s form a central community space in between all the houses.
Primary School is provided with facility for public gatherings is provided.

DIfferent from all stands the "**TEMPLE OF MEMORIES**", a memorial stone to remember whoever lost htier lives in the landslide.

Understanding and keeping in mind their needs and lifestyle,
- We have provided a central courtyard, connecting all the rooms in the house, for interactions as well as connection with the surrounding.
- Many openings, for light as well as proper ventilation.
- The traditional veranda, which has always been part of their houses has been retained in the design as well.
- The materials used are exactly the same as used by them for their old houses, this will ensure that they do not feel alienated towards the design.
- Toilets are kept apart from the building, yet are attached to the same plinth considering the rainfall condition.

13273

Irshalpada

Materials

We have used locally sourced material which will keep the authenthic look as wll as feeling.
We have used Mud flooring,CSEB blocks and bamboo for slab.



CSEB BLOCKS

MANGALORE TILES

BAMBOO

MUD FLOORING

Temple Of Memories

This is the one of the important part of our Community Space rather an important part of our design.
It is not only a Memorial Stone but it is athe past of village and villagers, the Memory
of all the Lost Souls in tragedy.
It is also a Community Space itself which provides a space for villagers to meditate upon their past .This is how we have tried to pay tribute to to the Lost ones.
The design of the Memorial will remind them of the incedent, will also make them realise that is in Grasp of Past now ,and they should always move towards brighter future.

Construction Techniques

CSEB blocks are used as construction material.
Mangalore tiles are used as roofing material .
A bamboo slab is used in ground plus one storey structure mud flooring is used in design.





Ground Floor Plan (SC 1:200)



Roof Plan (SC 1:200)

Cluster Design

Cluster is made up of 4 plots, among which 2 are ground+1 storey and 2 are ground storey houses. Cluster is designed to function as a one unit. The interconnecting plots leads to formation of good interactive spaces.
The plots are arranged in such a way that a common space is created in between all the four houses which can be used for various purposes.

LEGENDS:

1 Ground+1 Storey House
2 Ground Storey House



Section AA' (SC 1:100)

Section BB' (SC 1:100)

Front Elevation (SC 1:100)

13273



Floor Plan (SC 1:100)



Roof Plan (SC 1:100)

LEGENDS:

1 Living Room
2 Kitchen
3 Bedroom
4 Courtyard
5 Toilet
6 Bathroom

Ground Storey House

The planning of the house is done keeping in mind some important points such as conection with the surroundings, interactive spaces, and the needs of the users. Traditional Verandah space is provided at every entrance.All the rooms in the house are directly connected to the courtyard, thus enhancing connectivity between indoors and outdoors. Passage throughout this courtyard creates interactive space for the family.Keeping in mind the requirements and comfort of the people living in the house, the house does not seem alien to the surroundings, even a place for "Chul", Traditional place for cooking has been providedfor the convineince.



Terracotta jali provided to the cooking space for proper vetinlation

Section AA' (SC 1:50)

Section BB' (SC 1:50)

Front Elevation (SC 1:50)



Second Floor Plan (SC 1:100)



First Floor Plan (SC 1:100)

LEGENDS:

1 Living Room
2 Kitchen
3 Bedroom
4 Courtyard
5 Toilet
6 Bathroom



Roof Plan (SC 1:100)

Ground + 1 Storey House

Similar to the ground storey structure, this house has additional two bedrooms on the first floor. The connection between indoor and outdoors is maintained here too. Interactive spaces are created around the courtyard, backyard and front verandah. As each room opens in courtyard, ventilation of the rooms is proper.



Section AA' (SC 1:50)

Section BB' (SC 1:50)

Front Elevation (SC 1:50)



Ground Floor Plan (SC 1:200)



Roof Plan (SC 1:200)

Primary School

Primary school is provided as a comunity space. The school is the need of the hour, as they have to send their children far for education this school is a great solution to that.
Apart from education, the space can be used for various purposes like grampanchayat meetings, marraiges, and other gatherings.
Big open ground with a stage has been provided in school itself, thus making the space multi-funtaional.

LEGENDS:

1 Classroom
2 Staff room
3 Principal Cabin
4 Office
5 Toilet
6 Multi-purpose area

Section AA' (SC 1:100)



Section BB' (SC 1:100)



Front Elevation (SC 1:100)

INTERIOR DESIGN SEM 4

SALES OFFICE

THEME

The project is the interior design of a Sales Office for Shreepati Developers for their upcoming project. The design includes a reception, discussion area, AB room, director's cabin, sales cabins, admin office, toilet, pantry, and storage.

The theme of the interior design project is "Lines." The concept is expressed through the use of fluted panels, which create a sense of rhythm and continuity across the space. Different linear patterns are achieved on the walls and elevations by varying the placement and cutting of these panels, visually reinforcing the idea of lines throughout the design.

The same theme is reflected in the Show Flat, designed as a part of the sales experience to communicate the design language of the builder's upcoming project. A white and off-white color palette is used predominantly to enhance brightness and make the spaces appear larger. All windows are fixed glazing, with ventilation and cooling managed through an air-conditioning system.

The passage area is carefully designed to avoid a static or "dead" corridor effect, maintaining a dynamic flow within the office. The front façade also echoes the concept of lines, making the theme visibly consistent from exterior to interior, and reinforcing the builder's brand identity through design.



FRONT ELEVATION



RCP

FLOORING LAYOUT

DISCUSSION AREA

RECEPTION

PLAN

LEGEND

Sr. No.	Element	Size in m
1	Reception / Waiting Area	5.5 x 5.5
2	Discussion Area	8 x 5
3	A/V Conference	4 x 5
4	Meeting Cabin	3.5 x 5
5	Safe	1.5 x 2.5
6	Admin Office	5 x 5.5
7	Toilets	1.5 x 3
8	Pantry	3.5 x 3.5
9	Storage	1.5 x 3.5
10	Print / Copier	3.5 m width
11	Passage	1.5 m width x 20 m long

CABIN

AV ROOM



SECTION A-A'



SECTION B-B'



KEY PLAN



SECTION C-C'



SECTION D-D'



SECTION E-E'

SECTION F-F'

DHARAVI REDEVELOPMENT COMPETETION WORK

DHARAVI MAP

LEGEND:

- DNA BOUNDARY
- EXISTING NALA
- MAHIM CREEK
- WATERMAINS LINES
- EXCLUDED PROPERTY
- EXISTING ROADS
- HT LINE
- RAILWAY TRACK
- SLUM REHABILITATION AREA / DHARAVI REDEVLOPEMENT PROJECT AREA
- **RAILWAY LAND**
- **SALEBLE APARTMENT AREA**
- **SRA AREA**



Clear Spatial Segregation Between SRA and Saleable Units Ensuring :

- Dignity & Autonomy: Essential clear spatial distinction between SRA and saleable units.
- Saleable Units: Inward-facing around dedicated common areas for privacy and market appeal.
- SRA Blocks: Own identity, open spaces, and circulation cores; no shared entries.
- Buffer Zones: Landscape, service roads, or amenities reinforce separation.
- Outcome: Fosters social harmony, safety, and a structured, well-integrated urban fabric

DDQ2025-02-06

DHARAVI REROOTED

PLANNING PRINCIPLES & VIABILITY IN DESIGN

VERSATILITY

ADAPTABILITY

Adaptabilty for future changes

Full-slit sliding windows

Reduced lintel/construction cost increases light and ventilation, aesthetically appealing facade, avoids misuse of space

Efficient and Modular Layout

Building design
Easy-to assemble building blocks

Smart Orientation

Common spaces & courtyard promting a walkable neighborhtoip and togethers

2'inch Bison Panel Partition

₹5,500-₹6,100 for 8,25 sq.m (₹660-₹740/sq.m)

Size: 3m (length) × 2.75 m (height) = 8.25 sq m

Panel Thickness: 50 mm (2.incn)

Material Costs (as of 2024 Indian rates):

Bison panel sheet (2400mm × 1200mm × 50mm): ₹1,000-₹1,300 per sheet

Framework (GI studs + channels), labor: ₹120 – ₹1.5,000 cost = ₹3,300

Total Cost: – ₹5,500 – – 6,100 for 8.25 s.m

✓ Approx ₹660 – ₹740/s.c

VS

Speed · Cost · Moduler Design · Resource Efficiency

Bison panel partitions save 45%–50% in cost, Build faster, add layout flexibility reduce overall load on building slab.

Avoiding in-situ construction of partition wall. A contract can be made with builder wherein , partition walls can be installed in future for the users that require them

PARTITION WALL

150mm Brick Wall Partition



₹10,300-₹11,800 for 8,25 sq.m ₹1,250-₹1,430/sq.m)

Size: 3m × 2.75 m = 8.25 s.m

Volume: 8.25 × 0.15 = 1.2375 cu.m

Brick masonry rate (incl, morfar & labor) : ₹5,000 – ₹5,500/cu.m

Plastering both sides (12.mm thick) ₹250 - 3300.s.m × 16.5 s.m

Total Cost: = 110,300 – ₹11,800 for 8.25 s.m

✗ ~10,300 – ₹11,800 for &25 s.m

✗ Approx ₹1,250 – ₹143/s.m

Maintenance Costs

Two Buildings (A and B)

- 3 Separate **LIFTS** /services
- Security/ Services
- **Total** 6 lifts 2 sets/ security **personnel**

VS

One Building (C)

Reduced Maintenance

4 lifts

Fewer lifts Security & Surveillance System

Same total occupancy buildings A and B combined

Maintenance per flat: ₹40,000 per annum (for 22 floors, 16 flats/floor)

Corpus Fund for Maintenance stored in a Fixed Deposit (FD Controlled by BMC or any governing authority.Money can only be withdrawn with the NOC of BMC which will ensure judicious use of money.

SECTION BB'



EMPOWERING WOMEN IN EACH HOUSEHOLD

LOFT PROVISION



JALI WALL



BISON PANEL PARTITION WALL

PROVISION OF BISON PARTITION WALL PANEL NOT ONLY GIVES SUPPORT LIKE WALLS BUT ALSO GIVES AN OPTION FOR THE RESIDENTS OR THE USERS TO MODIFY THE SPACE AS PER THE NEED WITHOUT SACRIFICING STRUCTURAL INTEGRITY OF THE UNIT OR THE BUILDING

1 BHK FLOOR PLATE PLAN



1 BHK UNIT LAYOUT

TOTAL CARPET AREA

32.30SQ.M

&

348 SQ.FT









COMMUNITY CENTRE

COMMUNITY CENTRE



By placing Anganwadis and community centres in the courtyards, we're bringing care, learning, and togetherness to the heart of the community —right where it's most needed in a dense, interdependent place like Dharavi.

DDQ2025-02-06