```
test> use college
switched to db college
college> db.createCollection("student")
{ ok: 1 }
college> db.student.insertMany({Roll_no: "1",name:"Piyush",class:"TE_Comp"},{Roll_no: "2",name:"Mohi
t",class:"TE_Comp"},{Roll_no: "3",name:"Ahiey",class:"TE_Comp"},{Roll_no: "4",name:"Hitesh",class:"T
E_Comp"},{Roll_no: "5",name:"Pratik",class:"TE_Comp"})
MongoInvalidArgumentError: Argument "docs" must be an array of documents
college> db.student.insertMany([{Roll_no: "1",name: "Piyush",class: "TE_Comp"},{Roll_no: "2",name: "Moh
it",class:"TE_Comp"},{Roll_no: "3",name:"Ahiey",class:"TE_Comp"},{Roll_no: "4",name:"Hitesh",class:"T
E_Comp"},{Roll_no: "5",name:"Pratik",class:"TE_Comp"}])
 acknowledged: true,
 insertedIds: {
  '0': ObjectId("6548ad45b9769b1e764e63d6"),
  '1': ObjectId("6548ad45b9769b1e764e63d7"),
  '2': ObjectId("6548ad45b9769b1e764e63d8"),
  '3': ObjectId("6548ad45b9769b1e764e63d9"),
  '4': ObjectId("6548ad45b9769b1e764e63da")
 }
college> db.student.find()
   _id: ObjectId("6548ad45b9769b1e764e63d6"),
  Roll no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
   id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
   id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Hitesh',
  class: 'TE_Comp'
 },
   id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
 }
college> db.student.find().pretty()
```

```
_id: ObjectId("6548ad45b9769b1e764e63d6"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
 },
  _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Hitesh',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
]
college> db.student.find().pretty();
   _id: ObjectId("6548ad45b9769b1e764e63d6"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
```

```
name: 'Hitesh',
  class: 'TE_Comp'
 },
   _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
 }
college> db.student.update({name:"Hitesh"},{$set{name:"Henry"}})
Uncaught:
SyntaxError: Unexpected token, expected "," (1:39)
> 1 | db.student.update({name:"Hitesh"},{$set{name:"Henry"}})
 2 |
college> db.student.update({name:"Hitesh"},{$set:{name:"Henry"})
Uncaught:
SyntaxError: Unexpected token, expected "," (1:54)
> 1 | db.student.update({name:"Hitesh"},{$set:{name:"Henry"})
 2 |
college> db.student.update({name:"Hitesh"},{$set:{name:"Henry"}})
DeprecationWarning: Collection.update() is deprecated. Use updateOne, updateMany, or bulkWrite.
{
 acknowledged: true,
 insertedId: null,
 matchedCount: 1,
 modifiedCount: 1,
 upsertedCount: 0
}
college> db.student.find().pretty();
 {
   _id: ObjectId("6548ad45b9769b1e764e63d6"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
 },
   _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
 },
```

```
_id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll no: '4',
  name: 'Henry',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
college> db.student.remove({ADD:"MP"})
DeprecationWarning: Collection.remove() is deprecated. Use deleteOne, deleteMany, findOneAndDelete,
or bulkWrite.
{ acknowledged: true, deletedCount: 0 }
college> db.student.find().pretty();
[
 {
   _id: ObjectId("6548ad45b9769b1e764e63d6"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Henry',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
 }
college> db.student.delete({name:"Piyush"})
TypeError: db.student.delete is not a function
college> db.student.deleteOne({name:"Piyush"})
{ acknowledged: true, deletedCount: 1 }
college> db.student.find().pretty();
```

```
id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Henry',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
college> db.student.save({_id: ObjectId("6548ad45b9769b1e764e63d6"),Roll_no: "1",name:"Piyush",clas
s:"TE Comp"})
TypeError: db.student.save is not a function
college> db.student.save({_id: ObjectId("6548ad45b9769b1e764e63d6"),{Roll_no: "1",name:"Piyush",cla
ss:"TE_Comp"}})
Uncaught:
SyntaxError: Unexpected token (1:59)
> 1 | db.student.save({_id: ObjectId("6548ad45b9769b1e764e63d6"),{Roll_no: "1",name:"Piyush",class:"
TE_Comp"}})
 2 |
college> db.student.save({Roll_no: "1",name: "Piyush",class: "TE_Comp"})
TypeError: db.student.save is not a function
college> db.student.insertMany([{Roll_no: "1",name:"Piyush",class:"TE_Comp"}])
{ongoInvalidArgumentError: Argument "docs" must be an array of documents
 acknowledged: true,
 insertedIds: { '0': ObjectId("6548b239b9769b1e764e63db") }
college> db.student.find().pretty();
   id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
```

```
id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Henry',
  class: 'TE_Comp'
   id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
   _id: ObjectId("6548b239b9769b1e764e63db"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
 }
college> db.student.find({$and:[{name:"Piyush"},{Roll_no: "2"})
Uncaught:
SyntaxError: Unexpected token, expected "," (1:54)
> 1 | db.student.find({$and:[{name:"Piyush"},{Roll_no: "2"})
 2 |
college> db.student.find({$and:[{name:"Piyush"},{Roll_no: "2"}])
Uncaught:
SyntaxError: Unexpected token, expected "," (1:55)
> 1 | db.student.find({$and:[{name:"Piyush"},{Roll_no: "2"}])
 2 |
college> db.student.find({$and:[{name:"Piyush"},{Roll_no: "2"}]})
college> db.student.find({$and:[{name:"Piyush"},{Roll_no: "1"}]})
   _id: ObjectId("6548b239b9769b1e764e63db"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
college> db.student.find({$or:[{name:"Piyush"},{Roll_no: "2"}]})
  _id: ObjectId("6548ad45b9769b1e764e63d7"),
```

```
Roll no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
   _id: ObjectId("6548b239b9769b1e764e63db"),
  Roll no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
 }
college> db.student.find({$or:[{name:"Piyush"},{Roll_no: "2"}]}).pretty()
 {
  _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
   id: ObjectId("6548b239b9769b1e764e63db"),
  Roll_no: '1',
college> db.student.find({$nor:[{name:"Piyush"},{Roll_no: "2"}]})
[ class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',nt.find({$and:[{name:"Piyush"},{Roll_no: "1"}]}).pretty()
  name: 'Ahiey',
  class: 'TE_Comp'
 },_id: ObjectId("6548b239b9769b1e764e63db"),
 { Roll no: '1',
   _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',mp'
  name: 'Henry',
  class: 'TE Comp'
 },ege> db.student.find({$and:[{name:"Piyush"},{class:"TE_Comp"}]}).pretty()
  _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',("6548b239b9769b1e764e63db"),
  name: 'Pratik',
  class: 'TE_Comp'
 } class: 'TE_Comp'
college> db.student.find({Roll_no : {$eq:"2"}}).pretty()
[ollege> db.student.find({age:{$lte:27}})
   _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE Comp'
college> db.student.find({Roll_no : {$eq:"5"}}).pretty()
 {
```

```
id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
]
college> db.student.find({Roll_no : {$ne:"5"}}).pretty()
   _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll no: '4',
  name: 'Henry',
  class: 'TE_Comp'
  _id: ObjectId("6548b239b9769b1e764e63db"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
 }
college> db.student.find({Roll_no : {$gt:"5"}}).pretty()
college> db.student.find({Roll_no : {$gt:"2"}}).pretty()
   _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Henry',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
```

```
college> db.student.find({Roll_no : {$gte:"2"}}).pretty()
   _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Henry',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
college> db.student.find({Roll_no : {$lt:"2"}}).pretty()
   _id: ObjectId("6548b239b9769b1e764e63db"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE_Comp'
 }
college> db.student.find({Roll_no : {$lte:"2"}}).pretty()
  _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
   _id: ObjectId("6548b239b9769b1e764e63db"),
  Roll_no: '1',
  name: 'Piyush',
  class: 'TE Comp'
college> db.student.find({Roll_no : {$lte:"5",$gte:"2"}}).pretty()
```

```
id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll_no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Henry',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
 }
college> db.student.find({Roll_no : {$lte:"5",$gt:"2"}}).pretty()
 {
  _id: ObjectId("6548ad45b9769b1e764e63d8"),
  Roll_no: '3',
  name: 'Ahiey',
  class: 'TE_Comp'
  _id: ObjectId("6548ad45b9769b1e764e63d9"),
  Roll_no: '4',
  name: 'Henry',
  class: 'TE_Comp'
   _id: ObjectId("6548ad45b9769b1e764e63da"),
  Roll_no: '5',
  name: 'Pratik',
  class: 'TE_Comp'
 }
college> db.student.find({Roll_no : {$lt:"5",$gte:"2"}}).pretty()
   _id: ObjectId("6548ad45b9769b1e764e63d7"),
  Roll no: '2',
  name: 'Mohit',
  class: 'TE_Comp'
 },
  _id: ObjectId("6548ad45b9769b1e764e63d8"),
```

```
Roll_no: '3',
name: 'Ahiey',
class: 'TE_Comp'
},
{
_id: ObjectId("6548ad45b9769b1e764e63d9"),
Roll_no: '4',
name: 'Henry',
class: 'TE_Comp'
}
]
college>
```