


Debug With Shubham Notes



<https://www.youtube.com/@DebugWithShubham>

[linkedin.com/in/debugwithshubham](https://www.linkedin.com/in/debugwithshubham)

[instagram.com/debugwithshubham](https://www.instagram.com/debugwithshubham)

t.me/debugwithshubham

topmate.io/debugwithshubham



NQT 2025



TCS Interview Q & A

HTML And CSS

Ninja, Prime, Digital Role

HTML Interview Questions & Answers

1-What is HTML and why is it used?

Answer: **HTML** (HyperText Markup Language) is the standard language used to create and structure content on the web. It defines elements like **headings**, **paragraphs**, **links**, **images**, and other **multimedia**.

2-Difference between <div> and ?

Answer: **<div>** is a block-level element used to group larger sections, while **** is an inline element used for small parts like words or short phrases.

3-Difference between <div> and ?

Answer: **<div>** is a block-level element used to group larger sections, while **** is an inline element used for small parts like words or short phrases.

4-Purpose of <!DOCTYPE html>?

Answer: It tells the browser that the document is written in **HTML5**, helping it render the content correctly.

5-Difference between and ?

Answer: **** creates an ordered (numbered) list; **** creates an unordered (bulleted) list.

6- Use of alt attribute in tag?

Answer: It provides alternative text for images if they cannot be displayed; also improves accessibility.

7- Different input types in HTML5?

Answer: text, password, email, number, range, date, color, file, checkbox, radio, etc.

8- Structure of basic HTML5 document?

```
<!DOCTYPE html>
<html>
<head>
  <title>Page Title</title>
</head>
<body>
  <h1>Hello World</h1>
</body>
</html>
```

9-How to link external CSS or JS?

```
<link rel="stylesheet" href="style.css">
<script src="script.js"></script>
```

10- What is the difference between <head> and <body>?

<head> contains metadata and links (like CSS, scripts, title)

<body> contains content visible on the web page.

11- What are meta tags?

Answer: Meta tags provide metadata like charset, author, viewport settings to the browser

12- What are void (self-closing) elements?

Ans: Elements that don't need a closing tag: `<img>`, `<br>`, `<hr>`, `<input>`, etc.

13- What is the use of the `<form>` element in HTML?

Used to collect user input with input fields, checkboxes, radio buttons, etc.

14- Difference between inline and block-level elements?

Inline: Does not start on a new line (`<span>`, `<a>`).

Block: Occupies full width (`<div>`, `<p>`, `<h1>`).

15- What is the use of the `<iframe>` tag?

Embeds another webpage inside the current HTML page

16- What are data attributes in HTML5?

HTML5 custom data attributes allow developers to store additional information on HTML elements that can be accessed and used by Js or CSS

```
<div data-user-id="101"></div>
```

Custom attributes used to store extra information for JavaScript.

17- What is a favicon?

The icon shown in the browser tab, set via `<link rel="icon" href="favicon.ico">`.

18-What is the difference between <section>, <article>, and <div>?

`<section>`: Thematic grouping.

`<article>`: Independent, reusable content.

`<div>`: Generic container.

19- How to create a dropdown in HTML?

```
<select>
```

```
  <option>Option 1</option>
```

```
  <option>Option 2</option>
```

```
</select>
```

20- What is the role of the <label> tag in forms?

Improves accessibility and usability by associating text with form controls.

CSS Interview Questions & Answers

1- Difference between id and class?

Answer: id is unique per page (#id), while class can be used for multiple elements (.class).

2 -Explain CSS Box Model.

Answer: It includes content, padding, border, and margin — defining the layout and spacing.

3- What is specificity in CSS?

Answer: It determines which CSS rule is applied. Inline styles > IDs > Classes > Elements.

4- Position values?

static (default),

relative (offset from normal),

absolute (relative to nearest positioned ancestor),

fixed (relative to viewport),

sticky (switches between relative/fixed).

5- Apply styles to multiple elements

```
h1, h2, p {  
  color: blue;  
}
```

6- Pseudo-classes examples?

`:hover`, `:focus`, `:first-child`, `:nth-child(2)`.

7- Inline vs Internal vs External CSS?

Inline: Inside element (e.g. `<p style="color:red">`)

Internal: Inside `<style>` in `<head>`

External: Linked via `<link>`

8- What are media queries?

Used for responsive design.

```
@media screen and (max-width: 600px) {  
  body { background-color: lightblue; }  
}
```

9- visibility: hidden vs display: none?

Answer: `visibility: hidden` hides the element but takes up space. `display: none` removes it from layout flow.

10 - Center a div?

```
div {  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  height: 100vh;  
}
```


11- What is the difference between position: relative and absolute?

relative: Positioned relative to its normal position.

absolute: Positioned relative to the nearest positioned ancestor.

12- What is the z-index in CSS?

Controls the stack order of elements (used with positioned elements).

13- How do you apply a Google Font in CSS?

HTML->

```
<link href="https://fonts.googleapis.com/css?family=Roboto" rel="stylesheet">
```

CSS->body { font-family: 'Roboto', sans-serif; }

14- What is the difference between padding and margin?

padding: Space inside the element (content to border).

margin: Space outside the element (border to other elements).

15- What is the use of opacity in CSS?

Controls transparency. opacity: 0 (invisible), 1 (fully visible).

16- How to apply styles to only the first paragraph of a div?

```
div p:first-child {  
  color: blue;  
}
```

17- What is the use of !important in CSS?

Overrides other CSS rules regardless of specificity.

18- How to create a responsive layout using Flexbox?

```
display: flex;  
flex-wrap: wrap;  
justify-content: space-between;
```

19- How do transitions work in CSS?

```
div {  
  transition: all 0.3s ease-in-out;  
}
```

20- Difference between em, px, and % units?

px: Fixed size.
em: Relative to parent font-size.
%: Relative to parent element size.