Page No:
Date:

Title :- music loop system using circular Linked list.

problem Statement :- To develop a music loop system Using a circular linked list in C++ that stores a playlist of songs of and play them repeatedly in a different random order during each loop.

objective :-

- To Understand the concept of a circular linked list.
- To create and store songs in playlist.
- To play songs repeatedly for a specified number of loops.
- To manage memory by deleting dynamically allocated nodes after execution.

Algorithm :-

1. Create a music loop using circular Linked list.
2. Initialize the last pointer to nullptr.

Page No:
Date.

3. Add Songs to the playlist by creating new node.

4. Connect the last node to the first node to form a Circular Linked List.

5. Display the title "music Loop system".

6. Check whether the playlist is empty.

7. If the playlist is empty or the number of loop is invalid, display an appropriate message.

8. Copy the Song from the Circular Linked List into a vector.

9. Shuffle the Song randomly for each loop.

10. Display the process ~~Until the specified~~ Song in their Shuffled order. number of loop is Completed..


11. Repeat the process Until the specified number of loop is Completed.


12. Delete all dynamically allocated nodes.

13. Stop the program.

Page No:
Date.

o Algorithm Flowchart:-




Page No:
Date.
Shuffle song randomly
Display loop number and shuffled songs
more loops remaining?
yes
Delete all dynamically allocated nodes
Stop