Shubham Ramesh Basava – 2TG20CS404

Program-4: Develop and demonstrate a HTML5 file that includes JavaScript script that uses functions for the following problems: Program4.html


```
d. Output: The number with its digits in the reverse order -->
!DOCTYPE HTML>
<head><title>Program-4</title></head>
   <script type="text/javascript">
       var str = prompt("Enter the Input", "");
       if (!(isNaN(str))) //isNaN means is Not a Number
           var num, rev = 0,remainder;
           num = parseInt(str);
           while (num != 0)
               remainder = num % 10;
               num = parseInt(num / 10);
               rev = rev * 10 + remainder;
           alert("Reverse of " + str + " is " + rev);
           str = str.toUpperCase();
           for (var i = 0; i < str.length; i++) //0,1,2,3
               var chr = str.charAt(i);
               if (chr == 'A' || chr == 'E' || chr == 'I' || chr == '0' || chr == 'U')
                  break;
           if (i < str.length)</pre>
               alert("The position of the left most vowel is " + (i + 1));
               alert("No vowel found in the entered string");
```


output 1: Integer Value test















1. Test Cases

| Test No. | Test Case | Expected Output | Output Obtained |
|----------|-----------------------------|-----------------|-----------------|
| 1 | Integer Value :123 | 321 | 321 |
| | Text Value:vaishnavi | 4 | 4 |
| 2 | Negative Integer value:-12 | -21 | -21 |
| | Text Value: abc | 1 | 1 |
| 3 | Integer Value:123 | 321 | 321 |
| | Alpha numerical value:12asr | 3 | 3 |
| 4 | Integer Value:123 | 321 | 321 |
| | Non vowel string:srt | No vowel | No vowel found |
| | | found in the | in the entered |
| | | entered string | string |
| 5 | | | |
| | Test case of choice | | |

Challenge4 Integer value input









Integer value output

String value input





String value output