

8. Scanner class in java

- In Java, the **Scanner class** is present in the **java.util** package is used to obtain input for primitive types like **int**, **double**, etc., and **strings**.
- In Eclipse, we can take input from console

Steps to use scanner class in java [🔗](#)

Step 1 → Create a object of scanner class

```
1 Scanner sc = new Scanner(System.in);
```

to create this object, import should be there as **import java.util.Scanner;**

Step 2 → Use methods of scanner class using reference variable. Syntax as follows -

```
1 sc.next(); //used to take input as a string from console
```

Step 3 → Following are the methods used to get input for respective primitive data type.

Method	Description
<code>nextBoolean()</code>	Reads a <code>boolean</code> value from the user
<code>nextByte()</code>	Reads a <code>byte</code> value from the user
<code>nextDouble()</code>	Reads a <code>double</code> value from the user
<code>nextFloat()</code>	Reads a <code>float</code> value from the user
<code>nextInt()</code>	Reads a <code>int</code> value from the user
<code>nextLine()</code> or <code>next()</code>	Reads a <code>String</code> value from the user
<code>nextLong()</code>	Reads a <code>long</code> value from the user
<code>nextShort()</code>	Reads a <code>short</code> value from the user

Example code snippet to use scanner class [🔗](#)

```
1 import java.util.Scanner;
2
3 public class Demo {
4
5     public static void main(String[] args) {
6         System.out.println("Enter color : ");
7         //Object creation
8         Scanner sc = new Scanner(System.in);
9         //String input from Console
10        String ip = sc.next();
11        //printing input from console
12        System.out.println("Color input is : "+ip);
13    }
14 }
```

"Programmers seem to be changing the world. It would be a relief, for them and for all of us, if they knew something about it." – Ellen Ullman

Document by **Suyash** 🤖