

SQL and MySQL , Installation

Introduction to SQL and MySQL

What is SQL?

SQL (Structured Query Language) is a standard language used to manage and manipulate relational databases. It allows you to:

- Create and modify tables
- Insert, update, delete, and retrieve data
- Manage user access and control permissions
- Perform complex queries, joins, aggregations, and transactions

SQL is the foundation for working with **Relational Database Management Systems (RDBMS)** such as MySQL, PostgreSQL, Oracle, and SQL Server.

What is MySQL?

MySQL is a popular open-source RDBMS that uses SQL as its query language. It is:

- Free and open-source (also has an enterprise edition by Oracle)
- Widely supported across operating systems and programming languages
- Known for its **speed**, **reliability**, and **ease of use**

MySQL stores data in **tables** and supports relationships between tables using **foreign keys**.

Advantages of MySQL

Feature	Benefit
 Open Source	Free to use, with a strong community and plenty of learning resources
 Cross-Platform	Works on Windows, Linux, macOS
 Easy to Learn	Beginner-friendly with clear syntax and tools like MySQL Workbench
 High Performance	Optimized for read-heavy applications
 Secure	Supports user roles, encryption, SSL, and more

✓ Spring Boot Integration	Supported out of the box via Spring Data JPA, Hibernate
✓ Scalable	Works well for small apps to large-scale systems with replication and sharding

⚠ Disadvantages of MySQL

Limitation	Explanation
✗ Limited SQL Compliance	Some advanced SQL features (e.g., full joins, window functions) may not behave identically to other RDBMS
✗ Write Performance in Large Scale	Not ideal for very write-heavy applications at massive scale (compared to NoSQL or newer RDBMS)
✗ Lack of Built-In Features for Complex Analytics	Lacks features like materialized views, full data warehousing support
✗ Concurrency Bottlenecks	In some high-concurrency scenarios, locks can become a bottleneck
✗ Sharding and Clustering	Requires additional configuration and expertise for horizontal scaling

🔗 MySQL + Spring Boot

Spring Boot integrates seamlessly with MySQL using:

- `spring-boot-starter-data-jpa` for ORM (Object Relational Mapping)
- Hibernate (default JPA provider)
- Auto-configuration of `DataSource`, `EntityManager`, and repositories

🎯 When to Use MySQL


Use MySQL when:

- You need strong data consistency and relationships
- The data structure is well-defined and rarely changes

- You want to use SQL for complex queries, joins, and transactions
- You're building traditional web apps, admin panels, or enterprise systems

Installation of MySQL

- In order to install MySQL use following Youtube link and follow steps -
[Download and install MYSQL Command Line Client on Windows 11](#)
- To check if it is properly installed, open “MySQL command Line client”
- Enter password and installed version will be visible on screen.

A screenshot of the MySQL 8.0 Command Line Client window. The window title is "MySQL 8.0 Command Line Cli". The terminal shows the following text: "Enter password: ****" (with a red box around it and a red "1" to its right), "Welcome to the MySQL monitor. Commands end with ; or \g.", "Your MySQL connection id is 8", "Server version: 8.0.35 MySQL Community Server - GPL" (with a red box around it and a red "2" to its right), "Copyright (c) 2000, 2023, Oracle and/or its affiliates.", "Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.", "Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.", and "mysql>".

```
MySQL 8.0 Command Line Cli x + v
Enter password: **** 1
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.35 MySQL Community Server - GPL 2
Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

Document by **Suyash** 🧐