|             |  | DATE / / Page No. |
|-------------|--|-------------------|
|             | Shubham Ceusain  |                   |
|             | 1921173  |                   |
|             | Mobile Application Development (TBC  | -502)             |
|             | Shubhar Coul 2   |                   |
|             | MainACTIVITY. Java FILE  |                   |
|             | pachage com. example. a ctivity life cyc   | le;               |
|             | import androids apprompat app. App   | Compact Activity; |
|             | impost android. os. Bundle;  |                   |
| <del></del> | import android until log;  |                   |
|             | Public class Main Activity extends #pp   |                   |
|             | public Static Gined String Status= 1<br>Activity. Claw. getSimpleName()<br>@ override<br>protected void on create (Bun<br>Savedinstance state) § |                   |
|             | Sufer. on Create CSavedinstanceState<br>Set Content View CR. layout. a   | chivity main)     |
|             | Log. i (Status, "In Method Oncrea  | k");              |
|             | a O verou'de   |                   |
|             | fratected void on Start () §   |                   |
|             | Super. onStart();<br>hog. i (Status, "In Method Onstant  | 11)               |
|             |  |                   |
|             | 3 Shu  | for               |

a override protected void on Resume () § Super. on Resumo () Log. i CStatus, "In Method OnResume") a overside Protected void on Pause () & Supla semon ause Super. OnPause (); 2001 (Status, "In Method OnPause"); @ Override protected void onstop (15 Super. on stop (); 209-1 (Status," In Method Onstop"); @ O verocide Amtected void on Destroy() &
Super. On Destroy();
he goi (status, "In Method On Destroy");

Subtons

DATE / /
PAGE No.

XML. FILX Landroid. Support. Constraint. Constraintlyout Xmlny: and roid="http:// Scherray, and roid. 6m Xmlns: app = "http://schemas.android . Com/aph/res-auto" xmins: took = "http:// Schemans.android android: layout - width = "match - panent"
android: layout - height = "match - panent" tools: Context = "exemple, javatpoint. Com. activity lifecycle, MouinActivity"> 2 Text view android: layout\_width = "curaf-Content and soid: lay out height- " wrap- Content" android: text = 1 "/Tello world" app: layout\_ Constraint Bottom\_ to Bottom of app: layout\_ Constraint left\_ to left of = "Parent app: longout\_ Constraint Right\_ to Right of = "Parent" app: layout\_ Constrain tTop\_to Top of = "parent" 2) android. Support, Constraint. Constraintlayar)

Shishan

| The same                                      | DATE / /   |
|---|--|
|   | Page No.   |
|   |  |
|   |  |
|   | Shubham Gusaln   |
|   | BCA 4C   |
|   | 1921173 Levelopment  |
|   | tralil april saint   |
|   | Shable   |
|   |  |
|   | m 1  |
| •   | Ou 1   |
| <u>,                                     </u> | Java File.   |
|   | J CCC  |
|   | Paleage Com. example implicit explicit;  |
|   | Paleage om. Co   |
|   | import androidx. appempat. app. App  |
|   | import anormali  |
|   | Compat Activity)   |
|   |  |
|   | infort android. Content. Intent;   |
|   | impost android = net. Uxi impost android = net. Uxi empost android = os. Bundle; impost android = view. View;                    |
|   |  |
|   | impost android. view. View;  |
|   | import android widget Button;<br>import android widget EditText;<br>import android widget EditText;                              |
|   | import android. Widger. Edition  |
|   | Public Clars Moun Activity extends.  |
|   | Public Clary Main Her  |
|   | App compat Activity &  EditTesit tesit;  |
|   | and treat text   |
|   | Button btn 1;  |
|   | Button bto2)   |
|   | @ overvide   |
|   | 1 1 1 100 d on ( 8 edge ( ) which  |
|   | swedinstonce State) ?  |
|   | Super-on Create (Sovedinstance State);<br>Super-on Create (Sovedinstance State);<br>Set Entert View (R. Cayout. activity<br>Shah |
|   | softendent View (R. Cayout, activity   |
|   | chish  |

DATE PAGE No. text= find View By Id (R.id . text); b +n 1 - Gind View Byld (R. id. btn2); b + n2 = find view Byld (Roid btn2); bt or . Set on Clock lidenes (new View. Ondich Listener()S public oo'd on clècle (View View) Url= +esco.get text (). to String(); ux; wi = vx; parse (urx) Intent intent = new Intent (Intent. ACTION - VIEW, wi); Start Activity (intent) bt n2. set on click listener (new view. Onclick listener U 9 (a) Overrido public void on did (View View) Intent inten = new Intent ( main Activity this Com. exampt. omplicit explit. Main Activity 2 class, StartActivity ( intent); Switt

XML Code. ( Cinear (ayout Xmlny: android="http: 11 Schemas). android. Com/apu/res /android" xm/ns: app="http://schemas.android.com (apk/res-auto) × mlns: tools = "http: 11 Schemas, and sord. Com (tools" android: layout-width = "match favent"

and roid: Orientation = "vertical"

android: layout-height= "Match-pavent" tools: Confort = ", May Activity"> Ledit Teld android=id= " Q+id (fest) android: rayout width = " match - parent android: layout height = " wrap-Content" android: layout reaght many'n Top: 100 dp"
android: hint = l'enterwil android: gravity: ((Center") /> c Button android: id=@+id/b+n1 android: layout width = "match parent" and soid ! day out hugh = "way Content" android: Yest = "Submit"/ 2 Button androidid = " (a) + id/b+n2"

and roid: layout width = "match-parent" and roid: layout height = " wrogs onted" suth

Page No. android: (arout\_margin Top="100db"
android toot = "go to activity two"/

## implicit-explicit

This is activity two

## implicit-explicit

enter <mark>ur</mark>l

## SUBMIT

## **GO TO ACTIVITY TWO**