


1. Go to following link and download the Java 1.8 exe.


<https://www.oracle.com/in/java/technologies/javase/javase8-archive-downloads.html>

2. Go to “Java SE Development Kit 8u202” Section
3. Refer the screen below.




Product / File Description	File Size	Download
Linux ARM v6/v7 Soft Float ABI	72.86 MB	jdk-8u202-linux-arm32-vfp-hflt.tar.gz
Linux ARM v6/v7 Soft Float ABI	69.75 MB	jdk-8u202-linux-arm64-vfp-hflt.tar.gz
Linux x86	173.08 MB	jdk-8u202-linux-i586.rpm
Linux x86	187.9 MB	jdk-8u202-linux-i586.tar.gz
Linux x64	170.15 MB	jdk-8u202-linux-x64.rpm
Linux x64	185.05 MB	jdk-8u202-linux-x64.tar.gz
Mac OS X x64	249.15 MB	jdk-8u202-macosx-x64.dmg
Solaris SPARC 64-bit (SVR4 package)	125.09 MB	jdk-8u202-solaris-sparcv9.tar.Z
Solaris SPARC 64-bit	88.1 MB	jdk-8u202-solaris-sparcv9.tar.gz
Solaris x64 (SVR4 package)	124.37 MB	jdk-8u202-solaris-x64.tar.Z
Solaris x64	85.38 MB	jdk-8u202-solaris-x64.tar.gz
Windows x86	201.64 MB	jdk-8u202-windows-i586.exe
Windows x64	211.58 MB	jdk-8u202-windows-x64.exe


4. On the successful download, you would see the “jdk-8u202-windows-x64.exe” in download folder.
5. Double Click on the “jdk-8u202-windows-x64” file and click “YES” if popup appears.
6. Select the “Development Tools”



7. Choose the destination folder.




8. "Successfully Installed" Message would appear on the screen. This confirms that Java has been installed successfully.



How do I confirm that Java has been installed successfully?

1. Open Command Prompt.
2. Run the "java -version" command and enter.



```
Command Prompt
C:\Users\Suresh>
C:\Users\Suresh>
C:\Users\Suresh>java -version
java version "1.8.0_202"
Java(TM) SE Runtime Environment (build 1.8.0_202-b08)
Java HotSpot(TM) 64-Bit Server VM (build 25.202-b08, mixed mode)
C:\Users\Suresh>
```


3. If you are able to see the java version info, that means java is installed on your machine.

How can I compile and run my first "Hello World" in my Machine?

1. Open note pad / text pad and copy the below code.

```
public class Test
{
    public static void main(String args[])
    {
        System.out.println("This is my test class");
    }
}
```

2. Save the above file with "Test.java". Put the name in double quote so that you can save it with .java extension.
3. Compile the java code (Test.java) using "javac" command
4. You will see the error as below.



```
C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>
C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>
C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>javac
'javac' is not recognized as an internal or external command,
operable program or batch file.
C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>
```

5. "javac" is not recognized as a command. That mean you need to tell the system that where is "javac" and related command and lib are located. This need to be done using setting up "path"
6. You can check the existing path if set anything using "echo" command.

```
Microsoft Windows [Version 10.0.26100.2605]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Suresh>echo %path%
C:\Program Files (x86)\Common Files\Oracle\Java\javapath;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH\;C:\Program Files\Java\jdk1.8.0_202\bin;

C:\Users\Suresh>
```

7. New, you need to set the PATH. You can set it at the session level (works only for the command prompt session) and at the system level, which works for all the sessions.
8. Set the class that the session level (works only for particular command prompt level)

```
C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>
C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>
C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>SET PATH=%PATH%;C:\Program Files\Java\jdk1.8.0_202\bin

C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>
C:\Users\Suresh\OneDrive\Desktop\Academy\contents\Tools and Tech - Install>
```

9. To change the system level, go to "environment variable" and In the section **System Variables**, find the PATH environment variable and select it. Click **Edit**. If the PATH environment variable does not exist, click New.

In the **Edit System Variable** (or **New System Variable**) window, specify the value of the PATH environment variable. Click **OK**. Close all remaining windows by clicking **OK**.

