airdata - Databricks | Home - Databricks | Inbox (12) - shubhamrathod.d | Project Overview | Cloud: Mon | Launch AWS Academy Learner | Ask Gemini

dbc-bf527125-b570.cloud.databricks.com/explore/data/volumes/practical/airportdata/airdata?o=7474653648572908

databricks Free Edition

Search data, notebooks, recents, and more... CTRL + P

workspace

New

Home
Learn
Workspace
Recents
Catalog
Jobs & Pipelines
Compute
Discover Beta
Marketplace

SQL
SQL Editor
Queries
Dashboards
Genie Spaces
Alerts
Query History

Catalog

Serverless Starter Warehouse Serverless 2XS

Type to search...

For you All

My organization
- workspace
- system
- newcatlog
- practical
  - airportdata
    - airdata
- default
- information_schema
- vita
- vita2
- vita3

Delta Shares Received
- samples

Catalog Explorer > practical > airportdata >

airdata

Share | Upload to this volume

Overview Files Details

Description

AI generate Add

/Volumes/practical/airp

Filter files and dire

Name
airports.csv
runways.csv

About this volume

Owner shubhamrathod.d

Tags

Upload summary: 2 files uploaded

/Volumes/practical/a...airdata/airports.csv

/Volumes/practical/...airdata/runways.csv

irectory

33°C Sunny | Search | ENG IN | 11:44 09-05-2026

airdata - Databricks | Home - Databricks | Inbox (12) - shubhamrathod.da | Project Overview | Cloud: Mon | Launch AWS Academy Learner | Ask Gemini

dbc-bf527125-b570.cloud.databricks.com/explore/data/volumes/practical/airportdata/airdata?o=7474653648572908

databricks Free Edition

Search data, notebooks, recents, and more... CTRL + P

workspace

New

Home
Learn
Workspace
Recents
Catalog
Jobs & Pipelines
Compute
Discover Beta
Marketplace

SQL
SQL Editor
Queries
Dashboards
Genie Spaces
Alerts
Query History

Catalog

Serverless Starter Warehouse Serverless 2XS

Type to search...

For you All

My organization
- workspace
- system
- newcatlog
- practical
  - airportdata
    - airdata
- default
- information_schema
- vita
- vita2
- vita3

Delta Shares Received
- samples

Catalog Explorer > practical > airportdata >

airdata

Share | Upload to this volume

Overview Files Details

Description

AI generate Add

/Volumes/practical/airp

Filter files and dire

Upload summary: 2 files uploaded

/Volumes/practical/a...airdata/airports.csv

/Volumes/practical/...airdata/runways.csv

rectory

airportdata
practical

Owner shubhamrathod.datawiz@gmail.com

Updated 1 minute ago

About this volume

Owner shubhamrathod.d

Tags

33°C Sunny | Search | ENG IN | 11:45 09-05-2026

airdata - Databricks | Home - Databricks | Inbox (12) - shubhamrathod.da | Project Overview | Cloud: Mon | Launch AWS Academy Learner | Ask Gemini

dbc-bf527125-b570.cloud.databricks.com/explore/data/volumes/practical/airportdata/airdata?o=7474653648572908

databricks Free Edition

Search data, notebooks, recents, and more... CTRL + P

workspace

New

Home
Learn
Workspace
Recents
Catalog
Jobs & Pipelines
Compute
Discover Beta
Marketplace

SQL
SQL Editor
Queries
Dashboards
Genie Spaces
Alerts
Query History

Catalog

Serverless Starter Warehouse Serverless 2XS

Type to search...

For you All

My organization
- workspace
- system
- newcatlog
- practical
  - airportdata
    - airdata
- default
- information_schema
- vita
- vita2
- vita3

Delta Shares Received
- samples

Catalog Explorer > practical > airportdata >

airdata

Share | Upload to this volume

Overview Files Details

Upload summary: 2 files uploaded

/Volumes/practical/a...airdata/airports.csv

/Volumes/practical/...airdata/runways.csv

Description

AI generate Add

/Volumes/practical/airp

irectory

practical

Owner shubhamrathod.datawiz@gmail.com

Updated 2 minutes ago

runways.csv

About this volume

Owner shubhamrathod.d

Tags

33°C Sunny | Search | ENG IN | 11:45 09-05-2026

airdata - Databricks | Home - Databricks | Inbox (12) - shubhamrathod.da | Project Overview | Cloud: Mon | Launch AWS Academy Learner | Ask Gemini

dbc-bf527125-b570.cloud.databricks.com/explore/data/volumes/practical/airportdata/airdata?o=7474653648572908

databricks Free Edition

Search data, notebooks, recents, and more... CTRL + P

workspace

New

Home
Learn
Workspace
Recents
Catalog
Jobs & Pipelines
Compute
Discover Beta
Marketplace

SQL
SQL Editor
Queries
Dashboards
Genie Spaces
Alerts
Query History

Catalog

Serverless Starter Warehouse Serverless 2XS

Type to search...

For you All

My organization
- workspace
- system
- newcatlog
- practical
  - airportdata
    - airdata
- default
- information_schema
- vita
- vita2
- vita3

Delta Shares Received
- samples

Catalog Explorer > practical > airportdata >

airdata

Share | Upload to this volume

Overview Files Details

Upload summary: 2 files uploaded

/Volumes/practical/a...airdata/airports.csv

/Volumes/practical/...airdata/runways.csv

Description

AI generate Add

/Volumes/practical/airp

irectory

practical

Owner shubhamrathod.datawiz@gmail.com

Updated 2 minutes ago

runways.csv

About this volume

Owner shubhamrathod.d

Tags

33°C Sunny | Search | ENG IN | 11:45 09-05-2026


airdata - Data
New Notebo
Inbox (12) - sh
Project Overvi
Launch AWS A
Console Hom
Properties > I
File Analysis S
Ask Gemini
dbc-bf527125-b570.cloud.databricks.com/explore/data/volumes/practical/airportdata/airdata?o=7474653648572908
databricks
Search data, notebooks, recents, and more...
CTRL + P
workspace
New
Home
Learn
Workspace
Recents
Catalog
Jobs & Pipelines
Compute
Discover Beta
Marketplace
SQL
SQL Editor
Queries
Dashboards
Genie Spaces
Alerts
Query History
Catalog
Serverless Starter Warehouse Serverless 2XS
Type to search...
For you
All
My organization
workspace
system
newcatlog
practical
airportdata
airdata
default
information_schema
vita
vita2
vita3
Delta Shares Received
samples
Catalog Explorer > practical > airportdata >
airdata
Share
Upload to this volume
Overview
Files
Details
Permissions
Description
AI generate
Add
/Volumes/practical/airportdata/airdata
Refresh
Create directory
Filter files and directories at this level
Name
Size
Last modified
airports.csv
12.03 MB
37 minutes ago
runways.csv
3.76 MB
37 minutes ago
df_combined_parquet
About this volume
Owner
shubhamrathod.datawiz@gmail.com
34°C
Sunny
Search
ENG
IN
12:22
09-05-2026

dbc-bf527125-b570.cloud.databricks.com/editor/notebooks/2456488502458320?o=7474653648572908#command/5792938585082264

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was now Run all Serverless Schedule Share

11:52 AM (<1s) 1

```python
from pyspark.sql.functions import *
```

11:53 AM (33s) 2

```python
airports_df = spark.read.csv(
    "/Volumes/practical/airportdata/airdata/airports.csv",
    header=True,
    inferSchema=True
)
```

airports_df: pyspark.sql.connect.dataframe.DataFrame = [id: integer, ident: string ... 17 more fields]

11:54 AM (2s) 3

```python
runways_df = spark.read.csv(
```

dbc-bf527125-b570.cloud.databricks.com/editor/notebooks/2456488502458320?o=7474653648572908#command/5792938585082264

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was now Run all Serverless Schedule Share

11:54 AM (2s) 3 Python

```python
runways_df = spark.read.csv(
    "/Volumes/practical/airportdata/airdata/runways.csv",
    header=True,
    inferSchema=True
)
```

runways_df: pyspark.sql.connect.dataframe.DataFrame = [id: integer, airport_ref: integer ... 18 more fields]

11:54 AM (2s) 4

```python
airports_df.show(5)
```

See performance (1)

```
+------+-----+-------------+-------------------+----------------+-----------------+------------+---------+-------
----+----------+------------+----------------+---------+---------+--------+----------+-------------------+-------
------+--------+
|    id|ident|         type|               name|     latitude_deg|     longitude_deg|elevation_ft|continent|iso_cou
ntry|iso_region|municipality|scheduled_service|icao_code|iata_code|gps_code|local_code|           home_link|wikipedi
a_link|keywords|
+------+-----+-------------+-------------------+----------------+-----------------+------------+---------+-------
```

dbc-bf527125-b570.cloud.databricks.com/editor/notebooks/2456488502458320?o=7474653648572908#command/5792938585082264

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was now Run all Serverless Schedule Share

See performance (1)

```
+------+-----+-------------+-------------------+----------------+------------------+------------+---------+-------
----+----------+------------+----------------+---------+---------+--------+----------+--------------------+--------
------+--------+
|    id|ident|         type|               name|     latitude_deg|     longitude_deg|elevation_ft|continent|iso_cou
ntry|iso_region|municipality|scheduled_service|icao_code|iata_code|gps_code|local_code|           home_link|wikipedi
a_link|keywords|
+------+-----+-------------+-------------------+----------------+------------------+------------+---------+-------
----+----------+------------+----------------+---------+---------+--------+----------+--------------------+--------
------+--------+
|  6523|  00A|     heliport|   Total RF Heliport|        40.070985|        -74.933689|          11|       NA|
US|     US-PA|    Bensalem|               no|     NULL|     NULL|    K00A|       00A|https://www.pennd...|
NULL|    NULL|
|323361| 00AA|small_airport|Aero B Ranch Airport|        38.704022|       -101.473911|        3435|       NA|
US|     US-KS|       Leoti|               no|     NULL|     NULL|    00AA|      00AA|                NULL|
NULL|    NULL|
|  6524| 00AK|small_airport|        Lowell Field|        59.947733|       -151.692524|         450|       NA|
US|     US-AK|Anchor Point|               no|     NULL|     NULL|    00AK|      00AK|                NULL|
NULL|    NULL|
|  6525| 00AL|small_airport|        Epps Airpark|34.86479949951172|-86.77030181884766|         820|       NA|
US|     US-AL|     Harvest|               no|     NULL|     NULL|    00AL|      00AL|                NULL|
NULL|    NULL|
```

dbc-bf527125-b570.cloud.databricks.com/editor/notebooks/2456488502458320?o=7474653648572908#command/5792938585082264

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was now Run all Serverless Schedule Share

11:55 AM (1s) 5

```
runways_df.show(5)
```

See performance (1)

```
+------+-----------+-------------+---------+--------+-------+-------+------+--------+---------------+---------------
-+---------------+---------------+-----------------------+--------+---------------+---------------+---------------
-+---------------+-----------------------+
|    id|airport_ref|airport_ident|length_ft|width_ft|surface|lighted|closed|le_ident|le_latitude_deg|le_longitude_de
g|le_elevation_ft|le_heading_degT|le_displaced_threshold_ft|he_ident|he_latitude_deg|he_longitude_deg|he_elevation_f
t|he_heading_degT|he_displaced_threshold_ft|
+------+-----------+-------------+---------+--------+-------+-------+------+--------+---------------+---------------
-+---------------+---------------+-----------------------+--------+---------------+---------------+---------------
-+---------------+-----------------------+
|269408|       6523|         00A|       80|      80| ASPH-G|      1|     0|      H1|           NULL|           NUL
L|           NULL|           NULL|                   NULL|    NULL|           NULL|           NULL|           NUL
L|           NULL|                   NULL|
|255155|       6524|        00AK|     2500|      40|   GRVL|      0|     0|       N|           NULL|           NUL
L|           NULL|           NULL|                   NULL|       S|           NULL|           NULL|           NUL
L|           NULL|                   NULL|
|254165|       6525|        00AL|     2100|      90|   TURF|      0|     0|      01|           NULL|           NUL
L|           NULL|           NULL|                   NULL|      19|           NULL|           NULL|           NUL
L|           NULL|                   NULL|
```

34°C Sunny Search ENG IN 12:22 09-05-2026

dbc-bf527125-b570.cloud.databricks.com/editor/notebooks/2456488502458320?o=7474653648572908#command/5792938585082264

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was now Run all Serverless Schedule Share

11:59 AM (2s) 7

```python
af_airports = spark.read.csv(
    "/Volumes/practical/airportdata/airdata/airports.csv",
    header=True,
    inferSchema=True
)
```

af_airports: pyspark.sql.connect.dataframe.DataFrame = [id: integer, ident: string ... 17 more fields]

11:59 AM (<1s) 8

```python
# Cast columns
af_airports = af_airports \
    .withColumn("latitude_deg", col("latitude_deg").cast("double")) \
    .withColumn("longitude_deg", col("longitude_deg").cast("double")) \
    .withColumn("elevation_ft", col("elevation_ft").cast("integer"))

# Show schema
af_airports.printSchema()
```

New Notebook 2026-05-09 11:49:15

11:59 AM (<1s) 8

```python
# Cast columns
af_airports = af_airports \
    .withColumn("latitude_deg", col("latitude_deg").cast("double")) \
    .withColumn("longitude_deg", col("longitude_deg").cast("double")) \
    .withColumn("elevation_ft", col("elevation_ft").cast("integer"))

# Show schema
af_airports.printSchema()
```

af_airports: pyspark.sql.connect.dataframe.DataFrame = [id: integer, ident: string ... 17 more fields]

```
root
 |-- id: integer (nullable = true)
 |-- ident: string (nullable = true)
 |-- type: string (nullable = true)
 |-- name: string (nullable = true)
 |-- latitude_deg: double (nullable = true)
 |-- longitude_deg: double (nullable = true)
 |-- elevation_ft: integer (nullable = true)
 |-- continent: string (nullable = true)
 |-- iso_country: string (nullable = true)
 |-- iso_region: string (nullable = true)
```

dbc-bf527125-b570.cloud.databricks.com/editor/notebooks/2456488502458320?o=7474653648572908#command/5792938585082264

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was now Run all Serverless Schedule Share

af_airports: pyspark.sql.connect.dataframe.DataFrame = [id: integer, ident: string ... 17 more fields]

```
root
 |-- id: integer (nullable = true)
 |-- ident: string (nullable = true)
 |-- type: string (nullable = true)
 |-- name: string (nullable = true)
 |-- latitude_deg: double (nullable = true)
 |-- longitude_deg: double (nullable = true)
 |-- elevation_ft: integer (nullable = true)
 |-- continent: string (nullable = true)
 |-- iso_country: string (nullable = true)
 |-- iso_region: string (nullable = true)
 |-- municipality: string (nullable = true)
 |-- scheduled_service: string (nullable = true)
 |-- icao_code: string (nullable = true)
 |-- iata_code: string (nullable = true)
 |-- gps_code: string (nullable = true)
 |-- local_code: string (nullable = true)
 |-- home_link: string (nullable = true)
 |-- wikipedia_link: string (nullable = true)
 |-- keywords: string (nullable = true)
```

New Notebook 2026-05-09 11:49:15

12:00 PM (2s) 9

```python
df_runways = spark.read.csv(
    "/Volumes/practical/airportdata/airdata/runways.csv",
    header=True,
    inferSchema=True
)
```

df_runways: pyspark.sql.connect.dataframe.DataFrame = [id: integer, airport_ref: integer ... 18 more fields]

12:00 PM (<1s) 10

```python
df_runways = df_runways \
    .withColumn("length_ft", col("length_ft").cast("integer")) \
    .withColumn("width_ft", col("width_ft").cast("integer"))

# Show schema
df_runways.printSchema()
```

df_runways: pyspark.sql.connect.dataframe.DataFrame = [id: integer, airport_ref: integer ... 18 more fields]

New Notebook 2026-05-09 11:49:15

df_runways: pyspark.sql.connect.dataframe.DataFrame = [id: integer, airport_ref: integer ... 18 more fields]

```
|-- id: integer (nullable = true)
|-- airport_ref: integer (nullable = true)
|-- airport_ident: string (nullable = true)
|-- length_ft: integer (nullable = true)
|-- width_ft: integer (nullable = true)
|-- surface: string (nullable = true)
|-- lighted: integer (nullable = true)
|-- closed: integer (nullable = true)
|-- le_ident: string (nullable = true)
|-- le_latitude_deg: double (nullable = true)
|-- le_longitude_deg: double (nullable = true)
|-- le_elevation_ft: integer (nullable = true)
|-- le_heading_degT: double (nullable = true)
|-- le_displaced_threshold_ft: integer (nullable = true)
|-- he_ident: string (nullable = true)
|-- he_latitude_deg: double (nullable = true)
|-- he_longitude_deg: double (nullable = true)
|-- he_elevation_ft: integer (nullable = true)
|-- he_heading_degT: double (nullable = true)
|-- he_displaced_threshold_ft: integer (nullable = true)
```

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was 1 minute ago Run all Serverless Schedule Share

12:01 PM (<1s) 11

```python
af_airports.printSchema()
```

```
root
 |-- id: integer (nullable = true)
 |-- ident: string (nullable = true)
 |-- type: string (nullable = true)
 |-- name: string (nullable = true)
 |-- latitude_deg: double (nullable = true)
 |-- longitude_deg: double (nullable = true)
 |-- elevation_ft: integer (nullable = true)
 |-- continent: string (nullable = true)
 |-- iso_country: string (nullable = true)
 |-- iso_region: string (nullable = true)
 |-- municipality: string (nullable = true)
 |-- scheduled_service: string (nullable = true)
 |-- icao_code: string (nullable = true)
 |-- iata_code: string (nullable = true)
 |-- gps_code: string (nullable = true)
 |-- local_code: string (nullable = true)
 |-- home_link: string (nullable = true)
 |-- wikipedia_link: string (nullable = true)
 |-- keywords: string (nullable = true)
```

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was 1 minute ago Run all Serverless Schedule Share

12:02 PM (1s) 14

```python
print("Runways Row Count:", df_runways.count())
```

See performance (1)

```
Runways Row Count: 47884
```

12:06 PM (<1s) 15

```python
# Inner join between airports and runways dataframes

df_combined = af_airports.join(
    df_runways,
    af_airports.ident == df_runways.airport_ident,
    "inner"
)
```

df_combined: pyspark.sql.connect.dataframe.DataFrame = [id: integer, ident: string ... 37 more fields]

dbc-bf527125-b570.cloud.databricks.com/editor/notebooks/2456488502458320?o=7474653648572908#command/5792938585082264

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was 1 minute ago Run all Serverless Schedule Share

12:06 PM (<1s) 15

```python
# Inner join between airports and runways dataframes

df_combined = af_airports.join(
    df_runways,
    af_airports.ident == df_runways.airport_ident,
    "inner"
)
```

df_combined: pyspark.sql.connect.dataframe.DataFrame = [id: integer, ident: string ... 37 more fields]

12:06 PM (1s) 16

```python
df_combined.show(5)
```

See performance (1)

```
+------+-----+-------------+--------------------+----------------+------------------+------------+---------+-------
----+----------+------------+----------------+---------+---------+--------+----------+--------------------+--------
------+--------+------+-----------+-------------+---------+--------+-------+-------+------+--------+---------------+
```

airdata - Data | New Notebo | Inbox (12) - sh | Project Overvi | Launch AWS A | Console Hom | Properties > I | File Analysis S | Ask Gemini

dbc-bf527125-b570.cloud.databricks.com/editor/notebooks/2456488502458320?o=7474653648572908#command/5792938585082264

databricks Free Edition

Search data, notebooks, recents, and more... CTRL + P

workspace

New

Home
Learn
Workspace
Recents
Catalog
Jobs & Pipelines
Compute
Discover Beta
Marketplace

SQL
SQL Editor
Queries
Dashboards
Genie Spaces
Alerts
Query History

New Notebook 2026-05-09 11:49:15

File Edit View Run Help Python Last edit was 1 minute ago Run all Serverless Schedule Share

See performance (1)

```
+------+-----+-------------+-------------------+----------------+-----------------+------------+---------+-------
----+----------+------------+-----------------+---------+---------+--------+----------+-------------------+--------
------+--------+------+-----------+-------------+---------+--------+-------+-------+------+--------+---------------+
---------------+---------------+---------------+-----------------------+--------+---------------+----------------
+---------------+---------------+-----------------------+
|    id|ident|         type|               name|     latitude_deg|     longitude_deg|elevation_ft|continent|iso_cou
ntry|iso_region|municipality|scheduled_service|icao_code|iata_code|gps_code|local_code|           home_link|wikipedi
a_link|keywords|    id|airport_ref|airport_ident|length_ft|width_ft|surface|lighted|closed|le_ident|le_latitude_deg|
le_longitude_deg|le_elevation_ft|le_heading_degT|le_displaced_threshold_ft|he_ident|he_latitude_deg|he_longitude_deg
|he_elevation_ft|he_heading_degT|he_displaced_threshold_ft|
+------+-----+-------------+-------------------+----------------+-----------------+------------+---------+-------
----+----------+------------+-----------------+---------+---------+--------+----------+-------------------+--------
------+--------+------+-----------+-------------+---------+--------+-------+-------+------+--------+---------------+
---------------+---------------+---------------+-----------------------+--------+---------------+----------------
+---------------+---------------+-----------------------+
|  6523|  00A|     heliport|   Total RF Heliport|        40.070985|        -74.933689|          11|       NA|
US|     US-PA|    Bensalem|               no|     NULL|     NULL|    K00A|       00A|https://www.pennd...|
NULL|    NULL|269408|       6523|          00A|       80|      80| ASPH-G|      1|     0|      H1|           NULL|
NULL|           NULL|           NULL|                    NULL|    NULL|           NULL|            NULL|
NULL|           NULL|                    NULL|
|  6524| 00AK|small airport|        Lowell Field|        59.947733|       -151.692524|         450|       NA|
```

34°C Sunny | Search | ENG IN | 12:23 09-05-2026

New Notebook 2026-05-09 11:49:15

12:11 PM (<1s) 21

```python
top_countries = df_combined.groupBy("iso_country") \
    .agg(count("airport_ident").alias("runway_count")) \
    .orderBy(col("runway_count").desc()) \
    .limit(10)
```

top_countries: pyspark.sql.connect.dataframe.DataFrame = [iso_country: string, runway_count: long]

12:11 PM (1s) 22

```python
# Display result
top_countries.show()
```

See performance (1)

```
+-----------+------------+
|iso_country|runway_count|
+-----------+------------+
|         US|       26450|
|         BR|        5825|
|         AU|        2103|
|         CA|        1578|
```

New Notebook 2026-05-09 11:49:15

12:11 PM (1s) 22

```python
# Display result
top_countries.show()
```

See performance (1)

```
+-----------+------------+
|iso_country|runway_count|
+-----------+------------+
|         US|       26450|
|         BR|        5825|
|         AU|        2103|
|         CA|        1578|
|         AR|         761|
|         FR|         659|
|         GB|         600|
|         DE|         592|
|         RU|         489|
|         ID|         414|
+-----------+------------+
```