ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help X server Exit

Quick connect...

2. ec2-54-224-118-181.compute-1.am...

/home/hadoop/

Name

..
.aws
.ssh
.bash_profile
.bashrc

```
                • MobaXterm Personal Edition v26.3 •
              (SSH client, X server and network tools)

 ➢ SSH session to hadoop@ec2-54-224-118-181.compute-1.amazonaws.com
   • Direct SSH      :  ✔
   • SSH compression :  ✔
   • SSH-browser     :  ✔
   • X11-forwarding  :  ✘  (disabled or not supported by server)

 ➢ For more info, ctrl+click on help or visit our website.

Last login: Sat May  9 06:50:56 2026

       __|  __|_  )
       _|  (     /   Amazon Linux AMI
      ___|\___|___|

https://aws.amazon.com/amazon-linux-ami/2018.03-release-notes/
49 package(s) needed for security, out of 75 available
Run "sudo yum update" to apply all updates.

EEEEEEEEEEEEEEEEEEE MMMMMMMM           MMMMMMMM RRRRRRRRRRRRRRR
E::::::::::::::::::E M:::::::M         M:::::::M R::::::::::::::R
EE:::::EEEEEEEEE:::E M::::::::M       M::::::::M R:::::RRRRRR:::::R
  E::::E       EEEEE M:::::::::M     M:::::::::M RR::::R      R::::R
  E::::E             M::::::M:::M   M:::M::::::M   R::::R      R::::R
  E:::::EEEEEEEEEE   M:::::M M:::M M:::M M:::::M   R:::RRRRRR:::::R
  E::::::::::::::E   M:::::M  M:::M:::M  M:::::M   R::::::::::RR
  E:::::EEEEEEEEEE   M:::::M   M:::::M   M:::::M   R:::RRRRRR:::R
  E::::E             M:::::M    M:::M    M:::::M   R::::R      R::::R
  E::::E       EEEEE M:::::M     MMM     M:::::M   R::::R      R::::R
EE:::::EEEEEEEE:::E M:::::M             M:::::M   R::::R      R::::R
E::::::::::::::::::E M:::::M             M:::::M RR::::R      R::::R
EEEEEEEEEEEEEEEEEEE MMMMMMM             MMMMMMM RRRRRRR      RRRRRR

[hadoop@ip-172-31-33-141 ~]$ hive
```

Remote monitoring

Follow terminal folder

ip-172-31-33-141 | 100% | 5.16 GB / 7.79 GB | 0.02 Mb/s | 0.02 Mb/s | 44 min | hadoop | /: 68% | /emr: 1% | /mnt: 4%

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

34°C Sunny | Search | ENG IN | 12:33 09-05-2026

ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help X server Exit

Quick connect...

2. ec2-54-224-118-181.compute-1.am...

/home/hadoop/

Name

..
.aws
.ssh
.bash_profile
.bashrc

```
                • MobaXterm Personal Edition v26.3 •
              (SSH client, X server and network tools)

 ➤ SSH session to hadoop@ec2-54-224-118-181.compute-1.amazonaws.com
   • Direct SSH      :  ✔
   • SSH compression :  ✔
   • SSH-browser     :  ✔
   • X11-forwarding  :  ✘  (disabled or not supported by server)

 ➤ For more info, ctrl+click on help or visit our website.

Last login: Sat May  9 06:50:56 2026

       __|  __|_  )
       _|  (     /   Amazon Linux AMI
      ___|\___|___|

https://aws.amazon.com/amazon-linux-ami/2018.03-release-notes/
49 package(s) needed for security, out of 75 available
Run "sudo yum update" to apply all updates.

EEEEEEEEEEEEEEEEEEEE MMMMMMMM           MMMMMMMM RRRRRRRRRRRRRRR
E::::::::::::::::::E M:::::::M         M:::::::M R::::::::::::::R
EE:::::EEEEEEEEE:::E M::::::::M       M::::::::M R:::::RRRRRR:::::R
  E::::E       EEEEE M:::::::::M     M:::::::::M RR::::R      R::::R
  E::::E             M::::::M:::M   M:::M::::::M   R:::R      R::::R
  E:::::EEEEEEEEEE   M:::::M M::M M::M M:::::M   R:::RRRRRR:::::R
  E::::::::::::::E   M:::::M  M:::M:::M  M:::::M   R::::::::::RR
  E:::::EEEEEEEEEE   M:::::M   M:::::M   M:::::M   R:::RRRRRR::::R
  E::::E             M:::::M    M:::M    M:::::M   R:::R      R::::R
  E::::E       EEEEE M:::::M     MMM     M:::::M   R:::R      R::::R
EE:::::EEEEEEEE:::E M:::::M             M:::::M   R:::R      R::::R
E::::::::::::::::::E M:::::M             M:::::M RR::::R      R::::R
EEEEEEEEEEEEEEEEEEEE MMMMMMM             MMMMMMM RRRRRRR      RRRRRR

[hadoop@ip-172-31-33-141 ~]$ hive

Logging initialized using configuration in file:/etc/hive/conf.dist/hive-log4j2.properties Async: false
hive>
```

Remote monitoring

Follow terminal folder

ip-172-31-33-141 | 97% | 5.26 GB / 7.79 GB | 0.77 Mb/s | 0.03 Mb/s | 44 min | hadoop | /: 68% | /emr: 1% | /mnt: 4%

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

34°C Sunny | Search | ENG IN | 12:33 09-05-2026

ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

```
EEEEEEEEEEEEEEEEEEEE MMMMMMM             MMMMMMM RRRRRRR       RRRRRR

[hadoop@ip-172-31-33-141 ~]$ hive

Logging initialized using configuration in file:/etc/hive/conf.dist/hive-log4j2.properties Async: false
hive> CREATE EXTERNAL TABLE crimes_raw (
    >     crime_id INT,
    >     case_number STRING,
    >     crime_date STRING,
    >     block STRING,
    >     primary_type STRING,
    >     description STRING,
    >     location_desc STRING,
    >     arrest BOOLEAN,
    >     domestic BOOLEAN,
    >     beat INT,
    >     district INT,
    >     ward INT,
    >     community_area INT,
    >     crime_year INT,
    >     latitude DOUBLE,
    >     longitude DOUBLE
    > )
    > ROW FORMAT DELIMITED
    > FIELDS TERMINATED BY ','
    > STORED AS TEXTFILE
    > LOCATION '/user/hive/warehouse/crimes_raw';
OK
Time taken: 2.047 seconds
hive> SET hive.exec.dynamic.partition = true;
hive> SET hive.exec.dynamic.partition.mode = nonstrict;
hive> CREATE TABLE crimes_partitioned (
    >     crime_id INT,
    >     case_number STRING,
    >     crime_date STRING,
    >     block STRING,
    >     primary_type STRING,
    >     description STRING,
    >     location_desc STRING,
    >     arrest BOOLEAN,
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

```
Time taken: 0.163 seconds
hive> INSERT INTO TABLE crimes_partitioned
    > PARTITION (crime_year)
    > SELECT
    >     crime_id,
    >     case_number,
    >     crime_date,
    >     block,
    >     primary_type,
    >     description,
    >     location_desc,
    >     arrest,
    >     domestic,
    >     beat,
    >     district,
    >     ward,
    >     community_area,
    >     latitude,
    >     longitude,
    >     crime_year
    > FROM crimes_raw;
Query ID = hadoop_20260509071119_9edf0577-424f-4263-8d38-b84c283f65ea
Total jobs = 1
Launching Job 1 out of 1
Tez session was closed. Reopening...
Session re-established.
Status: Running (Executing on YARN cluster with App id application_1778308105283_0002)

--------------------------------------------------------------------------------
        VERTICES      MODE        STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1           container     SUCCEEDED      0          0        0        0       0       0
Reducer 2 ...... container     SUCCEEDED      1          1        0        0       0       0
--------------------------------------------------------------------------------
VERTICES: 01/02  [==========================>>] 100%  ELAPSED TIME: 5.61 s
--------------------------------------------------------------------------------
Loading data to table default.crimes_partitioned partition (crime_year=null)


        Time taken to load dynamic partitions: 0.072 seconds
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

```
        Time taken to load dynamic partitions: 0.072 seconds
        Time taken for adding to write entity : 0.0 seconds
OK
Time taken: 19.882 seconds
hive> SELECT COUNT(*) AS total_crime_records
    > FROM crimes_partitioned;
OK
0
Time taken: 0.733 seconds, Fetched: 1 row(s)
hive> SELECT
    >     primary_type,
    >     COUNT(*) AS crime_count
    > FROM crimes_partitioned
    > GROUP BY primary_type
    > ORDER BY crime_count DESC
    > LIMIT 5;
Query ID = hadoop_20260509071733_8f52ace0-0912-42d0-bfc1-39d2b24e32b9
Total jobs = 1
Launching Job 1 out of 1
Tez session was closed. Reopening...
Session re-established.
Status: Running (Executing on YARN cluster with App id application_1778308105283_0003)

--------------------------------------------------------------------------------
        VERTICES      MODE        STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1            container     SUCCEEDED      0          0        0        0       0       0
Reducer 2 ...... container     SUCCEEDED      1          1        0        0       0       0
Reducer 3 ...... container     SUCCEEDED      1          1        0        0       0       0
--------------------------------------------------------------------------------
VERTICES: 02/03  [==========================>>] 100%  ELAPSED TIME: 6.05 s
--------------------------------------------------------------------------------
OK
Time taken: 14.851 seconds
hive> SELECT
    >     crime_year,
    >     COUNT(*) AS total_crimes
    > FROM crimes_partitioned
    > GROUP BY crime_year
    > ORDER BY crime_year ASC;
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

```
OK
0
Time taken: 0.733 seconds, Fetched: 1 row(s)
hive> SELECT
    >     primary_type,
    >     COUNT(*) AS crime_count
    > FROM crimes_partitioned
    > GROUP BY primary_type
    > ORDER BY crime_count DESC
    > LIMIT 5;
Query ID = hadoop_20260509071733_8f52ace0-0912-42d0-bfc1-39d2b24e32b9
Total jobs = 1
Launching Job 1 out of 1
Tez session was closed. Reopening...
Session re-established.
Status: Running (Executing on YARN cluster with App id application_1778308105283_0003)

--------------------------------------------------------------------------------
        VERTICES      MODE        STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1            container     SUCCEEDED      0          0        0        0       0       0
Reducer 2 ...... container     SUCCEEDED      1          1        0        0       0       0
Reducer 3 ...... container     SUCCEEDED      1          1        0        0       0       0
--------------------------------------------------------------------------------
VERTICES: 02/03  [==========================>>] 100%  ELAPSED TIME: 6.05 s
--------------------------------------------------------------------------------
OK
Time taken: 14.851 seconds
hive> SELECT
    >     crime_year,
    >     COUNT(*) AS total_crimes
    > FROM crimes_partitioned
    > GROUP BY crime_year
    > ORDER BY crime_year ASC;
Query ID = hadoop_20260509071753_39176beb-7886-4d52-a6f2-a851f894c1fe
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778308105283_0003)

--------------------------------------------------------------------------------
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

```
Time taken: 14.851 seconds
hive> SELECT
    >     crime_year,
    >     COUNT(*) AS total_crimes
    > FROM crimes_partitioned
    > GROUP BY crime_year
    > ORDER BY crime_year ASC;
Query ID = hadoop_20260509071753_39176beb-7086-4d52-a6f2-a851f894c1fe
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778308105283_0003)

--------------------------------------------------------------------------------
        VERTICES      MODE        STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1            container     SUCCEEDED      0          0        0        0       0       0
Reducer 2 ...... container     SUCCEEDED      1          1        0        0       0       0
Reducer 3 ...... container     SUCCEEDED      1          1        0        0       0       0
--------------------------------------------------------------------------------
VERTICES: 02/03  [==========================>>] 100%  ELAPSED TIME: 0.29 s
--------------------------------------------------------------------------------
OK
Time taken: 1.452 seconds
hive> SELECT
    >     primary_type,
    >     COUNT(*) AS arrest_count
    > FROM crimes_partitioned
    > WHERE arrest = true
    > GROUP BY primary_type
    > HAVING COUNT(*) > 500
    > ORDER BY arrest_count DESC;
Query ID = hadoop_20260509071805_c2e8494e-5f88-47ca-8c31-3616763c3775
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778308105283_0003)

--------------------------------------------------------------------------------
        VERTICES      MODE        STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1            container     SUCCEEDED      0          0        0        0       0       0
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

```
OK
Time taken: 7.126 seconds
hive> EXPLAIN
    > SELECT *
    > FROM crimes_partitioned
    > WHERE crime_year = 2020;
OK
Plan optimized by CBO.

Stage-0
  Fetch Operator
    limit:-1
    Select Operator [SEL_2]
      Output:["_col0","_col1","_col2","_col3","_col4","_col5","_col6","_col7","_col8","_col9","_col10","_col11","_col12","_col13","_col14","_col15"]
      Filter Operator [FIL_4]
        predicate:(crime_year = 2020)
        TableScan [TS_0]
          Output:["crime_id","case_number","crime_date","block","primary_type","description","location_desc","arrest","domestic","beat","district","ward","com
munity_area","latitude","longitude"]

Time taken: 0.571 seconds, Fetched: 12 row(s)
hive> partitionPruning:true
    > [hadoop@ip-172-31-33-141 ~]$ hive

Logging initialized using configuration in file:/etc/hive/conf.dist/hive-log4j2.properties Async: false
hive> EXPLAIN
    > SELECT *
    > FROM crimes_partitioned
    > WHERE crime_year = 2020;
OK
Plan optimized by CBO.

Stage-0
  Fetch Operator
    limit:-1
    Select Operator [SEL_2]
      Output:["_col0","_col1","_col2","_col3","_col4","_col5","_col6","_col7","_col8","_col9","_col10","_col11","_col12","_col13","_col14","_col15"]
      Filter Operator [FIL_4]
        predicate:(crime_year = 2020)
        TableScan [TS_0]
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

ec2-54-224-118-181.compute-1.amazonaws.com (hadoop)

```
Stage-0
  Fetch Operator
    limit:-1
    Select Operator [SEL_2]
      Output:["_col0","_col1","_col2","_col3","_col4","_col5","_col6","_col7","_col8","_col9","_col10","_col11","_col12","_col13","_col14","_col15"]
      Filter Operator [FIL_4]
        predicate:(crime_year = 2020)
        TableScan [TS_0]
          Output:["crime_id","case_number","crime_date","block","primary_type","description","location_desc","arrest","domestic","beat","district","ward","com
munity_area","latitude","longitude"]

Time taken: 0.571 seconds, Fetched: 12 row(s)
hive> partitionPruning:true
    > [hadoop@ip-172-31-33-141 ~]$ hive

Logging initialized using configuration in file:/etc/hive/conf.dist/hive-log4j2.properties Async: false
hive> EXPLAIN
    > SELECT *
    > FROM crimes_partitioned
    > WHERE crime_year = 2020;
OK
Plan optimized by CBO.

Stage-0
  Fetch Operator
    limit:-1
    Select Operator [SEL_2]
      Output:["_col0","_col1","_col2","_col3","_col4","_col5","_col6","_col7","_col8","_col9","_col10","_col11","_col12","_col13","_col14","_col15"]
      Filter Operator [FIL_4]
        predicate:(crime_year = 2020)
        TableScan [TS_0]
          Output:["crime_id","case_number","crime_date","block","primary_type","description","location_desc","arrest","domestic","beat","district","ward","com
munity_area","latitude","longitude"]

Time taken: 3.118 seconds, Fetched: 12 row(s)
hive> partitions=1/10
    > [hadoop@ip-172-31-33-141 ~]$ hive

Logging initialized using configuration in file:/etc/hive/conf.dist/hive-log4j2.properties Async: false
hive>
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net