

Erriez TTP229 touch sensitive 4x4 keypad library for Arduino  
1.0.0

Generated by Doxygen 1.8.13



# Contents

<b>1</b>	<b><a href="#">Erriez TTP229 touch sensitive keypad library for Arduino</a></b>	<b>1</b>
<b>2</b>	<b><a href="#">Class Index</a></b>	<b>5</b>
2.1	<a href="#">Class List . . . . .</a>	5
<b>3</b>	<b><a href="#">Class Documentation</a></b>	<b>7</b>
3.1	<a href="#">ErriezTTP229 Class Reference . . . . .</a>	7
3.1.1	<a href="#">Detailed Description . . . . .</a>	7
	<b><a href="#">Index</a></b>	<b>9</b>



## Chapter 1

# Erriez TTP229 touch sensitive keypad library for Arduino

This is an TTP229 touch sensitive library for Arduino.

### Library features

- 3.3V and 5V
- Two wire interface (Not I2C compatible)
- Single 4x4 touch keypad
- Dual 4x4 touch keypads
- Interrupt based
- UNO/Mini/Micro/Mega2560/Leonardo, ESP8266, ESP32 and DUE

### Design notes

- The PCB must be mounted floated, otherwise key presses don't work reliable.
- Connect pins 3 and 4 on connector P1 for 16-pin button mode.
- Smaller keypads with less pins may work, but are not tested.

### Examples

- [ErriezTTP229DualTouchKeypad4x4](#) Two TTP229 4x4 keypads.
- [ErriezTTP229SingleTouchKeypad4x4](#) One TTP229 4x4 keypad.

## Getting started

```
{c++}
#include <ErriezTTP229.h>

// TTP229 pin defines
#if defined(ARDUINO_ARCH_AVR)
#define TTP229_SDO_PIN 2 // SDO to interrupt pin 2 (INT0) or pin 3 (INT1)
#define TTP229_SCL_PIN 3 // SCL to any DIGITAL IO pin
#elif defined(ARDUINO_ARCH_ESP8266)
#define TTP229_SDO_PIN D1 // Interrupt pin
#define TTP229_SCL_PIN D2 // Any pin
#elif defined(ARDUINO_ARCH_ESP32)
#define TTP229_SDO_PIN 16 // Keep GPIO0 low during programming
#define TTP229_SCL_PIN 4
#else
#error "May work, but not tested on this target"
#endif

// Create keypad object
ErriezTTP229 ttp229;

#if defined(ARDUINO_ARCH_ESP8266) || defined(ARDUINO_ARCH_ESP32)
ICACHE_RAM_ATTR
#endif
void keyChange()
{
    // A key press changed
    ttp229.keyChange = true;
}

void setup()
{
    // Initialize serial
    Serial.begin(115200);
    while (!Serial) {
        ;
    }
    Serial.begin(115200);
    Serial.println(F("\nErriez TTP229 single 16-keys keypad example"));

    // Initialize keypad with interrupt
    ttp229.begin(TTP229_SCL_PIN, TTP229_SDO_PIN);

    // Initialize interrupt pin on SD0
    attachInterrupt(digitalPinToInterrupt(TTP229_SDO_PIN), keyChange, FALLING);
}

void loop()
{
    // Print key
    if (ttp229.keyChange) {
        Serial.println(ttp229.GetKey16());
        ttp229.keyChange = false;
    }
}
```

## Library dependencies

- None

## Hardware

### Arduino UNO

### ESP8266

### ESP32

### DUE

## Library installation

Please refer to the [Wiki](#) page.

## Other Arduino Libraries and Sketches from Erriez

- [Erriez Libraries and Sketches](#)





## Chapter 2

# Class Index

### 2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">ErriezTTP229</a>	
<a href="#">ErriezTTP229</a> class . . . . .	7



## Chapter 3

# Class Documentation

### 3.1 ErriezTTP229 Class Reference

[ErriezTTP229](#) class.

```
#include <ErriezTTP229.h>
```

#### Public Member Functions

- void **begin** (uint8\_t sclPin, uint8\_t sdoPin)
- uint8\_t **GetKey16** ()

#### Public Attributes

- volatile bool **keyChange**

#### 3.1.1 Detailed Description

[ErriezTTP229](#) class.

Definition at line 31 of file ErriezTTP229.h.

The documentation for this class was generated from the following files:

- src/ErriezTTP229.h
- src/ErriezTTP229.cpp



# Index

ErriezTTP229, [7](#)