LOGS | ALERTS | FACETS | Create a Snapshot

ALL

● (Tiltfile)   41m

● fe   41m

POD STATUS: Running   POD ID: hanyu-fe-654f76f79c-wqtlw   ENDPOINT: http://localhost:9000/

```
    ¦ [cached] [2/6] RUN apt update && apt install -y unzip time make
    ¦ [cached] [3/6] RUN wget https://github.com/google/protobuf/releases/download/v3.5.1/protoc-3.5.1-linux-x86_64.zip &&   unzip
protoc-3.5.1-linux-x86_64.zip -d protoc &&   mv protoc/bin/protoc /usr/bin/protoc
    ¦ [cached] [4/6] RUN go get github.com/golang/protobuf/protoc-gen-go
    ¦ [cached] [5/6] ADD . /go/src/github.com/windmilleng/servantes/fe
    ¦ [cached] [6/6] RUN go install github.com/windmilleng/servantes/fe
    ¦ exporting to image


STEP 2/3 — Pushing gcr.io/windmill-public-containers/servantes/fe:tilt-6cd554ec4c051ccc
    ¦ Skipping push


STEP 3/3 — Deploying
    | Injecting images into Kubernetes YAML
    | Applying via kubectl:
    |    hanyu-fe:service
    |    hanyu-fe:deployment

    | Step 1 - 10.647s
    | Step 2 - 0.000s
    | Step 3 - 0.428s
    | Done in: 11.075s


2019/11/18 18:19:10 Starting Servantes FE on :8080
```

● vigoda   41m

● snack   <45s

● doggos   41m

● fortune   41m

● hypothesizer   41m

● spoonerisms   40m

● emoji   40m

● words   40m

● random   40m

● secrets   40m

● echo-hi   41m

● sleep   40m

● hello-world   41m

● tick   41m

● uncategorized   41m

✖ 0 errors   ⚠ 0 warnings   LAST EDIT: snack ▸ main.go   17/17 running

localhost:9000

servantes > snack > main.go   Add Configuration...   Git:

main.go ×

```go
12
13 ▶  func main() {
14         // The next line creates an error on startup; uncomment it to cau
15         // log.Fatal("Can't Find Necessary Resource File; dying")
16         http.HandleFunc( pattern: "/", func(w http.ResponseWriter, r *http.R
17             // The next line creates an error on request time; uncomment
18             // log.Fatal("NullPointerError trying to service a request")
19         snacks := []string{
20
21             // Add snacks here
22         }
23
24         if len(snacks) == 0 {
25             snacks = append([]string(nil), defaultSnacks ... )
26         }
```

main() > func(w http.ResponseWriter, r *http.Request)

Empty slice declaration via literal   20:13   LF   UTF-8   Tab*   Git: dbentley/qod

servantes > snack > main.go   Add Configuration...   Git: ↙ ✓ ⊙ ↺ | ▣ Q

main.go ×

```go
12
13  ▶ func main() {
14        // The next line creates an error on startup; uncomment it to cau
15        // log.Fatal("Can't Find Necessary Resource File; dying")
16        http.HandleFunc( pattern: "/", func(w http.ResponseWriter, r *http.R
17            // The next line creates an error on request time; uncomment
18            // log.Fatal("NullPointerError trying to service a request")
19        snacks := []string{
20
21            // Add snacks here
22        }
23
24        if len(snacks) == 0 {
25            snacks = append([]string(nil), defaultSnacks ...)
26        }
```

main() > func(w http.ResponseWriter, r *http.Request)

≣ 6: TODO   ⬆ 9: Version Control   ⊵ Terminal   ◯ Event Log

Empty slice declaration via literal   20:13   LF   UTF-8   Tab*   Git: dbentley/qod