Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity

Ans. d) collinearity

- 42) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
- b) Random Forest
- c) Classfication
- d) SVM

Ans. B) Random Forest

- 43) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above
- e) Ans. C) Decision Tree are prone to overfit

44)

What is the term known as on which the machine learning algorithms build a model based on sample data?

- a) Data Training
- b) Sample Data
- c) Training data
- d) None of the above

## Ans. C) Training Data

- 45) Which of the following machine learning techniques helps in detecting the outliers in data?
  - a) Clustering
  - b) Classification
  - c) Anamoly detection
  - d) All of the above

Ans. C) Anomaly detection

46) Identify the incorrect numerical functions in the various function representation of machine learning.	
b) c)	Support Vector Regression Case based Classification
Ans. C) Case Based	
47)	
Analys	is of ML algorithm needs
b) c)	Statistical learning theory Computational learning theory None of the above Both a and b
Ans.d) Both a and b	
<ul><li>a)</li><li>b)</li><li>c)</li><li>d)</li></ul>	the difficulties with the k-nearest neighbor algorithm.  Curse of dimensionality  Calculate the distance of test case for all training cases  Both a and b  None  s. C) Both A and B
49) A	The total types of the layer in radial basis function neural networks is a) 1 b) 2 c) 3 d) 4 cns. C) 3
50)	Which of the following is not a supervised learning  a) PCA  b) Naïve bayes c) Linear regression d) KMeans Ans. D) KMeans