A PROJECT ON ONLINE FOOD DELIVERY

SUBMITTED IN

PARTIAL FULFILLMENT OF THE REQUIREMENT

FOR THE COURSE OF DIPLOMA IN ADVANCED COMPUTING FROM CDAC



SUNBEAM INSTITUTE OF INFORMATION TECHNOLOGY Hinjawadi

SUBMITTED BY:

Vishwajeet Sheshrao Indalkar Ballaleshwar Sujeet Garad Rakesh Kumar Yadav Abhimanyu Singh

UNDER THE GUIDENCE OF:

Pradnya Nyaharkar Mam

Faculty Member

Sunbeam Institute of Information Technology, Pune

ABSTRACT

Online Food Delivery is a basic one stop web application for customers, hotel managers & delivery executives. Customers can order available food from their favorite restaurants whereas the restaurants can decide which food from their restaurant is been made available for their customers under specific food categories. The restaurant managers can assign the food orders to the delivery executives and the delivery executives can deliver the food order and notify about delivery status. With the help of this system, people can easily order the food. It can also ensure that the people do not waste their precious time and use their time productively in the other works. In long run, this will ensure that it helps to reduce labour cost. This system proves to be more cost effective and reliable over other systems.

ACKNOWLEDGEMENT

A project usually falls short of its expectation unless aided and guided by the right persons at the right time. We avail this opportunity to express our deep sense of gratitude towards Mr. Nitin Kudale (Center Coordinator, SIIT, Pune) and Mr. Yogesh Kolhe (Course Coordinator, SIIT, Pune).

We are deeply indebted and grateful to them for their guidance, encouragement and deep concern for our project. Without their critical evaluation and suggestions at every stage of the project, this project could never have reached its present form.

Last but not the least we thank the entire faculty and the staff members of Sunbeam Institute of Information Technology, Pune for their support.

Abhimanyu Singh
Rakesh Kumar Yadav
Ballaleshwar sujeet garad
Vishwajeet sheshrao indalkar

PG-DAC March 23 Batch, SIIT Pune



CERTIFICATE

This is to certify that the project work under the title 'Online Food Delivery for Student and teacher' is done by Abhimanyu Singh , Rakesh Kumar Yadav, Ballaleshwar sujeet garad ,Vishwajeet sheshrao indalkar in partial fulfillment of the requirement for award of Diploma in Advanced Computing Course.

Project Guide

Mr. Yogesh Kolhe Course Co-Coordinator

Date:31-08-2023

Table of Contents

1.	Introduction 1
	Problem Statement
	Aim & Objectives
2.	Overall Description2
	Proposed Methodology2
	Operating Environment
	Design and Implementation Constraints
3.	Requirements Specification 4
	External Interface Requirements
4.	System Diagram8
	Activity Diagram8
	Data Flow Diagram9
	Class Diagram
	Use Case Diagram
	ER Diagram15
5.	Table Structure
6.	Screenshots
7.	Conclusion
	Future Scope25
8.	References26

List of Figures

Figure 1 Customer Activity Diagram	8
Figure 2 Restaurant Manager Activity Diagram	9
Figure 3 Delivery Person Activity Diagram	10
Figure 4 Level 0 Data Flow Diagram	11
Figure 5 Level 1 Data Flow Diagram	12
Figure 6 Level 2 Data Flow Diagram for Customer	12
Figure 7 Class Diagram	13
Figure 9 Use Case Diagram	14
Figure 10 ER Diagram	15
Figure 11 System Generated ER Diagram	16

1. INTRODUCTION.

Introduction:

Online food Delivery is a web application that provides the function and features to authenticate and identify the customers (users), restaurant managers and delivery persons. Portal provide user with easy, personalized web-interface for facilitating access to restaurant information and food services that are of primary relevance and interests to the users. Online food Delivery Portal is nothing but a portal which thinks customers as the main target users and provides so many useful services to customers at a single place. It helps to deliver various cuisine from various restaurant to customers with the help of delivery person.

Problem Statement:

There are many problems found in the today's food portal system. The problems created in the existing system enforced us to develop the new system which minimize the problem of the existing system. The problems are Low quality of food, Unhygienic kitchen and lack of inclusion of all type of food. Its application depends on location of the customer and location of restaurant.

Aims and Objective:

The main purpose of this system, is to increase the awareness about various food available in an area. To make cross cultural awareness among the people and to generate the feeling of oneness. Provide on time delivery of foods. In other words, our Online food Delivery portal has, following objectives:

- Simple database is maintained.
- Easy operations for the operator of the system.
- User interfaces are user accommodating and attractive; it takes very less time for the customer to use the system.
- **Easy** operations for the operator of the system.

2. OVERALL DESCRIPTION.

Proposed Methodology:

This system provides an easy way for customers to view and order the various cuisines. Restaurant staff to manage their food orders and deliver the food with help of delivery persons. The online food Delivery portal enables restaurants (system user) to showcase their cuisines online, customers to browse through portal can buy the food. This product aimed towards a person who don't want to visit the restaurants but want to taste the food in his home or office etc. She/he can use the web application for ease.

Operating Environment:

Server Side:

Processor: Intel® Core i5 8th Gen

HDD: Minimum 1TB Disk Space

RAM: Minimum 8GB

OS: Windows 10, Linux 6

Database: MySQL

Client Side (minimum requirement):

Processor: Intel Dual Core

HDD: Minimum 500GB Disk Space

RAM: Minimum 4GB

OS: Windows 10, Linux

Browser: Chrome /Edge/ Mozilla Firefox, etc. (Latest version)

Design and Implementation Constraints:

The application will use React JS as frontend and Java spring Boot API as a backend.

The application will use JavaScript, HTML and CSS as web technologies.

HTTP and FTP protocols are used as communication protocols. FTP is used to upload the web application in live domain and the client can access it via HTTP protocol.

SMTP protocol is used for Email communication.

Several types of validations make this web application a secured one and SQL Injections can also be prevented.

Since Online Food Delivery Portal is a web-based application, internet connection must be established.

The Online Food Delivery Portal will be used on PCs and will function via internet or intranet in any web browser.

3. Requirements Specification.

External Interface Requirements:

User Interfaces:

- All the users will see the same page when they enter in this website. This page asks the users a username and a password.
- After being authenticated by correct username and password, user will be redirect to their corresponding profile where they can do various activities.
- The user interface will be simple and consistence, using terminology commonly understood by intended users of the system. The system will have simple interface, consistence with standard interface, to eliminate need for user training of infrequent users.

Hardware Interfaces:

- '9 No extra hardware interfaces are needed.
- The system will use the standard hardware and data communication resources.

This includes, but not limited to, general network connection at the server/hosting site, network server and network management tools.

Application Interfaces:

Web Browser:

The system is a web-based application; clients need a modern web browser such as Mozilla Firebox, Internet Explorer, Opera, and Chrome. The computer must have an Internet connection in order to be able to access the system.

Communications Interfaces:

- This system uses communication resources which includes but not limited to, HTTP protocol for communication with the web browser and web server and TCP/IP network protocol with HTTP protocol.
- This application will communicate with the database that holds all the Orders Information. Users can contact with server side through HTTP protocol by means of a function that is called HTTP Service. This function allows the application to use the data retrieved by server to fulfil the request fired by the customer.

Functional Requirements:

Access Website:

User should be able to access web-application through either an application browser or similar service on the mobile phone or computer.

Registration:

Given that user and admin has accessed web-application, then both should be able to register through the web-application. The user must provide first name, last name, email, contact number, username and password.

View Profile: In which user and admin can see their current profile status.

View Product Details & add to cart:

Users can see the product details by login to the web application. e.g., Product category, Product items, Quantity, etc.

User log-in:

Given that the user has registered, then the user should be able to login to the web-application. The login information will be stored on the database for future use.

Search product in product list:

Specific product can be viewed in the product list. Users can search product by using product category.

Update product in product list:

Restaurant Manager can update their food products as well as add new Products. Also can give discount and Offers to Products. Specific product can be viewed in the product list.

Assign Delivery:

Restaurant Manager can assign delivery to delivery person as per customer order.

Deliver Food order to Customer:

Delivery person delivers order to particular customer as assigned by restaurant manager

Non-functional Requirements

Security

The system's back-end servers shall only be accessible to authenticated administrators. Sensitive data will be encrypted before being sent over insecure connections like the internet.

Availability

The system should be available at all times, meaning the user can access it using a web browser, only restricted by the downtime of the server on which the system runs. In case of an of a hardware failure or database corruption, a replacement page will be shown. Also, in case of a hardware failure or database corruption, backups of the database should be retrieved from the server and saved by the administrator. Then the service will be restarted. It means 24 X 7 availability.

Reliability

The reliability of the overall program depends on the reliability of the separate components. The main pillar of the reliability of the system is the backup of the database which is continuously maintained and updated to reflect the most recent changes. Thus, the overall stability of the system depends on the stability of container and its underlying operating system.

Maintainability

A commercial database is used for maintaining the database and the application server takes care of the site. In case of a failure, a re-initialization of the program will be done. Also, the software design is being done with modularity in mind so that maintainability can be done efficiently.

Accessibility

The system will be a web-based application it is going to be accessible on the web browser.

Back up

We will take a backup in our system database. In order to enable the administrator and the user to access the data from our system.

Performance

The product shall be based on web and has to be run from a web server. The product shall take initial load time depending on internet connection strength which also depends on the media from which the product is run. The performance shall depend upon hardware components of the client/customer.

Supportability

The source code developed for this system shall be maintained in configuration management tool.

Features

Password Encryption

Encrypted password saved in database after successful sign up by customer (Serialization) and automatically decrypted while sign in (De-Serialization)

Email Notification

Customer receives welcome email on sign up.


Role Based User Functionality

Restaurant Manager, Customer and Delivery Person have different functionalities in the same application.


4. System Diagrams.

Activity Diagram:


4 Customer Activity:




Restaurant Manager Activity:





♣ Delivery Person Activity:



B Data Flow diagram:









Customer Level 2 Diagram


26 Class Diagram:




G Use Case Diagram:



ER Diagram:



6. System generated ERD



5. Table Structure.

36 <u>customer:</u>

<u>Field</u>	<u>Type</u>	<u>Null</u>	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	
Address_text	varchar(255)	YES		NULL	
email	varchar(255)	YES		NULL	
name	varchar(255)	YES		NULL	
password	varchar(255)	YES		NULL	
Pin_code	varchar(255)	YES		NULL	

🐉 delivery-person:

<u>Field</u>	<u>Type</u>	<u>Null</u>	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	auto_increment
email	varchar(255)	YES		NULL	
Is_available	bit(1)	YES		NULL	
name	varchar(255)	YES		NULL	
Password	varchar(255)	YES		NULL	

26 food item:

<u>Field</u>	<u>Type</u>	<u>Null</u>	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	auto_increment
Image_path	varchar(255)	YES		NULL	
Is_available	bit(1)	YES		NULL	
Is_vegeterian	bit(1)	YES		NULL	
name	varchar(255)	YES		NULL	
price	double	YES		NULL	
food_type_id	int	YES	MUL	NULL	
restaurant_id	int	YES	MUL	NULL	

's <u>food type:</u>

<u>Field</u>	<u>Type</u>	<u>Null</u>	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	auto_increment
Image_path	varchar(255)	YES		NULL	

order_item:

<u>Field</u>	<u>Type</u>	<u>Null</u>	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	auto_increment
Food_item_name	varchar(255)	YES		NULL	
Food_item_price	double	YES		NULL	
quantity	int	YES		NULL	
Food_item_id	int	YES	MUL	NULL	
order_id	int	YES	MUL	NULL	

orders:

<u>Field</u>	<u>Type</u>	Null	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	auto_increment
status	varchar(255)	YES		NULL	
Assign_to_delivery_person_id	int	YES	MUL	NULL	
customer_id	int	YES	MUL	NULL	
restaurant_id	int	YES	MUL	NULL	

ين <u>payment:</u>

<u>Field</u>	<u>Type</u>	Null	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	auto_increment
status	varchar(255)	YES		NULL	
customer_id	int	YES	MUL	NULL	
order_id	int	YES	MUL	NULL	

يه <u>restaurant:</u>


<u>Field</u>	<u>Type</u>	<u>Null</u>	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	auto_increment
Address_text	varchar(255)	YES		NULL	
name	varchar(255)	YES		NULL	
pin_code	int	YES		NULL	

restaurant manager:


<u>Field</u>	<u>Type</u>	<u>Null</u>	<u>Key</u>	<u>Default</u>	<u>Extra</u>
id	int	NO	PRI	NULL	auto_increment
email	varchar(255)	YES		NULL	
name	varchar(255)	YES		NULL	
password	varchar(255)	YES		NULL	
restaurant_id	int	YES	MUL	NULL	

6. SCREENSHOTS

1.Home Page




2. Customer Sign Up




20


3. Customer Sign In




4. Customer can see list of available Restaurants




5.available food items




6.Cart




7.Cart




9.Place an Order






11.Manager Sign In




12.Manager can see orders




All Peacy Person Sign Up

| React App | See | Se


14.Delivery person Sign In




15.Manager assigning delivery




16.Delivery assigned!




17. Delivery person can update the status of order





18. Final Status of Order can be seen by Manager



7. CONCLUSION

Conclusion

Online food delivery system is process of ordering food through single web portal with access to multiple restaurants at the same time. It provide customers an access to various food items from various hotels and helps to try new foods. It provide restaurant manager to increase the business of their hotel. it also provide home delivery of foods with help of delivery person

This project can later be expanded on a larger scale. It is developed for restaurants to simplify their routine managerial and operational task and to improve the dining experience of the clients. This also helps the restaurant owners develop healthy customer relationships by providing reasonably good services. The system also enables the restaurant to know the items available in real time and make changes to their food and beverage inventory based on the orders placed and the orders completed.

Future Scope:

This project can be enhanced further by adding payable additional hotels, online feedback system, and local mess for the members to increase the variety of the foods. The software is flexible enough to be modified and implemented as per future requirements.

We have tried our Best to present this free and user–friendly website to customers.

☐ This Online Food delivery web application can be enhanced further by adding

live tracking system

Review and ratings Feedback system for detailed analysis.

Real time payment system

8. REFERENCES.

References:

- A Simple E-Commerce Implementation with Spring Baeldung
- E-Commerce/food delivery app (Zomato/Swiggy/1mg) | by Ravinder Singh Sengar | Medium
- Shopping Cart for eCommerce App | Javarevisited (medium.com)
- https://github.com/coniferousdyer/Food-Ordering-Portal
- JAVA 11 API Docs
- J2EE Spring Docs