~~~~
Domain: cdac.in
Subs: any.accounts.cdac.in

DNS: Name - ip ; ip - name

nslookup
host
dig

A - Address Record [Name to IPv4]
# host -t a anything.yahoo.com

-----------------------------
Loop:
``````
while [condition];do
        COMMAND
done
----
while true;do
        echo "LOL"
done
----
while read -p "Enter: " a;do
        echo "Out: ${a}"
done
----
# cat > file.txt
pra
kittu
puchhu
vani
ashu
sai
om
# cat file.txt | while read -p "Enter: " a;do echo "out: ${a}";done

# while read -p "Enter: " a;do echo "out: ${a}";done < file.txt

--------------
Subdomain Enum:
````````````````
Target: yahoo.com
# host -t a subdomains.yahoo.com

# cat > wordlist.txt
www
login

# vim script.sh
read -p "Enter a domain: " domain
read -p "Enter the wordlist: " word
while read sub;do
        if host -t a "${sub}.${domain}" &> /dev/null;then
                echo "${sub}.${domain}"
        fi
done < ${word}

# bash script.sh
~~~~

~~~
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
FOR LOOP:
`````````
for i in {1..10};do
        echo "LOL"
done
---
for ((i=1;i<=10;i++));do
        echo "LOOP: $i"
done
---
for ((i=10;i>=1;i--));do
        echo "LOOP: $i"
done
---
Command line arguments:
````````````````````````
# bash script.sh
Input: ******

# bash script.sh arg1 arg2 arg3....argn
         $0       $1   $2   $3      $n

#!/bin/bash
echo "Zero arg: $0"
echo "First arg: $1"
echo "Sec Arg: $2"
echo "All args: $@"
echo "Total args: $#"

# bash script.sh arg1 arg2
Zero arg: script.sh
First arg: arg1
Sec Arg: arg2
All args: arg1 arg2
Total args: 2
~~~