


Azure Data Pipeline Assignment – Week 4

Screenshots & Pipeline Execution Results:

Step 1: Resource Group Creation:




The screenshot shows the Microsoft Azure portal interface. The left sidebar contains navigation links: Resource Manager, All resources, Favorite resources, Recent resources, Resource groups (selected), Tags, Organization, Tools, Deployments, and Help. The main content area is titled 'Resource Manager | Resource groups'. It includes a search bar, a 'Filter for any field...' dropdown, and filter buttons for 'Subscription equals all', 'Location equals all', and 'Add filter'. A table lists the resource groups:

Name ↑	Subscription	Location
RT-CT-SY	Azure for Students	East US

At the bottom, it says 'Showing 1 - 1 of 1. Display count: auto' and includes a 'Give feedback' link.

Step 2: Storage Account & Containers Setup:



The screenshot shows the Microsoft Azure portal interface. The left sidebar contains navigation links: Overview, All storage resources, Object storage, File storage, Block storage, Data management, Migration, Partner solutions, Management services, and Help. The main content area is titled 'Storage center | Blob Storage'. It includes a search bar, a 'Filter for any field...' dropdown, and filter buttons for 'Subscription equals all', 'Resource Group equals all', 'Location equals all', and 'Add filter'. A table lists the storage accounts:

Name ↑	Type	Kind	Resource Group	Location	Subscription
rtctsy206009876	Storage account	StorageV2	RT-CT-SY	Southeast Asia	Azure for Students

At the bottom, it says 'Showing 1 - 1 of 1. Display count: auto' and includes a 'Give feedback' link.

Step 3: Azure Data Factory (ADF) Setup:

The screenshot shows the Azure Data Factory (ADF) home page in a web browser. The browser's address bar displays the URL: `adf.azure.com/en/home?factory=%2Fsubscriptions%2Fdc7bd751-1419-4a66-904b-03228c44022...`. The page header includes the Microsoft Azure logo, the Data Factory name 'rtctsy206009876', and a search bar. A notification banner at the top states: 'Plan ahead with Fabric Data integration features are being delivered in Fabric first. Explore what's available and plan your migration to Fabric. [Start exploring](#)'. Below this, a secondary banner reads: 'Azure Data Factory allows you to configure a Git repository with either Azure DevOps or GitHub. Git is a version control system that allows for easier change tracking and collaboration. [Learn more](#)'. The main content area features the Data Factory name 'rtctsy206009876' and a 'New' button. Four primary actions are highlighted in boxes: 'Ingest' (Copy data at scale once or on a schedule), 'Orchestrate' (Code-free data pipelines), 'Transform data' (Transform your data using data flows), and 'Configure SSIS' (Manage & run your SSIS packages in the cloud). A 'Recent resources' section is visible at the bottom.

Step 4: Linked Services Configuration:

The screenshot displays the 'Linked services' configuration page within the Azure Data Factory (ADF) interface. The browser's address bar shows the URL: `adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2Fdc7bd751-141...`. The page header is consistent with the previous screenshot. A notification banner at the top states: 'Plan ahead with Fabric Data integration features are being delivered in Fabric first. Explore what's available and plan your migration to Fabric. [Start exploring](#)'. The left-hand navigation pane is expanded, showing the 'Connections' section with 'Linked services' selected. The main content area is titled 'Linked services' and includes a description: 'Linked service defines the connection information to a data store or compute. [Learn more](#)'. A '+ New' button is present. Below this, a search bar labeled 'Filter by name' and a dropdown for 'Annotations : Any' are shown. The text 'Showing 1 - 1 of 1 items' indicates one linked service is configured. A table lists the linked services:

Name ↑↓	Type ↑↓	Related ↑↓	Annotations ↑↓
AzureBlobStorage1	Azure Blob Storage	0	

A success message is displayed in the top right corner: 'Successfully created' and 'Successfully created AzureBlobStorage1 (Linked service).'

Step 5: Datasets (Source & Destination):

The screenshot shows the Microsoft Azure Data Factory interface for configuring a dataset named 'ds_destination_csv'. The 'Factory Resources' pane on the left lists 'Pipelines' (0), 'Change Data Capture (preview)' (0), and 'Datasets' (2), with 'ds_destination_csv' selected. The main area displays the 'DelimitedText' dataset type with a 'CSV' icon. The 'Connection' tab is active, showing 'AzureBlobStorage1' as the connection, 'output' as the path, and 'Directory' as the file name. Other settings include 'No compression' for type, 'Comma (,)' for delimiter, and 'Default (\r,\n, or \\\n)' for encoding. The 'Properties' pane on the right shows the 'Name' as 'ds_destination_csv' and a 'Description' field. A 'Publishing completed' notification is visible in the top right corner.

Step 6: Pipeline Canvas & Activities:

The screenshot shows the Microsoft Azure Data Factory interface for configuring a pipeline named 'pipeline_copy_data'. The 'Factory Resources' pane on the left lists 'Pipelines' (1), 'Change Data Capture (preview)' (0), and 'Datasets' (2), with 'pipeline_copy_data' selected. The main area displays the 'Activities' pane with a search bar and a list of activities: 'Move and transform', 'Synapse', 'Azure Data Explorer', 'Azure Function', 'Batch Service', 'Databricks', 'General', 'HDInsight', 'Iteration & conditionals', 'Machine Learning', and 'Power Query'. The 'Parameters' tab is active, showing a 'New' button. The 'Properties' pane on the right shows the 'Name' as 'pipeline_copy_data' and a 'Description' field. A 'Publish all' button is visible in the top right corner.

Microsoft Azure | Data Factory | rtctsy206009876

Factory Resources

- Pipelines: 1
 - pipeline_copy_data
- Datasets: 2
 - ds_destination_csv
 - ds_source_csv
- Data flows: 0
- Power Query: 0

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Copy data

Copy data1

Parameters Variables Settings Output

View debug run consumption

All status

Showing 1 - 1 of 1 items

Activity name	Activity st...	Activit...	Run start	Duration
Copy data1	✓ Succeeded	Copy data	6/14/2026, 11:04:11 PM	24s

Step 7 Activity Dependency & Logic:

Microsoft Azure | Data Factory | rtctsy206009876

Factory Resources

- Pipelines: 1
 - pipeline_copy_data
- Datasets: 2
 - ds_destination_csv
 - ds_source_csv
- Data flows: 0
- Power Query: 0

Activities

- General
 - Get Metadata

Get Metadata

Copy data


Get Metadata1

Copy data1

Parameters Variables Settings Output

+ New


Step 8: Pipeline Debug Run:



The screenshot displays the Microsoft Azure Data Factory interface for debugging a pipeline. The left sidebar shows the 'Factory Resources' tree with 'Pipelines' expanded, listing 'pipeline_copy_data'. The main area shows the 'Activities' tab for 'pipeline_copy_data', displaying a flow from 'Get Metadata1' to 'Copy data1'. Below the flow, the 'Output' tab shows the 'Pipeline status' as 'Succeeded' with a run ID of 'cc5-c1946db0665a'. A table lists the activities:

Activity name	Activity status	Activity name	Run start	Duration
Copy data1	✓ Succeeded	Copy data	6/15/2026, 10:11:37 AM	17s
Get Metadata1	✓ Succeeded	Get Metadata	6/15/2026, 10:11:13 AM	23s

Step 9: Monitor Tab & Run History:



The screenshot displays the Microsoft Azure Data Factory 'Monitor Tab & Run History' interface. The left sidebar shows 'Runs' expanded, listing 'Pipeline runs'. The main area shows the 'Pipeline runs' tab, displaying a table of pipeline runs. The table has columns: Pipeline name, Run start, Run end, Duration, Status, Triggered by, and Run ID. The table shows four runs, with the last two being 'Failed'.

Pipeline name	Run start	Run end	Duration	Status	Triggered by	Run ID
pipeline_copy_data	6/15/2026, 10:11:01	6/15/2026, 10:11:51	50s	✓ Succeeded	Manual trigger	550a36e8-3d58-45
pipeline_copy_data	6/14/2026, 11:04:01	6/14/2026, 11:04:31	33s	✓ Succeeded	Manual trigger	c6c4cc65-5388-46
pipeline_copy_data	6/14/2026, 10:54:51	6/14/2026, 10:55:3	33s	✗ Failed	Manual trigger	b7573dca-8c5c-47
pipeline_copy_data	6/14/2026, 10:47:51	6/14/2026, 10:48:2	28s	✗ Failed	Manual trigger	3af54ae6-d2ba-4f6

Step 10: IAM & Security:

The screenshot displays the Microsoft Azure portal interface. The browser tabs include 'LMS', 'Azure for Students | Microsoft', 'rtctsy206009876 - Micros...', 'rtctsy206009876 - Azure Data', and 'Microsoft Teams meeting | Mic...'. The address bar shows the URL 'portal.azure.com/?Microsoft_Azure_Education_correlationId=43087939-cd85-4847-80...'. The Microsoft Azure logo and a search bar are visible in the top navigation bar. The user profile 'shubhamyogi485@gma...' is shown in the top right corner.

The main content area is titled 'rtctsy206009876 | Access Control (IAM)' and indicates it is a 'Storage account'. A left-hand navigation pane lists various options: Overview, Activity log, Tags, Diagnose and solve problems, Access Control (IAM) (selected), Data migration, Events, Storage browser, Storage Mover, Partner solutions, Resource visualizer, Data storage, Containers, and Classic file shares.

At the top of the IAM page, there are action buttons: '+ Add', 'Download role assignments', 'Edit columns', 'Refresh', 'Delete', and 'Feedback'. Below these is a table with columns: Name, Type, Role, Scope, and Condition. The table lists five role assignments for the user 'Shubham Yogi' (ID: 10f48dc4-cc03-4961...).

Name	Type	Role	Scope	Condition
Owner (2)				
Shubham Yogi	User	Owner	Subscription (Inherited)	None
Shubham Yogi	User	Owner	Subscription (Inherited)	None
Reader (1)				
Shubham Yogi	User	Reader	This resource	None
Storage Blob Data Contributor (1)				
Shubham Yogi	User	Storage Blob Data Contributor	This resource	Add
Storage Blob Data Reader (1)				
Shubham Yogi	User	Storage Blob Data Reader	This resource	Add

Showing 1 - 5 of 5 results.

Add or remove favorites by pressing Ctrl+Shift+F