

Payntric UPI ATM Sub-Merchant Onboarding API Integration Guide

Version: 1.0

Content-Type: application/json

Base URL

{{API_BASE_LOCATION}}

Authentication


All API requests must include the following HTTP headers.


Header	Required	Description
username	Yes	API Username provided by Payntric
token	Yes	API Token provided by Payntric
Content-Type	Yes	application/json

Example Headers

username: your_username
token: your_api_token
Content-Type: application/json

Onboarding Flow





1. Sub-Merchant Signup (Min KYC)

Endpoint

POST

/submerchant/signup-min-kyc

Full URL

{{API_BASE_LOCATION}}/submerchant/signup-min-kyc

Request

```
{
  "mobile": "*****05**",
  "name": "Rakesh",
  "gender": "M",
  "pan": "*****",
  "email": "sun@ix.com",
  "address": {
    "full": "A 64 Sector 63",
    "city": "Noida",
    "pincode": "201306"
  },
  "aadhaar": "22*****5",
  "dateOfBirth": "****-**-**",
  "latitude": "28.620370",
  "longitude": "77.381041"
}
```

Request Parameters

Parameter	Type	Required	Description
mobile	String	Yes	10-digit mobile number

Parameter	Type	Required	Description
name	String	Yes	Applicant name (must match PAN)
gender	String	Yes	M / F / O
pan	String	Yes	Individual PAN Number
email	String	Yes	Email Address
aadhaar	String	Yes	Aadhaar Number
dateOfBirth	String	Yes	YYYY-MM-DD
latitude	String	Yes	Latitude
longitude	String	Yes	Longitude
address.full	String	Yes	Complete Address
address.city	String	Yes	City
address.pincode	String	Yes	PIN Code

Success Response

```
{
  "status": "SUCCESS",
  "statusCode": "TXN",
  "message": "Min-KYC completed",
  "subMerchantId": "SUBM_3BF7C7BD",
  "parentMerchantId": "MCH42CB2E",
  "outletId": "6*****6",
  "minKycStatus": "COMPLETED",
  "ekycStatus": "PENDING",
  "mobileChangeState": "NONE",
  "data": {
    "outletId": "*****6",
    "name": "s*****ma",
    "dateOfBirth": "*****",
    "gender": "M",
    "pincode": "2*****6",
    "state": "UTTAR PRADESH",
    "city": "RON*****AR",
    "address": "., .",
    "profilePic": null
  },
  "ipayUuid": "h000af22-4bf1-4875-affdb439-fSzFk64u7JRh",
  "timestamp": "2026-06-19T11:54:20.278661103"
}
```

Failure Responses

Invalid PAN Type

```
{
  "status": "FAILED",
  "statusCode": "500",
  "message": "Only individual PAN is allowed"
}
```

Invalid Mobile Number

```
{
  "message": "Validation failed",
  "errors": {
    "mobile": "mobile must be a 10-digit Indian number"
  },
  "status": "Failure"
}
```

PAN & Name Mismatch

```
{
  "status": "FAILED",
  "statusCode": "500",
  "message": "The given Name is not matching with pan records, please try again with correct data"
}
```

2. Check eKYC Status

Use this API to check whether biometric authentication is required or the merchant has already completed eKYC.

Endpoint

POST

/submerchant/ekyc-status

Full URL

{{API_BASE_LOCATION}}/submerchant/aeps/ekyc-status

1.gw:AC(AC stands for airtel payments bank)

2.gw:NA(NA stands for nsdl bank)

3.gw:JA(JA stands for jio payments bank)

Please note that you need to maintain this parameter along with spkey.

Request

```
{  
  "subMerchantId": "SUBM_3BFCBC47C1D",  
  "spKey": "WAP",  
  "gw": "AC",  
}
```

Request Parameters

Parameter	Description
subMerchantId	Sub Merchant ID received during Min KYC
spKey	Service Provider Key

Response (Biometric Required)

```
{  
  "status": "SUCCESS",  
  "statusCode": "TXN",  
  "message": "Biometric authentication required",  
  "subMerchantId": "SUBM_B5****",  
  "outletId": "*****",  
  "minKycStatus": "COMPLETED",  
  "ekycStatus": "PENDING",  
  "ekycAction": "ACTION-REQUIRED",  
  "referenceKey": "xxxxxxxx",  
  "data": {  
    "status": "PENDING",  
    "isFaceAuthAvailable": true,  
    "isBiometricKycMandatory": false,  
    "bankName": "Airtel Payments Bank"  
  }  
}
```

Response (Already Approved)

```
{
  "status": "SUCCESS",
  "statusCode": "TXN",
  "message": "Biometric authentication already completed",
  "subMerchantId": "SUBM_B*****2",
  "outletId": "6*****",
  "minKycStatus": "COMPLETED",
  "ekycStatus": "APPROVED",
  "ekycAction": "NO-ACTION-REQUIRED",
  "data": {
    "status": "APPROVED",
    "bankName": "Jio Payments Bank"
  }
}
```

eKYC Status Values

Value	Meaning
PENDING	eKYC Pending
APPROVAL_PENDING	Waiting for Bank Approval
APPROVED	eKYC Approved

eKYC Action Values

Value	Meaning
ACTION-REQUIRED	Biometric Authentication Required
NO-ACTION-REQUIRED	No Further Action Required

3. Submit Biometric KYC

Use this API to submit biometric authentication data.

Endpoint

POST

/submerchant/biometric-kyc

Full URL

`{{API_BASE_LOCATION}}/submerchant/aeps/biometric-kyc`

Request

3. Submit Biometric KYC API

This API is used to submit the Aadhaar biometric authentication captured from the RD Service device after the **KYC Status API** returns ``ACTION-REQUIRED``.

Endpoint

Method: ``POST``

```text`

`{{API_BASE_LOCATION}}/submerchant/aeps/biometric-kyc`

````

Authentication

Include the following HTTP headers in every request.

| Header | Required | Description | |
|--------|----------|-------------|--|
|--------|----------|-------------|--|

| | | |
|--------------|-------|------------------|
| ----- | ----- | ----- |
| username | Yes | API Username |
| token | Yes | API Token |
| Content-Type | Yes | application/json |

Request Body

```
{
  "subMerchantId": "SUBM_*****",
  "referenceKey":
"U179VyIxYWT/IPmAvFYKm4B8eJL1tA/2uhP2+ogtIS+f92/uYuxsgLix0v",
  "latitude": "28.620370",
  "longitude": "77.381041",
  "externalRef": "REQ629123456",
  "captureType": "FMR",
  "biometricData": {
    "encryptedAadhaar": "",
    "dc"          => (string),
    "dpId"        => (string)
    "mc"          => (string),
    "mi"          => (string),
    "rdsId"       => (string),
    "rdsVer"      => (string),
    "ci"          => (string),
    "sessionKey" => (string),
```

```

    "pidData"    => (string),
    "pidDataType" => (string),
    "hmac"       => (string)
    "errCode"    => (string),
    "errInfo"    => (string),
    "fCount"     => (string),
    "fType"      => (string),
    "iCount"     => (string),
    "iType"      => (string),
    "pCount"     => (string),
    "pType"      => (string),
    "qScore"     => (string),
    "nmPoints"   => (string),
    "srno"       => $srno,
    "sysid"      => $sysid,
    "ts"         => date('Y-m-d\TH:i:s'),
    "iCount"     => "0",
    "pCount"     => "0",
}
}

```

Success Response

```

{
  "status": "SUCCESS",
  "statusCode": "TXN",
  "message": "Biometric KYC submitted – poll eKYC Status for bank approval."
}

```

```
,
  "subMerchantId": "SUBM_B*****2",
  "outletId": "*****",
  "minKycStatus": "COMPLETED",
  "ekycStatus": "APPROVAL_PENDING",
  "ekycAction": "ACTION-REQUIRED"
}
```

Failure Response

```
{
  "status": "FAILED",
  "statusCode": "500",
  "message": "The selected captureType is invalid."
}
```

Merchant Status Flow

| Step | Min KYC | eKYC | Next Action |
|---------------------|-----------|------------------|----------------------|
| Signup Completed | COMPLETED | PENDING | Call eKYC Status API |
| Biometric Required | COMPLETED | PENDING | Submit Biometric KYC |
| Biometric Submitted | COMPLETED | APPROVAL_PENDING | Poll eKYC Status API |
| Bank Approved | COMPLETED | APPROVED | Merchant is Active |

Integration Guidelines

1. Authenticate every request using the required HTTP headers.
2. Call **Signup Min KYC** first to register the merchant.
3. Save the subMerchantId and outletId returned by the signup response.
4. Call the **eKYC Status API** to determine the next step.
5. If ekycAction = ACTION-REQUIRED, capture biometric authentication and submit it using the **Biometric KYC API**.
6. After biometric submission, continue polling the **eKYC Status API** until ekycStatus = APPROVED.
7. The merchant is considered fully onboarded only after ekycStatus = APPROVED.