

Payntric UPI ATM Sub-Merchant Onboarding API Integration Guide

Version: 1.0

Content-Type: application/json

Base URL

`https://api.payntric.com/api/jcentrix/v1`

Authentication


All API requests must include the following HTTP headers.


Header	Required	Description
username	Yes	API Username provided by Payntric
token	Yes	API Token provided by Payntric
Content-Type	Yes	application/json

Example Headers

```
username: your_username
token: your_api_token
Content-Type: application/json
```

Onboarding Flow





1. Sub-Merchant Signup (Min KYC)

Endpoint

POST

/submerchant/signup-min-kyc

Full URL

https://api.payntrix.com/api/jcentrix/v1/submerchant/aeps/signup-min-kyc

Request

```
{
  "mobile": "*****05**",
  "name": "Rakesh",
  "gender": "M",
  "pan": "*****",
  "email": "sun@ix.com",
  "address": {
    "full": "A 64 Sector 63",
    "city": "Noida",
    "pincode": "201306"
  },
  "aadhaar": "22*****5",
  "dateOfBirth": "****-**-**",
  "latitude": "28.620370",
  "longitude": "77.381041"
}
```

Request Parameters

Parameter	Type	Required	Description
mobile	String	Yes	10-digit mobile number
name	String	Yes	Applicant name (must match PAN)
gender	String	Yes	M / F / O

Parameter	Type	Required	Description
pan	String	Yes	Individual PAN Number
email	String	Yes	Email Address
aadhaar	String	Yes	Aadhaar Number
dateOfBirth	String	Yes	YYYY-MM-DD
latitude	String	Yes	Latitude
longitude	String	Yes	Longitude
address.full	String	Yes	Complete Address
address.city	String	Yes	City
address.pincode	String	Yes	PIN Code

Success Response

```
{
  "status": "SUCCESS",
  "statusCode": "TXN",
  "message": "Min-KYC completed",
  "subMerchantId": "SUBM_3BF7C7BD",
  "parentMerchantId": "MCH42CB2E",
  "outletId": "6*****6",
  "minKycStatus": "COMPLETED",
  "ekycStatus": "PENDING",
  "mobileChangeState": "NONE",
  "data": {
    "outletId": "*****6",
    "name": "s*****ma",
    "dateOfBirth": "*****",
    "gender": "M",
    "pincode": "2*****6",
    "state": "UTTAR PRADESH",
    "city": "RON*****AR",
    "address": "., .",
    "profilePic": null
  },
  "ipayUuid": "h000af22-4bf1-4875-affdb439-fSzFk64u7JRh",
  "timestamp": "2026-06-19T11:54:20.278661103"
}
```

Failure Responses

Invalid PAN Type

```
{
  "status": "FAILED",
```

```
"statusCode":"500",  
"message":"Only individual PAN is allowed"  
}
```

Invalid Mobile Number

```
{  
  "message":"Validation failed",  
  "errors":{  
    "mobile":"mobile must be a 10-digit Indian number"  
  },  
  "status":"Failure"  
}
```

PAN & Name Mismatch

```
{  
  "status":"FAILED",  
  "statusCode":"500",  
  "message":"The given Name is not matching with pan records, please try again with correct data"  
}
```

2. Check eKYC Status

Use this API to check whether biometric authentication is required or the merchant has already completed eKYC.

Endpoint

POST

/submerchant/ekyc-status

Full URL

<https://api.payntrix.com/api/jcentrix/v1/submerchant/aeps/ekyc-status>

1.gw:AC(AC stands for airtel payments bank)

2.gw:NA(NA stands for nsdl bank)

3.gw:JA(JA stands for jio payments bank)

Please note that you need to maintain this parameter along with spkey.

Request

```
{
  "subMerchantId": "SUBM_3BFCBC47C1D",
  "spKey": "WAP",
  "gw": "AC",
}
```

Request Parameters

Parameter	Description
subMerchantId	Sub Merchant ID received during Min KYC
spKey	Service Provider Key

Response (Biometric Required)

```
{
  "status": "SUCCESS",
  "statusCode": "TXN",
  "message": "Biometric authentication required",
  "subMerchantId": "SUBM_B5****",
  "outletId": "*****",
  "minKycStatus": "COMPLETED",
  "ekycStatus": "PENDING",
  "ekycAction": "ACTION-REQUIRED",
  "referenceKey": "xxxxxxxx",
  "data": {
    "status": "PENDING",
    "isFaceAuthAvailable": true,
    "isBiometricKycMandatory": false,
    "bankName": "Airtel Payments Bank"
  }
}
```

Response (Already Approved)

```
{
  "status": "SUCCESS",
  "statusCode": "TXN",
  "message": "Biometric authentication already completed",
  "subMerchantId": "SUBM_B*****2",
}
```

```
"outletId":"6*****",
"minKycStatus":"COMPLETED",
"ekycStatus":"APPROVED",
"ekycAction":"NO-ACTION-REQUIRED",
"data":{"
  "status":"APPROVED",
  "bankName":"Jio Payments Bank"
}
}
```

eKYC Status Values

Value	Meaning
PENDING	eKYC Pending
APPROVAL_PENDING	Waiting for Bank Approval
APPROVED	eKYC Approved

eKYC Action Values

Value	Meaning
ACTION-REQUIRED	Biometric Authentication Required
NO-ACTION-REQUIRED	No Further Action Required

3. Submit Biometric KYC

Use this API to submit biometric authentication data.

Endpoint

POST

/submerchant/biometric-kyc

Full URL

<https://api.payntrix.com/api/jcentrix/v1/submerchant/aeps/biometric-kyc>

Request

3. Submit Biometric KYC API

This API is used to submit the Aadhaar biometric authentication captured from the RD Service device after the **KYC Status API** returns `ACTION-REQUIRED`.

Endpoint

Method: `POST`

`text`

`https://api.payntric.com/api/jcentrix/v1/submerchant/aeps/biometric-kyc`

Authentication

Include the following HTTP headers in every request.

Header	Required	Description
-----	-----	-----
username	Yes	API Username
token	Yes	API Token
Content-Type	Yes	application/json

Request Body

```
{  
  "subMerchantId": "SUBM_****",  
  "referenceKey":  
  "U179VyIxYWT/IPmAvFYKm4B8eJL1tA/2uhP2+ogtIS+f92/uYuxsgLix0v",  
  "latitude": "28.620370",  
  "longitude": "77.381041",  
  "externalRef": "REQ629123456",  
  "captureType": "FMR",  
  "biometricData": {  
    "encryptedAadhaar": "",  
    "dc"           => (string),  
    "dpId"         => (string)  
    "mc"           => (string),  
    "mi"           => (string),  
    "rdsId"        => (string),  
    "rdsVer"       => (string),  
    "ci"           => (string),  
    "sessionKey"   => (string),  
    "pidData"      => (string),  
    "pidDataType"  => (string),  
    "hmac"         => (string)  
    "errCode"      => (string),  
    "errInfo"      => (string),  
  }  
}
```

```
"fCount"    => (string),
"fType"     => (string),
"iCount"    => (string),
"iType"     => (string),
"pCount"    => (string),
"pType"     => (string),
    "qScore" => (string),
    "nmPoints" => (string),
    "srno" => $srno,
    "sysid" => $sysid,
    "ts" => date('Y-m-d\TH:i:s'),
    "iCount" => "0",
    "pCount" => "0",
}
}
```

Success Response

```
{
  "status":"SUCCESS",
  "statusCode":"TXN",
  "message":"Biometric KYC submitted – poll eKYC Status for bank approval."
,
  "subMerchantId":"SUBM_B*****2",
  "outletId":"*****",
  "minKycStatus":"COMPLETED",
  "ekycStatus":"APPROVAL_PENDING",
  "ekycAction":"ACTION-REQUIRED"
}
```

Failure Response

```
{  
  "status": "FAILED",  
  "statusCode": "500",  
  "message": "The selected captureType is invalid."  
}
```

Merchant Status Flow

Step	Min KYC	eKYC	Next Action
Signup Completed	COMPLETED	PENDING	Call eKYC Status API
Biometric Required	COMPLETED	PENDING	Submit Biometric KYC
Biometric Submitted	COMPLETED	APPROVAL_PENDING	Poll eKYC Status API
Bank Approved	COMPLETED	APPROVED	Merchant is Active

Integration Guidelines

1. Authenticate every request using the required HTTP headers.
2. Call **Signup Min KYC** first to register the merchant.
3. Save the `subMerchantId` and `outletId` returned by the signup response.
4. Call the **eKYC Status API** to determine the next step.
5. If `ekycAction = ACTION-REQUIRED`, capture biometric authentication and submit it using the **Biometric KYC API**.
6. After biometric submission, continue polling the **eKYC Status API** until `ekycStatus = APPROVED`.
7. The merchant is considered fully onboarded only after `ekycStatus = APPROVED`.