ESS111: Programming in C

LAB - 1

(Due by: 25/11/2020 before 11:59 pm)

(Note: only Part A will be evaluated)

PART A

Problem 1: Write a program that takes a temperature reading in the centigrade scale and outputs its equivalent value in the fahrenheit scale (give output up to 2 decimal places).

Input	Output
0	32.00
-10	14.00

(Sample Input/Output for Problem 1)

Problem 2: You are given three floats *a b c* as inputs which represent the length, the breadth of a rectangle and the radius of a circle, respectively. Write a program which gives the output: area of the rectangle, perimeter of the rectangle, area of the circle and circumference of the circle, respectively. (Make sure that output sequence is as mentioned above). (Assume $\pi = 3.14$) (Give output up to 2 decimal places)

Input	Output
9 6 1	54.00 30.00 3.14 6.28
8 12 10	96.00 40.00 314.00 62.8

(Sample Input/Output for Problem 2)

Problem 3: Write a program that takes *n* as input and gives the average of the squares of the first *n* natural numbers. (Give output up to 2 decimal places)

Input	Output
4	7.50
9	31.67

(Sample Input/Output for Problem 3)

Problem 4: Given two positive integers (read from the input), write a program to print the remainder and the quotient, respectively, when the first integer is divided by the second integer.

Input	Output
23 5	3 4
41 8	1 5

(Sample Input/Output for Problem 4)

PART B

[A] Which of the following are invalid C constants and why?

- 1) '3.15' 4) 35,550 7) 3.25e2 2) 2e-3 5) 'eLearning' 8) "show" 3) 'Quest' 6) 2³ 9) 4 6 5 2
- [B] Which of the following are invalid variable names and why?
- 1) B'day
 6) int
 11) \$hello

 2) #HASH
 7) dot.
 12) number

 3) totalArea
 8) _main()
 13) temp_in_Deg

 4) total%
 9) 1st
 14) stack-queue

 5) variable name
 10) %name%
 15) salary
- **[C]** State whether the following statements are True or False:
- 1. C language was developed by Dennis Ritchie.
- 2. Operating systems like Windows, UNIX, Linux and Android are written in C.
- 3. C language programs can easily interact with hardware of a PC / Laptop.
- 4. A real constant in C can be expressed in both Fractional and Exponential forms.
- 5. A character variable can at a time store only one character.
- 6. The maximum value that an integer constant can have varies from one compiler to another.
- 7. Usually all C statements are written in small case letters.
- 8. Spaces may be inserted between two words in a C statement.
- 9. Spaces cannot be present within a variable name.
- 10. C programs are converted into machine language with the help of a program called Editor.
- 11. Most development environments provide an Editor to type a C program and a Compiler to convert it into machine language.
- 12. int, char, float, real, integer, character, char, main, printf and scanf all are keywords.

[D] Match the following pairs:

```
(a)
     \n
(b)
     3.145
     -6513
(c)
     'D'
(d)
(e)
     4.25e-3
(f)
     main()
     %f, %d, %c
(g)
(h)
(i)
      Constant
      Variable
(j)
(k)
      &
```

printf()

scanf()

(l)

(m)

- (1) Literal
- (2) Statement terminator
- (3) Character constant
- (4) Escape sequence
- (5) Input function
- (6) Function
- (7) Integer constant
- (8) Address of operator
- (9) Output function
- (10) Format specifier
- (11) Exponential form
- (12) Real constant
- (13) Identifier
- **[E]** Point out the errors, if any, in the following programs:

```
(a)
int main()
{
    int a; float b; int c;

    a = 25; b = 3.24; c = a + b * b - 35;
}
(b)
#include <stdio.h>
int main()
{
    int a = 35; float b = 3.24;
    printf ( "%d %f %d", a, b + 1.5, 235 );
}
```

```
(c)
#include <stdio.h>
int main()
{
   int a, b, c;
   scanf ( "%d %d %d", a, b, c );
}
(d)
#include <stdio.h>
int main()
{
   int m1, m2, m3
   printf ("Enter values of marks in 3 subjects")
   scanf ( "%d %d %d", &m1, &m2, &m3 )
   printf ("You entered %d %d %d", m1, m2, m3)
}
```