

MAM

ROLE OVERVIEW

Position: Data Manager, Executive

Team: Fund Management and Master Data Team

Focus Areas: Master data management for fund management models across private markets and public markets (private credit, real estate, and real assets)

UNIFIED ASSET MASTER INITIATIVE

Objective

Creating a unified asset master focusing on real estate, real assets, and private credit (IIG and Direct Lending). This will serve as a single source of truth consolidating all asset class data in a centralized UI, providing organization-wide access to complete asset information.

Current Challenges Identified

Multiple Data Sources:

- Teams are using data from Titan, eFront, and Flipper
- Each system has different system IDs for the same assets
- Example: One asset has three different IDs from these three data sources

Manual Processes:

- Many teams still using Excel to keep records
- Multiple data sources creating reconciliation issues

Limited Visibility:

- Difficult for stakeholders to get complete visibility of their assets
- Challenges in reporting purposes

Stakeholder Analysis Process

Connecting with each team under MAM to understand:

- How their data is coming in
- What are their data sources (absolute data sources)
- What is their data upstream and downstream
- How frequently data is coming
- What attributes they are using
- What are their current pain points

Solution Design

Creating a single source of truth with:

- One unified asset ID replacing multiple system IDs
- Centralized UI for asset visibility
- Easy access for stakeholders to understand their assets
- Simplified reporting purposes

Asset Master Framework

Establishing asset master frameworks by:

- Integrating data from different sources across asset classes
- Ensuring data quality and governance

PBOR DATA MODELS VALIDATION

Work Completed

Validated and defined all fields for around 14 data models, including:

- Asset-based data models
- Investor account
- Investor position
- Portfolio positions
- User
- Calendar
- Foreign exchange rates data model

Analysis Process

- Understanding how data is coming from each end
- Checking the relations between tables
- Understanding how primary keys are defined
- Understanding how foreign keys are defined
- Understanding how these tables are related to each other
- Identifying from where the data is coming
- Defining the purpose of each field in the data product/table
- Giving proper definitions and linking
- Understanding how these calculations are being pushed to the data engineering team

DATA PIPELINE DEVELOPMENT

Pipeline Architecture

Developed data pipelines from ADS (Absolute Data Source) to GCP, creating data models for:

- Assets
- Investment accounts
- Investor accounts
- Portfolio positions
- Fund management

Consumer Data Models (Data Products)

Built consumer data models transforming raw fund data into calculated fields including:

- FX conversion rates
- Performance fees
- Carry placement fees

COLLABORATION WITH INVESTMENT TEAMS

Working with investment teams to support:

- Reporting requirements
- Fee calculations
- Performance measurement
- Regulatory requirements through data products

PRODUCT AND ACCOUNT MASTER DATA MANAGEMENT

Objective

Establishing standardized master data for products (funds/strategies) and linked accounts to support multiple product domains including real assets, real estate, private credit, and ultra-wealth.

Key Responsibilities

Product Master Data Definition

- Defining core attributes for products such as strategy/fund type, lifecycle status, listing status, and termination details
- Classifying products across categories such as pooled funds, co-invest funds, and funds of funds
- Ensuring accurate representation of product hierarchy and structure across domains

Account Master Data Mapping

- Mapping linked entities and accounts to corresponding products/funds
- Defining structures for share classes, feeders, and associated investment entities
- Ensuring correct relationships between products and their linked accounts

Data Validation and Governance

- Verifying completeness and correctness of product and account attributes before ingestion into master data systems
- Identifying fund lifecycle stages including active, terminated, wound-up, listed, and unlisted funds
- Ensuring hierarchical relationships (pooled vehicles, feeders, co-invest structures) are accurately captured

Collaboration with Data Engineering & Data Management Teams

- Providing structured master data inputs to engineering teams for creation of **LCM (Logical Conceptual Models)** across product domains


- Working with data management teams to validate accuracy and consistency of product and account data
- Ensuring master data integrity to support downstream use cases such as **data products, core marks, reporting, and analytics**

cheatsheet

Keyword / Topic	Best Project(s) to Reference	Why? (Your Story Anchor)
Data Protection	♦ Phoenix Group (DLP) ♦ NYL Risk Intelligence	DLP policy enforcement, PII control, MFA/SSO/PAM tracking, insider risk monitoring
Data Privacy	♦ Google Core Privacy Governance ♦ Google Photos Privacy Reviews	Supported privacy review lifecycle, compliance dashboarding, GDPR-style risk triage
Risk Controls / Tech Risk	♦ NYL Risk Intelligence ♦ Google GCP Billing Governance	Residual risk scoring, IAM enforcement, vulnerability tracking, Redshift-based analytics
Security Controls / IAM	♦ Google GCP Billing Governance ♦ Phoenix Group (DLP)	IAM configurations, billing migration controls, CL-based access management
Governance / Dashboards	♦ Google Core Privacy Governance ♦ NYL Risk Intelligence	Built KPI-driven dashboards to support compliance, SLA, and executive visibility
GDPR / Regulatory Compliance	♦ Phoenix Group ♦ Google Core Privacy Governance	Escalation workflows, audit readiness, alignment with breach reporting timelines
Incident Management / Breach Response	♦ Phoenix Group ♦ Google Core Privacy Reviews	DLP incident triage (L2/L3), SLA flags for reviews, backlog management
ETL / Secure Pipelines	♦ NYL Risk Intelligence ♦ Google Responsible AI	AWS Glue, Lambda, Redshift, secure handling of risk and privacy data
Auditability / Compliance Reporting	♦ Google Core Privacy ♦ NYL Risk Intelligence	Delivered dashboards for DPOs, auditors, with full SLA and escalation tracking
Responsible AI / Emerging Risk	♦ Google RAI for Photos	AI/ML risk profiles, reviewer load balancing, governance maturity tracking
Cloud Governance / Spend Risk	♦ Google GCP Billing Governance	Centralized billing, IAM lock-in, budget accountability enforcement

Aspect	Data Security	Data Privacy	Data Protection	Data Governance 
Definition	Protecting data from unauthorized access, breaches, or threats	Ensuring personal/sensitive data is handled lawfully and ethically	Safeguarding data's availability, integrity, and confidentiality	Strategic framework for managing data availability, quality, and compliance
Primary Focus	Confidentiality, Integrity, Availability (CIA)	Consent, Purpose, Minimization, Legal Compliance	Combines security + privacy for resilience	Control, Policy, Ownership, and Accountability
Objective	Prevent data theft, tampering, or loss	Respect user rights and comply with regulations (e.g., GDPR)	Maintain data safety across lifecycle and threat scenarios	Define how data is accessed, owned, and trusted across the enterprise
Key Activities	Access control, encryption, firewalls, threat detection	Data subject rights, consent management, PII classification	Backups, incident response, secure storage, DLP	Data stewardship, metadata management, quality rules, policy enforcement
Tools/Techniques	IAM, firewalls, antivirus, network security tools	Privacy Impact Assessments (PIA), data masking, legal reviews	DLP systems, backups, secure storage, disaster recovery	Data catalogs, governance frameworks (e.g., DAMA-DMBOK), policy engines
Stakeholders	Security Engineers, SOC Teams, IT	Legal, Compliance, Privacy Officers	CISOs, Security & Compliance, Risk Managers	Data Stewards, CDOs, Business Owners, Compliance
Example from Your Projects	Phoenix Aberdeen DLP, NYL Risk Intelligence	Core Privacy, Google Photos/G1 Privacy Dashboards	Core On Cloud, Phoenix Aberdeen DLP	Core Privacy, NYL Risk Intelligence, Core On Cloud

Core Privacy



Core Privacy: google

Context:

Within the Core Privacy function, operations are tracked and managed across three primary dimensions:

- **Hotlists:**
 - **Amber** – Launches with a go-live date within the next 7 days.
 - **Indigo** – Launches or consultations created within the last 30 days.
 - **Emerald** – Open launches escalated by the team.
- **Engagement Types:**
 - Consultations
 - Reviews & Additional Reviews
 - Launch Final Checks (LFCs)
- **Domains:**
 - Core Privacy
 - Infrastructure
 - Identity
 - Legal Reviews (including privacy-related legal requirements and potential risks such as violence or disruption to Alphabet)

Overview:

As part of the **Launch Governance Operations**, I collaborated with the Core Privacy team to improve operational efficiency by tracking and analyzing key metrics. These metrics are captured and segmented across the above hotlists, engagement types, and domain areas. The data is pulled from multiple sources, cleaned and processed via a defined pipeline, and visualized through a comprehensive dashboard.

Dashboard Functionality:

The dashboard serves as a centralized tool for operational support, enabling:

- Day-to-day triage and auditing
- Troubleshooting and root-cause analysis
- Metrics tracking for trend monitoring and performance evaluation

Key Metrics Tracked:

- **Issue Metrics:**
 - Open vs. Closed Issues
 - Daily Bug Intake vs. Resolutions
 - Open Bug Count by Domain, Engagement Type, and Hotlist
 - Distribution of Hotlist Bugs across Domains and Engagements
- **Performance Metrics:**
 - Average Time to Resolve (by Engagement and Domain)
 - Weekly Bug Intake and Resolution Trends

Problem Statement:

To ensure the timely resolution of privacy-related issues and maintain compliance, it is critical to effectively track, manage, and act on key operational metrics within Core Privacy. This is essential for upholding governance standards and sustaining operational excellence.

Solution Approach:

1. **Metric Definition & Standardization:**
Clearly define and standardize the core set of metrics to monitor operational performance across programs.
2. **Data Workflow Implementation:**
Establish a robust data pipeline—from **Buganizer hotlists** → **Culvert sheet** → **Data sources** → **Dashboards**—to automate and maintain reliable metric updates.
3. **Visibility & Transparency:**
Build an interactive dashboard that offers real-time visibility into performance metrics segmented by program, domain, and engagement type.
4. **Data-Driven Decision Making:**
Present data in a structured, actionable format to help stakeholders:
 - Identify trends and bottlenecks
 - Make informed decisions
 - Ensure timely issue resolution
 - Drive continuous operational improvement

Data type:

Privacy Consults: Request for expert advice or review on a specific privacy concern or proposed idea. It's usually initiated when a team within the company has questions about how their work might impact user privacy, or if they've identified a potential privacy risk.

1. Phone number required to create gmail or google account?
2. Physical device id for youtube OTT usage
3. Retention advice on takeout archive tables
4. Grant notification text content feedback from pwg review
5. Creating a privacy rulebook

Privacy Launches: a launch in this context refers to the formal process of releasing a new product, feature or significant system change to users or production environments, which has been reviewed and approved from a privacy perspective.

1. Launch review for verify my age offline data test
2. Automatically connecting your android screen lock to secure backup
3. Changing privacy messages for certain google accounts

Google photos/G1

Google photos/G1

Overview:

The dashboard provides a comprehensive snapshot of privacy-impacting launch volumes, trends, and bottlenecks across the **Photos** and **G1** organizations. It delivers both **org-wide** and **mission team-specific** visibility into:

- Total launch output
- Privacy complexity breakdown:
 - **Privacy Non-Impacting** – Launches approved through automated LFCs
 - **Privacy Impacting** – Launches requiring manual reviews
 - **Default Reviews** – Standard launches reviewed by privacy advocates
 - **Escalated Launches** – High-priority or complex reviews

By surfacing trends and bottlenecks, the dashboard enables **strategic decision-making** to improve review **velocity, efficiency, and overall effectiveness**.

Data & Engineering Workflow:

1. Data Sourcing:

- Pull data from predefined internal tables.
- Use SQL scripts to extract and compute advanced attributes and custom metrics.

2. Data Transformation:

- Enrich the raw data with calculated fields for privacy classification, turnaround time, mission team attribution, and review metrics.

3. Visualization Layer:

- Import the curated dataset into **Looker Studio**.
- Design KPI-driven dashboards segmented by **launches** and **privacy advocates**.

Dashboard Segmentation:

- **By Mission Team:**

Visualize launch metrics across specific teams like:

- Creative Expression
- Gallery
- Storage
- Sharing
- Research
- And others within G1 & Photos

- **By Privacy Impact:**

Track volumes and distribution of:

- Privacy-impacting launches
- Non-impacting launches
- Consultations

Key Metrics Tracked:

- Number of launches by privacy classification
- Launch volume over time (trends)
- Distribution of launches by mission team
- Time from launch opened to submission to PWG
- Average days to review a launch
- Average bug open time

Problem Statement:

The Photos and G1 organizations lacked a centralized, actionable view of privacy launch workflows—limiting their ability to assess privacy complexity, monitor review throughput, and identify bottlenecks across teams. This gap hindered leadership’s ability to make data-driven decisions to improve operational effectiveness and ensure timely compliance with privacy standards.

Solution:

To address this, we developed a **custom Looker Studio dashboard** that:

- 1. Unifies Data Across Teams:**
Aggregates and standardizes launch data across G1 and Photos to provide a holistic view.
- 2. Highlights Privacy Complexity:**
Segments launches based on their privacy impact level, improving clarity around review needs and resource allocation.
- 3. Monitors Operational Performance:**
Surfaces key KPIs such as turnaround times, bug resolution duration, and advocate review loads to enable performance tracking.
- 4. Supports Strategic Decisions:**
Enables leadership and program managers to spot trends, identify high-friction areas, and drive improvements in launch velocity, review efficiency, and cross-team coordination.

Google Photos RAI

Google photos RAI

Problem Statement

Raw project and review data from the source system, while comprehensive, lacks standardized fields for all necessary Responsible AI (RAI) attributes and requires significant transformation. Key project characteristics, review details, and derived metrics are not readily available in a directly usable format for comprehensive dashboarding, necessitating manual extraction and calculation from unstructured or semi-structured fields.

Solution

A multi-stage data preparation pipeline has been implemented to address these challenges:

1. **Automated Extraction:**

Tools like **Culvert** are used to automatically extract core data points. These extractions are scheduled for frequent refreshes using AppScript triggers to ensure near real-time data availability.

2. **Formula-Based Parsing and Consolidation:**

Google Sheets functions are used to systematically parse and extract granular project details (e.g., name, stage, GenAI usage, timeline, output type) embedded within the description fields. This parsed data is consolidated with the automated extracts in a centralized Google Sheet.

3. **Data Standardization and Enrichment:**

Looker Studio's data transformation capabilities, including calculated fields, are leveraged to:

- Standardize project status values
- Consolidate mission team names
- Derive critical metrics (e.g., time to initial RAI engagement)

Context

This robust data preparation pipeline forms the foundation for the **Google Photos Responsible AI (RAI) Dashboard**. It translates detailed, often unstructured project tracking information into actionable and standardized metrics. This ensures that the dashboard delivers **accurate, timely, and comprehensive insights** into the RAI review pipeline—covering project characteristics, review stages, and readiness for launch.

The dashboard offers a **structured, transparent, and data-driven overview** of the Responsible AI review process. It facilitates:

- Early identification of risks
 - Monitoring of mitigation efforts
 - Workload management
 - Assurance that AI/ML features meet Google's high standards for responsible development prior to launch
-

Dashboard Overview: Google Photos Responsible AI Dashboard

The dashboard is the central solution providing essential visibility into the RAI process. It is built upon a robust data transformation pipeline that turns raw project data into actionable insights. The dashboard visually narrates the RAI review journey through the following key sections:

1. RAI Pipeline and Risk Profile:

Highlights the incoming volume and key characteristics of projects using:

- High-level summary cards (e.g., total projects, GenAI projects, U18 access projects)
- Detailed visualizations (e.g., projects by mission team, stage, and launch type)
These help establish the overall scope and initial risk landscape.

2. Navigating the Review Process:

Illustrates workflow efficiency and resource allocation by:

- Tracking project statuses (e.g., projects by current review stage)
- Monitoring individual workload (e.g., projects/tasks per Google Photos RAI POC)
- Measuring key cycle times (e.g., time from assignment to initial risk rating)

Core On Cloud

Core On Cloud

Problem Statement

Internal Google Cloud Platform (GCP) projects were historically associated with independently managed billing accounts, leading to fragmented cost tracking, limited governance, and inconsistent enforcement of security and financial policies. This lack of centralized oversight made it difficult for PA Resource Managers (PARMs) to:

- Monitor and manage GCP expenditures effectively
- Ensure that workloads were properly funded or shut down if unused
- Enforce billing governance and security compliance
- Track changes or validate access via transparent approval processes

As a result, there was a growing risk of misallocated spend, unmanaged cloud resources, and insufficient cost control across Alphabet's internal GCP usage.

Solution

To address these challenges, a structured migration process was implemented to move internal GCP projects to **PA-managed billing accounts**. This initiative included:

1. **Procedure Design & Stakeholder Communication:**
 - Developed and published clear migration procedures
 - Communicated changes to impacted users and stakeholders
2. **Migration Execution:**
 - Created new **managed billing accounts** where access is controlled via Piper and limited to PARMs and their delegates
 - Migrated existing GCP projects to these controlled accounts
 - Decommissioned outdated or redundant billing accounts
3. **Governance & Automation via Latchkey:**

- Integrated **Latchkey** for configuration management, access control (through Piper CLs), and automated compliance checks
- Ensured each association request passed automated presubmit checks
- Validated that all projects belonged to registered and approved GCP organizations via API calls

4. **Policy Enforcement:**

- Empowered PARMs to shut down non-compliant or unfunded projects
- Ensured every project was aligned with an appropriate cost center
- Managed IAM permissions via CLs to establish two-party review and audit trails

Context

This migration initiative was led under the **Core on Cloud** program to improve cloud resource governance within Alphabet. The goal was to consolidate billing oversight and bring transparency, security, and cost control to internal GCP usage. By leveraging centralized **PA-managed billing accounts**, automated validation through **Latchkey**, and change tracking in **Piper**, the migration effort aligned internal cloud usage with Alphabet's **Resource Management and Security Policies (PARM)**.

The end result is a governance-first model where project and billing associations are **auditable**, **secure**, and **funding-accountable**, supporting Alphabet's broader goals of responsible cloud consumption, operational efficiency, and risk reduction.

NYL Risk Intelligence

NYL Risk Intelligence

Scope

The **Risk Intelligence Program at New York Life (NYL)** is focused on strengthening cybersecurity, compliance, and operational efficiency through data-driven risk management. The initiative encompasses:

- Cybersecurity domains (e.g., vulnerability management, IAM, infrastructure security)
- Technology asset visibility
- Business supply chain analytics
- Third-party risk assessments

The program supports the development of risk dashboards, data models, ETL pipelines, and executive reporting using AWS services, Redshift, Toad Data Point, and Tableau.

Problem

NYL lacked a centralized, scalable, and automated platform to:

- Integrate and transform raw cybersecurity data across various domains
- Generate actionable risk insights
- Provide consistent and transparent visibility into cyber risk posture for leadership
- Track key risk metrics aligned with internal SLAs

Manual data processing and fragmented data sources resulted in inefficiencies, limited executive insight, and challenges in risk governance.

Solution

To address these challenges, the Risk Intelligence Program implemented a robust, automated data pipeline and visualization framework, delivering significant improvements in security posture, compliance tracking, and operational efficiency.

Key Solution Components:

1. ETL Workflow with AWS Glue

- **Data Ingestion:** Raw data from SNOW VR (application scanning, SaaS) is stored in Amazon S3.
- **Preprocessing:** AWS Lambda automates initial cleaning and formatting.
- **Transformation & Orchestration:** AWS Glue Jobs (PySpark-based) transform data and push it to Redshift/RDS. CloudWatch monitors performance and job health.
- **Data Integration:** SQL-based transformation is performed using Toad Data Point and stored procedures.

- **Visualization:** Tableau connects to Redshift to create dynamic dashboards for executive, management, and business unit reporting.

2. Dashboarding & KPI Reporting

- Dashboards visualize residual risk scores and trends across cyber domains:
 - Vulnerability Management
 - Infrastructure Security
 - Identity & Access Management (IAM)
 - Endpoint Management
 - Application Security and Secure Development

3. Cyber Risk KPIs Tracked

Vulnerability Management:

- Residual Risk Score and historical trend
- % of vulnerabilities remediated within SLA (infrastructure, application, cloud, endpoint)
- No. of open vulnerabilities
- No. of vulnerabilities past SLA thresholds (1 & 2)
- Vulnerability exceptions and deferrals (patch unavailability, testing, freeze periods)

4. IAM:

- Residual risk trends by value stream
- % MFA/RBA, SSO, PAM, UAG coverage across applications
- L3 risk overview

Context

This Risk Intelligence initiative was launched to mature NYL's cyber risk capabilities, moving from reactive monitoring to a proactive, analytics-driven approach. The solution not only strengthens security and governance but also optimizes resource utilization by reducing external labor dependency and increasing internal analytical capacity.

The future roadmap includes expanding risk analytics capabilities, improving data aggregation, and aligning risk reporting with broader enterprise governance policies.

Tasks Performed

- Designed and implemented the end-to-end AWS-based ETL workflow for data ingestion, transformation, and loading
- Developed automated Lambda functions and Glue Jobs to streamline data processing
- Created and managed SQL stored procedures for business logic implementation
- Built Tableau dashboards with KPIs tailored to executive and domain-specific users
- Integrated multiple data sources (SNOW VR) for vulnerability and risk tracking
- Delivered dashboards covering cyber domains with detailed risk trends and SLA compliance metrics
- Ensured alignment with internal reporting frameworks and wireframes for business units and leadership

Identity & Access Management (IAM)

Type	Metric	Value/Threshold	Description
KPI	MFA Coverage	94%	Applications with multi-factor authentication enabled
KPI	SSO Adoption	87%	Business applications integrated with single sign-on
KPI	PAM Implementation	76%	Privileged accounts under Privileged Access Management
KPI	Access Reviews Completed	156	Quarterly access reviews completed on time
KPI	Account Provisioning Speed	2.3 days	Average time to provision new user accounts
KRI	Orphaned Accounts	23 (Threshold: 10)	Accounts of terminated employees still active
KRI	Failed Login Attempts	1,247 (↑15%)	Failed logins this week, trending up
KRI	Dormant Privileged Accounts	3 accounts	Admin accounts unused for 90+ days
KRI	Password Age Violations	156 accounts	Accounts with passwords >90 days old
KRI	MFA Bypass Requests	8 (Threshold: 5)	Emergency MFA bypasses this month

Application Security

Type	Metric	Value/Threshold	Description
KPI	Code Scans Completed	245	Application security scans completed this quarter
KPI	Vulnerabilities Remediated	89%	Critical app vulnerabilities fixed within SLA
KPI	Security Testing Coverage	78%	Applications with automated security testing
KPI	Secure Code Training	92%	Developers completed secure coding certification
KPI	SAST/DAST Integration	156 apps	Applications integrated with security testing tools
KRI	Critical Vulnerabilities Open	12 (Threshold: 5)	Critical app vulnerabilities open >30 days
KRI	Legacy Applications	34 apps	Applications on unsupported frameworks
KRI	Patch Lag Time	8.5 days (SLA: 7)	Average days to patch critical app vulnerabilities
KRI	Failed Security Tests	↑23%	Increase in failed security tests this month
KRI	Vulnerable Components	67 apps	Applications using components with known vulnerabilities

Vulnerability Management (Cross-Domain)

Type	Metric	Value/Threshold	Description
KPI	Residual Risk Score	7.2/10	Overall vulnerability risk score
KPI	Remediation Within SLA	89%	Vulnerabilities fixed within SLA timeframe
KPI	Open Vulnerabilities	1,247 total	Current number of open vulnerabilities
KPI	Weekly Resolutions	156 fixed	Vulnerabilities resolved this week
KPI	Scan Coverage	98%	Assets covered by vulnerability scanning
KRI	Past SLA Threshold 1	89 vulns	Vulnerabilities past first SLA threshold
KRI	Past SLA Threshold 2	23 vulns	Vulnerabilities past second SLA threshold
KRI	Critical Age >30 Days	12 vulns	Critical vulnerabilities open >30 days
KRI	Patch Deferrals	45 cases	Vulnerability patches deferred due to business needs
KRI	Risk Score Trend	↑0.3 points	Monthly increase in residual risk score

1

Phoenix Aberdeen DLP

Phoenix Aberdeen DLP Context

The project centers around managing **Data Loss Prevention (DLP)** services for the **Phoenix and Aberdeen groups**, with a focus on detecting and mitigating risks related to sensitive data leaving the organization's network or cloud infrastructure. Predefined DLP policies were used to monitor and act on suspicious activity across email (Exchange Online), cloud storage (SharePoint, OneDrive, Teams), and other communication channels.

The service uses **Symantec DLP**, specifically focusing on the **Data In Motion (DIM)** component, to protect Phoenix's confidential information by identifying and preventing unauthorized data sharing. The operations include Level 1 (L1) and Level 2 (L2) triage and investigation, with escalation to HR or the Data Protection team (L3) for high-risk cases.

Problem

- High volume of DLP events with varying severity made it difficult to manage and prioritize investigations efficiently.
- Lack of contextual understanding in predefined DLP policies occasionally led to false positives.
- Manual triage and investigation were time-consuming and required continuous review and communication with end users.
- DLP rules needed frequent tuning to adapt to changing data patterns and insider threat behaviors.
- There was a need for structured escalation workflows for unresolved or high-severity incidents.

Solution

- Implementation of predefined DLP policies tailored to Phoenix and Aberdeen group needs:
 - Customer Data – EXO
 - Phoenix Cloud DLP
 - Financial Crime Email Policy
 - Highly Sensitive/Confidential Policy
 - Multiple Insider Threat Detection Policies
 - Leavers High Risk Policy
- Severity classification of events (High, Medium, Low) based on keyword match thresholds and policy violations.
- Daily triage process to assess events and notify users via email about potential policy breaches. Users were asked to justify the flagged behavior:
 - Valid justifications led to event closure.
 - Unresolved or suspicious responses were escalated to the Data Protection Team.

- Policy refinement and optimization based on trends from historical event data, including creation of new DLP policies when needed.
- Use case documentation for special or in-scope sensitive data types requiring protection under new DLP features.

Tasks Involved

- 1. Event Triage (L1):**
 - Daily review of DLP events triggered by predefined policies.
 - Classification of events as false positives or those needing further review.
- 2. Investigation and Escalation (L2):**
 - Engage with business points of contact and end users to analyze escalated events.
 - Review events, validate against DLP policies, and communicate via alert emails.
 - Collect and assess user justifications.
- 3. Closure or Escalation (L3):**
 - Close events after justified responses.
 - Escalate unresolved or critical incidents to Phoenix's HR or Data Protection team.
- 4. Policy Management:**
 - Regularly fine-tune existing policies based on trends and recurring false positives.
 - Propose and help implement new policies as required.
 - Document special use cases for sensitive data types to inform policy development.